170	m n	
7	US ARMY LABORATORY MATERIALS TECH	COMMAND NOLOGY LABORATORY



AMC MATERIALS TESTING TECHNOLOGY (MTT) PROGRAM

MTL TR 89-91

A SURVEY OF U.S. ARMY MATERIEL COMMAND TESTING NEEDS FOR MATERIALS AND IN-PROCESS TESTING

October 1989

FRED STENTON, WALTER ROY, ROGER LAMOTHE, and PAUL KENNY (MTL) RICHARD CERVANTES (NTIAC)

FINAL REPORT



Approved for public release; distribution unlimited.

U.S. ARMY MATERIALS TECHNOLOGY LABORATORY Watertown, Massachusetts 02172-0001

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

Mention of any trade names or manufacturers in this report shall not be construed as advertising nor as an official endorsement or approval of such products or companies by the United States Government.

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return it to the originator

		REPORT	DOCUMENTATIO	N PAGE			Form Approved OMB No. 0704-0188
1a. REPORT	SECURITY CLASSIFI Unclassif			16. RESTRICTIVE	MARKINGS		
2a. SECURITY	CLASSIFICATION		-		/AVAILABILITY OF		27
2b. DECLASS	IFICATION / DOWN	GRADING SCHEDU	JLE		d for public re ion unlimited	lease;	
	NG ORGANIZATIO				ORGANIZATION R	TOORT A	NI IRADE D/C\
4. PERFORMI 17-795		N REPORT NUMB	EK(2)	MTL TR		EPORT	4OIVIBER(3)
	PERFORMING OF		6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MO	ONITORING ORGA	VIZATIO	N
	my Materials Tec est Research Insti		SLCMT-TM	U.S. Arn	ny Materials T	echnol	ogy Laboratory
6c. ADDRESS	(City, State, and	ZIP Code)	<u> </u>	7b. ADDRESS (Cit	ty, State, and ZIP (ode)	
1. 405 Arsen		2. 6220 Cul			nal Street		
Watertow	n, MA 02172-000	1 San Anto	onio, TX 78238	Watertov	vn, MA 02172	-0001	
8a. NAME OF ORGANIZ	FUNDING / SPONS	ORING	8b. OFFICE SYMBOL		T INSTRUMENT IDI	-	
1. U.S. Ai	my Mat'ls Techno		(If applicable) 1. SLCMT-TM	DLA900-84 MOD. 84-9	1-C-0910, CLIN 00 94-116	001 BQ	
8c. ADDRESS	e Logistics Agency (City, State, and Z	IP Code)	2. DTIC-DF	10. SOURCE OF F	UNDING NUMBER	S	
1. 405 Arse Watertov	nal Street vn. M.A. 02172-000	2. DT 01 Car	TC meron Station	PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO
	•		crandria, VA 22304	1Y678011	DE51	635	
11. TITLE (Inc	dude Security Clas	sification)		<u> </u>	<u> </u>		<u> </u>
	A Survey of U	.S. Army Mat	eriel Command Tes	ting Needs for	Materials & Ir	-Proce	ess Testing
Fred St		<u> </u>	amothe, Paul Kenny				
13a. TYPE OF	REPORT Final	13b. TIME C	OVERED 11/87 TO 10/31/89	14. DATE OF REPO	ort (Year, Month, ober 1989	Day) 1	15. PAGE COUNT 160
	ENTARY NOTATIO			<u> </u>	0001 1707		100
			the Nondestructive				
17. FIELD	COSATI CO	DES SUB-GROUP	18. SUBJECT TERMS (6 Survey, testing n	Continue on revers	e if necessary and	l identify s testin	y by block number) no materials
FIELD	GAOUP	306-GROUP	Onondestructive to	esting, electron			
			mechanical testi				
19. ABSTRAC	T (Continue on re-	verse if necessary	and identify by block n	umber) / \			
≥This doc	ument describe	es an in-depth	survey of the Unite	ed States Army	Commodity C	omma	nds materials and in-
process t	esting needs co	onducted as pa	art of the Materials	Testing Techno	logy (MTT) Pr	ogram	. The purpose of the
survey wa	as to provide a	a planning ma	trix for the scheduli	ng, prioritizing,	, and funding o	of proj	ects to accommodate
Category	eus. The resul	by Problem A	ey are presented in trea_and (3) Summa	inree different Try by Testing T	configurations echnology Th	: (1)	Summary by Product ey received responses
from all	Army Major S	ubordinate Co	ommands representi	ng the various A	Army materiel	catego	ories. The survey has
identified	l several testin	g situations as	nd product categorie	s which have c	ommon needs	requir	ing solutions through
test meth	odology. 📉	-ywor.	13:				
		3					
	TION / AVAILABILI			21 ABSTRACT SE	CURITY CLASSIFIC	AT!ON	
	SSIFIED/UNLIMITED		RPT. DTIC USERS	224 75/ 50/2025	Unclassi Include Area Code		OFFICE CYMPO
		41 21 (/ 11 14 14)		azzn illerhondez	include Area Code	11/20 (CIPPLE E STRIME()!

DD Form 1473, JUN 86

(617) 923-5519
Previous editions are obsolete

TABLE OF CONTENTS

			<u> 1</u>	Page
1.	INT	RODUC	TION	. 1
2.	SUR	EVEY BA	ACKGROUND INFORMATION	. 3
	2.1 2.2	Scope Surv <i>e</i> y	of the Materials Testing Needs Survey	. 3
3.	MA	TERIAL	S AND IN-PROCESS TESTING NEEDS SURVEY RESULTS	. 7
	3.1 3.2		Reporting Format	
		3.2.1 3.2.2 3.2.3 3.2.4 3.2.5 3.2.6	Ammunition and Weapons Vehicles, Tracked Combat and Tactical Support Aircraft Missiles Personnel and Support Equipment Electronics/Software Equipment	. 8 12
	3.3	Testing	g Needs Summary by Problem Areas	14
		3.3.1 3.3.2 3.3.3 3.3.4 3.3.5 3.3.6 3.3.7 3.3.8 3.3.9	Materials Characterization and Properties Automated Testing and In-Process Control Diagnostic Testing and Assessment Bonding and Adhesive Joining Technology Materials Durability and Structural Integrity Nuclear, Biological and Chemical Testing Problems Sensors, Optics, and Measurement Technology Energetics and Munitions Testing Other Army Testing Problems	15 20 21 22 23 24 24 25
	3.4	Testing	Needs Summary by Testing Technology	25
		3.4.1 3.4.2 3.4.3 3.4.4 3.4.5	Mechanical Testing Chemical Testing Nondestructive Testing Electronic and Software Testing Other Testing Technologies	26 26 30 31 32
4.	SUM	IMARY	AND CONCLUSIONS	33
	4.1 4.2		Testing Needs Identified in Survey	33 34

TABLE OF CONTENTS (Cont'd)

APPENDICES

Α	MTT Program Success Stories - Seven Examples
В	AMC/MTL Testing Needs Survey Documents
C	Materials and In-Process Testing Needs Survey Submissions
D	Testing Needs Keyword Index
Е	Survey Database Information

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1	Percentages of the Testing Needs Survey submissions organized by Army product categories	11
2	Percentages of the Testing Needs Survey submissions organized by the major identified problem areas	19
3	Percentages of the Testing Needs Survey submissions organized by Testing Technology	29

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1	Survey Site Visitations	5
2	Summary of Testing Needs by Product Category	9
3	Summary of Testing Needs by Problem Areas	16
4	Summary of Testing Needs by Test Technology	27
5	Summary of Major Testing Needs Identified in Survey	35

Accession For	_
NTIS GFA&I DTIC TAB Unrepresented Justification	
By	
Av 11-61100y Codes	
piat Control	

1. INTRODUCTION

This document describes an in-depth survey of the United States Army Commodity Commands testing needs conducted in the latter portion of FY1988 and into the first part of FY1989. The Materials Testing Technology (MTT) Program Manager was tasked by the AMC Deputy Chief of Staff for Product Assurance and Test, Mr. S. J. Lorber, for conducting a survey of AMC's testing needs. The purpose of the survey was to provide a planning matrix for the scheduling prioritizing, and funding of projects to accommodate those needs. A similar survey was conducted by MTL for AMC in 1975. That survey filled a major need at the time, and provided an earlier planning matrix that led to the scheduling and successful conclusion of many critical testing needs projects. The scope of the current survey, its performance, results, conclusions, and recommendations are presented in this document.

The results of this Testing Needs Survey will be used as a guide for the funding of projects designed to meet the objective of the MTT Program. That program has as its objective the timely establishment of testing techniques, procedures, and prototype equipment to ensure efficient inspection methods for material/material procured or maintained by AMC. MTT projects also provide alternative test methods when existing methods are shown to involve hazardous or polluting materials and procedures. These projects support those testing needs that have not been solved during normal program/project/product development or that have arisen from legislated mandates. These efforts are critical to commodity products and performance.

Potential MTT projects are solicited from all of the AMC arsenals, depots, proving grounds, installations, etc., once each year. Problem submissions are also requested for those situations where the submitter either does not have the capability to perform the task or does not know of a potential solution. All project/problem submissions are reviewed by the MTT Program Manager to establish whether MTT criteria have been met before further technical and budgetary consideration is given. The submissions are categorized into four testing technology groups: mechanical, chemical, nondestructive, and electronics/software testing. The testing needs survey has also been organized to reflect this grouping.

Brief descriptions of seven previously funded and completed MTT projects have been included in Appendix A to show the types of projects that have been funded and their implementation histories. Additional information regarding the MTT Program and the Testing Needs Survey may be obtained by writing the U.S. Army Material Technology Laboratory, Attention: SLCMT-TM, Mr. W. Roy, Watertown, Massachusetts 02172-0001. Points of Contact are also listed in Appendix B for the Major Subordinate Commands (MSCs) represented in the various testing needs identified in this survey.

2. SURVEY BACKGROUND INFORMATION

A series of directives from AMCQA called for the initiation of a survey of AMC-wide testing needs related to Army materiel items in the inventory and in development. Survey letters were mailed on 19 April 1988 to the MSCs describing what the survey intended to accomplish, probable sources of testing needs throughout the material life cycle, and categories of information. Copies of the AMC and MTL correspondence regarding the survey are included in Appendix B for reference.

2.1 Scope of the Materials Testing Needs Survey

The Testing Needs Survey was carried out to identify and describe material testing needs throughout all phases of the life cycle for all systems, items, and components in or scheduled for the Army inventory. In general, testing needs may be identified in the production, in-service, overhaul and maintenance, and storage phases of a materiel life cycle. An emphasis was placed on those needs, current and anticipated, resulting from the planned increased use of emerging materials such as ceramics, composites, polymers, etc., in notional systems. Also, attention was given to requirements to evaluate the remaining life of components which are scheduled for routine replacement or evaluation during maintenance or rebuilding operations. Those testing needs applicable to system evaluations were not considered part of this survey's focus.

The production phase may include the monitoring and evaluation of quality parameters which affect production efficiency and end-product quality and reliability. Typically, on-line inspection and process control and feedback techniques are needed to maintain quality production and minimize lost material and rework time.

The in-service life cycle phase may include testing methods to monitor in-situ the performance or condition of a component or end-item. Critical component materials may need to be evaluated on a continuous basis during actual use to monitor stress states or other parameters which may indicate unacceptable performance. A component's condition may also be evaluated indirectly by monitoring real-time performance characteristics; for example, bearing noise may indicate deteriorating materials, or gun tube blow-by may indicate excessive wear.

In the overhaul and maintenance phase, a very wide variety of testing methodologies are employed. Extensive measures are needed at this point in the life cycle to avoid catastrophic failures that result from faulty workmanship, excessive wear, fatigue, or simply aged materials

Finally, many materials in the Army inventory require storage for later use and thus surveillance in the storage life cycle phase. Inspection methods are used to monitor propellants and explosive materials whose performance may deteriorate with time in storage. Adhesives, paints and coatings, cloth and elastomer materials, among many other materials, are all subject to degradation with time.

The materials testing needs described in the above sections are by no means exclusive; many specialized testing needs can be found in all Army material categories. The examples given here serve only to categorize the type of testing which might be considered in different phases of the material life cycle.

2.2 Survey Structure and Performance

In response to the requirements of this task, a series of on-site reviews were conducted at AMC Major Subordinate Commands (MSCs) during the survey performance period. All MSCs were requested to provide in-depth briefings on each material testing need identified within or associated with their Command. Each Command was requested to assure the representation and

participation at these reviews of Program/Project Managers involved in materials-related developments associated with their Command.

The MTT Testing Needs Survey Team consisted of an MTT Program liaison from MTL and a representative of the Nondestructive Testing Information Analysis Center (NTIAC), an outside contractor employed to assist in administering the survey. The information requested of all MSCs can best be summarized in the form of the following series of questions:

- (a) Where in the material life cycle is the testing need?
- (b) Is the need associated with a system (program/project managed) or does it have broad potential for application to many systems?
- (c) Is the need specific to a material or process?
- (d) What are the current requirements and/or QA procedures?
- (e) What are the potential benefits? (Return on Investment, Reliability, Availability, Maintainability, etc.)
- (f) Is the need immediate or anticipated?
- (g) Is there a proposed solution?
- (h) What is the testing technology? (Mechanical, Chemical, Nondestructive Testing (NDT), Electronics/Software, or combination?)

These questions are not meant to be exclusive; they serve only to indicate the types of questions that were used to help in identifying testing needs in context. A one-page Information Summary Form was provided to all participants to assist in specifying the testing needs in a complete and concise manner. Some examples of the Summary Form can be found in Appendix C.3. Additionally, an information categories listing was provided to serve as a guideline for the participants and is included in the letter documentation of Appendix B.

The testing needs survey was initiated during the latter portion of FY1988 and the last command was surveyed during the first part of FY1989. Fourteen sites were visited during the survey; however, testing needs information was requested from all AMC MSCs. In many instances, additional materials were provided during the briefings and later in the form of more detailed documents received by the MTL/MTT liaison. All of the major commodity commands were represented at one or more of the site visits. Table 1 lists the survey sites visited and the MSC representation.

TABLE 1

SURVEY SITE VISITATIONS

LOCATION	INSTALLATION	COMMAND REPRESENTED
Dover, NJ	Picatinny Arsenal Armament Research, Develop- ment and Engineering Center	AMCCOM ARDEC
Edgewood, MD	Chemical Research, Development and Engineering Center (Edgewood)	AMCCOM (CRDEC)
Watervliet, NY	Watervliet Arsenal	AMCCOM
Ft. Monmouth, NJ	CECOM Headquarters Electronic Testing and Devices Labs	CECOM LABCOM/ETDL
Chambersburg, PA	DESCOM Headquarters Letterkenny Army Depot	DESCOM DESCOM/LTRK
Corpus Christi, TX	Corpus Christi Army Depot	DESCOM/CCAD, AVSCOM
Texarkana, TX	Red River Army Depot	DESCOM/RRAD
Adelphi, MD	LABCOM Headquarters Harry Diamond Labs	LABCOM LABCOM/HDL
Watertown, MA	Materials Technology Labs	LABCOM/MTL
Huntsville, AL	Redstone Arsenal	MICOM
Warren, MI	Tank Automotive Command	TACOM
Aberdeen, MD	Aberdeen Proving Grounds	TECOM/APG
Natick, MA	Natick Research, Development and Engineering Center (NRDEC)	TROSCOM

3. MATERIALS AND IN-PROCESS TESTING NEEDS SURVEY RESULTS

Over 170 individual responses were received from those participating in the survey. In general, the survey responses were brief and informal. A few responses were deemed to be specifically system-oriented and were not considered further in the survey. Some responses were also considered administrative in nature and were also not considered further. To assist in the analysis of the survey data, the information provided by each respondent (Information Summary Forms and briefing presentations) was entered into a computer database and given a maximum of eight keywords which concisely described the submitted testing need. More specific information regarding the individual entries and the database format is given in Appendices C, D, and E.

3.1 Survey Reporting Format

The Testing Needs Survey results have been organized into three different configurations: (1) Summary by Product Category, (2) Summary by Problem Areas, and (3) Summary by Testing Technology. Each of the summary configurations encompasses all of the responses in the survey and represents only a different perspective on the same data. In this manner, specific products and testing needs have been grouped to identify frequently occurring needs ane/or needs common across multiple Army commodities.

The Product Category Summary focuses on testing needs related to specific Army products. It has been subdivided into groupings by Ammunition and Weapons, Tracked Combat and Tactical Support Vehicles, Aircraft and their components, Missiles and their components, Personnel Support Equipment and items, and Electronic Equipment and Software requirements.

The **Problem Areas Summary** focuses on the major problem groups identified in the survey. This summary has been subdivided into the following general problem areas:

- (1) Materials Characterization and Properties
- (2) Automated Testing and In-Process Control
- (3) Diagnostic Testing and Assessment
- (4) Bonding and Adhesive Joining Technology
- (5) Materials Durability and Structural Integrity
- (6) Nuclear, Biological and Chemical Testing Problems
- (7) Sensors, Optics and Measurement Technology
- (8) Energetics and Munitions Testing
- (9) Other Army Testing Problems

The Summary by Testing Technology identifies the more common methods used in the evaluation of materials and components. This summary has been subdivided into the categories of Mechanical Testing, Chemical Testing, Nondestructive Testing, and Electronics and Software Testing. Other identified testing technologies are grouped in a separate category.

3.2 Testing Needs Summary by Product Categories

Of the 174 survey responses evaluated, 69 (40%) were categorized as being related to ammunition and weapons; 47 (27%) were related to vehicles; 33 (19%) were related to aircraft equipment and products; 9 (5%) were related to missiles elements and products; 56 (32%) were related to personnel and support equipment; and 22 (13%) were related to electronic materials, equipment, and software. Since some of the submissions had direct relation to multiple categories, these numbers total more than the 174 individual survey responses. The following sections contain

descriptions which highlight the most prominent testing needs in each of these categories. Table 2 summarizes the testing needs identified by product category; Figure 1 shows the percentage of survey responses for each product category. Refer to Appendices C, D, and E for a complete listing of the individual submitted testing reads.

3.2.1 Ammunition and Weapons

This Army product category considers those products which are best described by the following terms: explosives, pyrotechnics, and propellants; munition body, fuzes, bands, seals, etc.; artillery tubes, rifle barrels, breech components, etc.; fire control mechanisms; ballistic phenomena and simulation; and other munitions, devices, or functions which are most directly related to army ammunitions and weapons.

The ammunition and weapons category of Army products commanded the most attention of the surveyed responses. NDE and inspection techniques related to gun tubes is the area most in need of testing techniques. Emphasis was placed on more automated inspection and evaluation methods and systems. The testing needs are directed at gun tube materials and at coating technology for corrosion and wear resistance. Plating processes used in gun tubes are in need of control techniques for real-time quality control. Testing methods are needed for both chemical analysis and plating analysis during the plating process. Field inspection techniques and equipment are also needed for these weapons. Testing needs for composite materials to be used in planned systems are also drawing attention from different perspectives. More standardized mechanical tests of composite materials to determine properties are needed. After implementing composites on weapons systems, standardized nondestructive evaluation (NDE) methods are sought. The development of ceramics for gun tubes and weapons in general has prompted a need for testing methods that can be applied for simple and reliable material evaluation.

Testing methods to evaluate the condition of stored munitions and propellants could have significant impact on the large stockpiles in the Army inventory. Vision systems and inspection technology could also have an impact on the current tedious methods of boroscopic gun tube inspections. In general, vision technology and intelligent systems could remove the subjective judgement involved in many types of visual inspections and evaluations, color determination for chemical agent detection, effectiveness testing of obscurants, corrosion measurement in gun tubes, and many other applications.

3.2.2 Vehicles, Tracked Combat and Tactical Support

This Army product category considers those products which are best described by the following terms: tanks; armored personnel carriers; tracked artiflery; wheeled vehicles; vehicle armor; treads; road wheels; engines, transmissions, gears, bearings, brakes, etc.; other vehicle items or functions which are most directly related to these types of Army vehicles.

The call for testing needs related to Tracked Combat and Tactical Support Vehicles ranked third among the surveyed responses. Automated inspection techniques and equipment were commonly referenced in relation to engines and engine components, porticularly at the depot/maintenance level. The testing needs were those applicable to bearings, transmissions, engine dimensioning, oils and lubricants, structural welds and repairs, and adhesive bonds. Methods of monitoring and accurately determining wear on bearing surfaces and gear mechanisms are needed for vehicles, aircraft, and system control mechanisms. In the maintenance phase, accurate, automated dimensioning methods and equipment are needed for the many time-consuming tolerance checks necessary during engine rebuilding. Reliable testing methods for on-line lubricant analysis could serve to extend the service life of many components by indicating appropriate service intervals before excessive wear damages the part.

TABLE 2

SUMMARY OF TESTING NEEDS BY PRODUCT CATEGORY

ARMY PRODUCT CATEGORY PROMINENT TESTING NEEDS IDENTIFIED IN SURVEY

Ammunition and Weapons

Gun Tubes -

Automated inspection methods and systems

Modern manufacturing methods and control techniques

Plating process control and evaluation techniques

Corrosion and wear resistant materials and inspection techniques

Field inspection techniques and equipment NDE methods for ceramic materials

Stored Munitions & Propellants -

NDE methods to determine propellant quality Rapid inspection methods for stored munitions

Vehicles, Tracked Combat & Tactical Support Engines & Components -

Automated inspection methods

Testing methods for bearings, gears and mechanisms,

transmissions, oils and lubricants

Engine dimensional testing, depot/maintenance

Structures -

Materials testing methods for metals and emerging

materials, i.e., composites, ceramics, etc.

Welding Technology -

Weld process control techniques Automated inspection techniques

Adhesive Bonding -

NDE methods for bond integrity assessment Accurate mechanical bond strength test methods

Aircraft

Engines -

Wear evaluation and monitoring

Hydrogen embrittlement of engine components

Corrosion detection and control

Structures -

Corrosion detection, control, and prevention Plating evaluation, plating process control Composite materials evaluation methods

Adhesive Bonding -

NDE methods for bond integrity and strength

Missiles

Rocket Motor Casings and Propellants -

NDE methods for easing inspection

NDE methods for propellant quality and stability

Electronic Subsystems & Elements -

Mechanical testing of electronic subassemblies, vibrations testing, shock testing, reliability Testing technology for semiconductor materials

and microelectronic devices

TABLE 2 (Continued)

SUMMARY OF TESTING NEEDS BY PRODUCT CATEGORY

ARMY PRODUCT CATEGORY PROMINENT TESTING NEEDS IDENTIFIED IN SURVEY

Personnel and Support Equipment Clorling, Suits, Masks, Fabrics, Strapping - NDE methods for aging due to exposure

Environmental durability testing methods Effectiveness testing against NBC agents

NBC Agents -

Rapid, automated detection techniques for materials

testing and evaluation

Rapid detection techniques and instruments for

field situations

Shelters -

Testing and evaluation methods for composites

Rations and Food Items -

Evaluation methods for food storage containers Testing methods for packaging and seal integrity

Food quality and storage stability testing

Electronic Equipment and Software

Microelectronics/Sensor Technology -

Semiconductor wafer and device evaluation methods

Testing methods to improve yield

Life estimation techniques

Assembly Technology -

Circuit board evaluation technology

Solder joint NDE methods Reliability testing methods

Software -

Model verification techniques

Process and manufacturing control software

Evaluation of battlefield networking

Testing of artificial intelligence implementations

U.S. ARMY TESTING NEEDS SURVEY PROBLEM SUBMISSIONS BY PRODUCT CATEGORY




Figure 1. This chart shows the percentages of the Testing Needs Survey submissions organized by Army product categories. Since some submissions were applicable to multiple categories, total percentages exceed 100%.

Legend: AMW- Ammunition and Weapons

VEH - Vehicles, Tracked Combat and Tactical Support
 Aircraft, Components and Related Equipment
 MIS - Missiles, Components and Related Equipment
 PER - Personnel Items and Support Equipment
 Electronic Equipment and Software Support

Engine materials were also frequently referenced. Most of the engine materials testing needs were applicable to the existing materials (metals in general); however, the emergence of ceramic engine materials will require testing methodologies which have yet to mature and will need significant development.

Also, the needs for reliable and field-applicable weld inspection methods are still present despite the many years of development in industry. Automated methods of inspecting welded structures and repairs are needed in order to remove the uncertainty of visual inspection.

More frequently now, adhesive bonds are taking the place of welded or fastened joints. In spite of recent focus in this area, bond evaluation techniques are still in development and in high demand for the manufacturing and maintenance operations.

New armor materials and technologies are in constant development. Again, ceramics and composites are the materials most in need of new evaluation methods.

3.2.3 Aircraft

This Army product category considers those products which are best described by the following terms: helicopters; light aircraft; remotely piloted aircraft; rotor blades, materials, panels, etc.; aircraft engines and components, including transmissions, gears, bearings, etc.; aircraft structures and materials; other components or functions which are most directly related to Army aircraft.

The testing needs for Army aircraft and related equipment can be described by the following keywords: engines, corrosion, composites, and adhesives. Testing methods related to aircraft engines are needed for the evaluation of bearings, oils and lubricants, grinding burn damage to engine materials, and material degradation resulting from hydrogen embrittlement. The early detection of corrosion damage to aircraft structures and components remains to be achieved despite efforts throughout the industry. Army needs in this area parallel the needs for corrosion testing in the aircraft industry in general.

Related to the corrosion problem is the evaluation of platings on aircraft components (and many other components) which requires the development of easily applicable testing techniques. Control of plating processes, thickness determination, and plating adhesion evaluation are clearly expressed needs for Army materiel.

Developments in the use of composite materials have also found their way into many Army aircraft structures. The assessment of damage to composite materials is an area in need of a significant amount of further development. The variety of composite materials and their applications make common assessment techniques difficult to achieve. Nonetheless, standardized and reliable testing methods are needed for use Army-wide for composite materials acceptance and subsequent damage assessment and maintenance.

Along with composite materials, adhesives are used with growing frequency in Army aircraft and systems. Their weight and strength advantages (among others) are tempered by the difficulty of inspecting or evaluating the condition of the joints. These difficulties arise both during manufacturing and during service maintenance. The use of composite materials and adhesive joining in critical applications, such as rotor blades and control surfaces, highlight the need for accurate and reliable testing methods for Army aircraft.

3.2.4 Missiles

This Army product category considers those products which are best described by the following terms: missiles and missile system components; casings, liners, and missile propellants; missile guidance and target discrimination equipment; missile sensors and electronic elements; other materials, devices, or functions which are most directly related to missiles and their systems.

The Army missiles product category produced the least number of responses from the participating commands. This should not reflect less urgent reeds. Many of the testing needs for missiles are the same needs expressed in other product categories. Specific to the missiles category are the needs for rocket motor casing and propellant inspection methods and vibration testing methods for integrated electronics. The use of solid propellants in modern rockets requires inspection methods capable of detecting propellant/casing delaminations and propellant density variations. Damage to rocket motors during storage and shipping is often not detected in external visual inspection. Yet, the undetected condition poses a serious hazard to operating personnel and equipment.

Missiles also incorporate integrated electronics for guidance and control, and target acquisition, identification, and tracking. A need exists for vibration testing for these electronic elements. The physical environment to which missiles are exposed during operation places severe requirements on the reliability of the various elements. Many electronics testing needs were also expressed in relation to their applications to missile systems. Sensor technology, electronic system reliability, and artificial intelligence testing methodology needs are described in the electronics product category in Paragraph 3.2.6.

3.2.5 Personnel and Support Equipment

This Army product category considers those products which are best described by the following terms: personnel items, clothing, fabrics, helmets and body armor; masking devices and personnel protection equipment [nuclear-biological-chemical (NBC)]; food, rations, food storage and preparation equipment and facilities; construction equipment and materials, bridging, etc.; other materials, devices, or functions which are most directly related to personnel and support equipment.

Personnel items and support equipment testing needs ranked second in the surveyed responses. Most of the attention in this category was focused on protective clothing items. Testing methods are needed to evaluate the effectiveness of materials used in suits, masks, and gloves designed to protect personnel in the NBC warfare environment. Current laboratory methods for testing against various threats are outdated and do not take advantage of current technology. While these testing needs are specialized, gains can be made in testing sensitivity and efficiency. Most of these testing needs involve the determination of agent absorption, permeation, and penetration of NBC materials. Rapid detection and identification of NBC agents in the battlefield are also needed to assist personnel in selecting the proper defensive response. Again, some of the current methods involve subjective human interpretation of the response (color change) of chemically sensitive papers and materials. A more rapid, automated testing method, material, or Decontamination testing methods are also needed to determine the effectiveness of the neutralizing actions. Paint coatings, fabrics, and other materials must be tested to determine the extent of absorption of NBC agents and any post-decontamination residue. In relation to the testing of materials against NBC agents, safe and effective agent simulator materials are needed to reduce both the hazards involved and the resulting waste products.

Other personnel/support items receiving attention in the survey include shelters, parachute/strapping materials, and food packaging technology. The light weight and strength advantages of composite materials are being applied to shelters; testing and inspection methods are needed for maintenance of these structures. Parachute and strapping materials degrade with time, exposure, and use. Accurate testing methods for these materials are needed for periodic evaluation of their integrity. Rations and food items are stored for long periods and testing methods are needed to effectively evaluate the condition of the packaging and the integrity of the seal.

3.2.6 Electronics/Software Equipment

This Army product category considers those products which are best described by the following terms: command, communication, control, and intelligence (CCCI) electronic equipment; battlefield networking and decision support equipment and software; microwave and millimeter wave technology; semiconductor and sensor technology; other materials, devices, or functions which are most directly related to electronic equipment and software requirements.

Electronic devices, equipment, and software are common now in nearly every Army product category. The problems in need of testing methods can be generally grouped into semi-conductor/sensor technology, assembly technology, reliability analysis, artificial intelligence and programming. The most basic needs in this category involve testing methods to determine the quality of semiconductor sensor and microelectronics materials. Because of the exotic nature of these materials, production efficiency, product yield, and component reliability are low.

The emergence of microwave and millimeter wave technology has presented new problems for equipment designs and their evaluation. The assembly of electronic circuits and devices requires many interconnections at the semiconductor packaging stage, at the circuit board level, and at the system level. Solder joint integrity is a common source of reliability problems, and efficient testing methods are needed to evaluate the many joints present at all levels of assembly. This tedious effort can be aided by the use of automated inspection systems for electronic assemblies. Efforts in improving solder joint integrity can go a long way in improving the reliability concerns in military systems and subsystem elements. However, electronic component reliability (semiconductors and other components) remains to challenge testing methodologies.

Efforts to predict remaining life and failure of electronic elements are impeded by the lack of testing methods to quantify characteristics which are indicative of component life expectancy. Modern computer technology brings with it many possibilities for automated applications, expert systems, and the implementation of artificial intelligence. This technology can be exploited to the benefit of all Army product categories; testing technology in general can be refined and made more reliable through the use of automated systems.

Many testing needs for well defined processes in manufacturing and maintenance can be achieved through the use of expert systems for process control and decision support. Expert systems and artificial intelligence can also be implemented for testing target acquisition and pattern recognition systems used in many Army applications.

3.3 Testing Needs Summary by Problem Areas

The survey responses were also organized according to the outstanding problem areas identified in the submitted testing needs. The problem areas are identified as follows:

- (1) Materials Character zation and Properties
- (2) Automated Testing and In-Process Control
- (3) Diagnostic Testing and Assessment
- (4) Bonding and Adhesive Technology
- (5) Materials Durability and Structural Integrity
- (6) Nuclear, Biological, and Chemical Test Methodology
- (7) Sensors, Optics, and Measurement Technology
- (8) Energetics and Munitions Tests
- (9) Other Army Testing Problems

Since most of the testing needs fall into multiple problem areas, the total of the occurrences in all of the categories exceeds the number of actual submissions. The following sections contain descriptions which highlight the most prominent testing needs in each of the categories. Table 3 summarizes the testing needs identified by problem area; Figure 2 shows the percentage of survey responses for each problem area. Refer to the Appendices for individual listings of submitted testing needs.

3.3.1 Materials Characterization and Properties

Testing needs that addressed the determination of the physical properties of specific materials were grouped together in this category, which includes 47% of the survey responses. Typically, these testing needs involve the quantification of various material properties such as yield strength, elasticity, residual stress and dynamic stress measurement. The chemical properties and compatibility of materials are also considered in this category.

Composite materials were most frequently mentioned in the survey responses. The growing use of composites in many Army systems brings with it testing needs specific to each of the applications. Conventional methods for testing the mechanical properties of materials are often not applicable to composites. Special setups and equipment are needed to accurately measure composite characteristics without the assumptions routinely applied in metals testing. Problems in composite testing are compounded by the variety of the materials. Metal matrix, graphite epoxy, and kevlar wound composite, among other composite materials, have been applied to numerous Army commodities in development or already in the inventory. The testing needs expressed in the survey call for accurate composite materials testing methods, standardization of test methods and procedures, and a clear definition of the limitations of the techniques. Acceptance standards are also needed for new composite materials and components which will be incorporated into Army systems. Issues of damage assessment and the maintenance and repair of these materials are also of concern to the Army commodity commands.

Testing methods for ceramic materials also received significant attention in the survey responses. These materials are in development for armor applications, gun tubes, engine components, and other applications requiring high strength at elevated temperatures. Testing methods for ceramics are in evolutionary development; as such, serious direction is needed to apply proper test methodology to these new materials. As an example, molded ceramics require a carefully controlled curing cycle. Methods are needed to monitor the curing cycle to assure proper treatment which yields materials of consistent properties. As with composite materials, mechanical tests specific to ceramics are needed for the accurate assessment of material properties.

Metals and other conventional materials continue to drive the majority of the commodity applications. More frequently, efforts are being made to predict the lifetime and/or the remaining life of critical components; methods are needed to sense or measure parameters which may be indicative of material life. A common approach to prolonging the life of metals is to protect them with the use of platings. This chemical process is in need of monitoring and

TABLE 3

SUMMARY OF TESTING NEEDS BY PROBLEM AREAS

TESTING PROBLEM AREA PROMINENT TESTING NEEDS IDENTIFIED IN SURVEY

Materials

Characterization and Properties

Composite Materials -

Testing methods, standards and procedures

Damage assessment techniques

Repair and maintenance guidelines for composites

NDE methods

Ceramic Materials Testing methods, standards and procedures

Mechanical testing techniques Cure monitoring and control

Armor and AntiArmor Materials Testing
Glass and Plastic Panel Testing Methods

Elastomers Materials Development and Testing

Modeling Techniques -

Software for material and design evaluation

Automated Testing and In-Process Control

Test Automation -

Manufacturing tests, quality/tolerance checks Dimensioning in maintenance operations Test data analysis and decision support Gun tube inspections

Circuit board inspections and evaluations

Weld inspections, etc.

Process Control -

Gun tube manufacturing and machining

Plating processes in gun tubes, engine components,

aircraft parts and structures

Welding processes in manufacturing and maintenance

Sensor technology for in-process control

Diagnostic Testing and Assessment

Nondestructive Evaluation Methods -

Composite materials manufacturing defects,

delaminations, improper lay-up, inadequate curing;

Damage detection and assessment

Adhesive bond evaluation, strength and integrity Ceramic materials, cure testing, detection of

manufacturing defects

Inspection of platings and detection of corrosion

Sensors for quality control during manufacturing

Semiconductor Materials -

Quality assessment of exotic semiconductor and

sensor materials to improve yield

Electronic Circuit Assemblies -

Inspection methods for solder joints and multi-

layered assemblies

Life estimation tests and techniques

TABLE 3 (Continued)

SUMMARY OF TESTING NEEDS BY PROPLEM AREAS

_ = = = = = = = = = = = = = = = = = = =	•
Bonding and Adhesive	Bond Strength Determination -
Technology	Accurate mechanical testing methods and NDE methods
	Welding Technology -
	Automated welding and inspection techniques
	Soldering Technology -
	Rapid inspection techniques
	Plating Adhesion -
	Inspection methods to determine plating quality
	In-process testing of platings
Materials Durability	Corrosion Detection and Assessment -
and Structural	NDE methods for gun tubes, aircraft structures and
Integrity	components, and engines and components
	Wear Determination -
	Bearings, engine components, gears and mechanisms
	Gun tubes and gun tube platings
	Oil and lubricant quality monitoring
	Solder Joint Mechanical Integrity -
	Vibration testing and high-g event simulation/tests
	Elastomer Materials Durability Testing
	Fabric, Tenting, and Strapping -
	Mechanical durability testing
	Environmental susceptibility testing
Nuclear, Biological,	Rapid Agent Detection Techniques and Equipment -
and Chemical	Modern penetrability techniques and equipment
Testing	Automated ensemble/mask testing
2	Field agent detection instruments
	Chemical Agent Effects on Materials -
	Effects on paints, coatings, sealants, elastomer,
	composites, and other commodity materials
	Hazardous Waste Control -
	Use of accurate simulants to reduce waste
	Waste storage monitoring techniques
Sensors, Optics,	Sancore for Automated Testing and In Process Co. 4.
and Measurement	Sensors for Automated Testing and In-Process Control -
Technology	Weld process monitoring and control techniques
1 centrology	Plating process monitoring and control techniques Automated nondestructive evaluation
	Vision Systems for Critical Inspections -
	Expert systems, artificial intelligence
	Measurement Technology -
	Laser applications in gun tube manufacturing
	Remote sensing of motion, vibration, and velocity
	in ballistic testing
	Damotte tooting

TABLE 3 (Continued)

SUMMARY OF TESTING NEEDS BY PROBLEM AREAS

TESTING PROBLEM AREA

PROMINENT TESTING NEEDS IDENTIFIED IN SURVEY

Energetics and Munitions Testing

Rocket Motor Casing and Propellant Testing -NDE methods for rocket motor inspections

Propellant quality testing methods

Munitions Testing -

Neutral test bed for mortar/life fire testing

Munitions Stockpiles Testing -

Energetic materials stability test techniques for

stockpiled munitions

Other Army Testing Problems Software Modeling and Simulation -

Solder joint modeling

Ballistic events, high-g events

Plasticity theory, armor & antiarmor materials

Process control software & simulation Artificial intelligence, neural networks

Test interpretation and decision support software

Software reliability testing methods

Testing Procedures and Standards -

Standardized tests and procedures for composites

and emerging materials

Hazardous Waste Monitoring and Reduction

U.S. ARMY TESTING NEEDS SURVEY SUBMISSIONS BY PROBLEM AREAS




Figure 2. This chart shows the percentages of the Testing Needs Survey submissions organized by the major identified problem areas. Since some submissions were applicable to multiple problem areas, total percentages exceed 100%.

Legend: MAT - Materials Characterization and Properties

AIP - Automated Testing and In-Process Control

DIA - Diagnostic Testing and Assessment

BND - Bonding and Adhesive Joining Technology DUR - Materials Durability and Structural Integrity NBC - Nuclear, Biological, and Chemical Testing

SOM - Sensors, Optics, and Measurement Technology

ENR - Energetics and Munitions Testing OTH - Other Army Testing Problem Areas

control techniques which can result in more consistent plating quality. These plating test needs extend across a wide variety of Army commodities: gun tubes, engine components, aircraft parts, and many others. Testing techniques are needed to evaluate plating integrity at the maintenance level as well. Parts are protected from excessive wear with the common use of lubricants and oils; testing and evaluation techniques for these compounds were also frequently mentioned in the surveyed responses.

Computer modeling and simulation have been used more frequently to assist designers in specifying efficient designs without compromising performance characteristics. The estimations provided by computer models give information for materials and dimensional selections. This results in more accurate preliminary designs, reducing costly testing and iterative design modifications. Testing methods are needed to verify the validity and accuracy of these computer modeling techniques. While this testing need may be appropriate to the electronics/software category, its impact on materials and designs is significant.

3.3.2 Automated Testing and In-Process Control

A wide variety of testing techniques and methodologies were offered as possible solutions to needs within the various Army commodity commands. However, two distinct generalized needs were apparent. First, automated testing, inspection, and/or evaluation was a common thread throughout many of the declared needs. Second, the implementation of process monitoring and control techniques was a frequently stated objective of many of the survey responses. This testing need category (33% of survey responses) focuses on automated test methodologies and the use of control techniques applicable to the evaluation of Army commodities at all phases of the materiel life cycle.

Many test techniques depend heavily on the skill and experience of the operator and may result in ambiguous and inconsistent results. In an effort to improve the repeatability of tests and the efficiency of the many testing processes, automated systems are being requested and implemented. The strongest need for this type of systematic testing approach is in the manufacturing and maintenance phases of the life cycle. Automated testing and evaluation were suggested in the survey responses for applications such as inspection of gun tubes, circuit board solder joints and assemblies, welds, and visual inspections. Automated testing should contribute to more consistent results, more efficient production, and an increased level of confidence in decisions based on the test results.

Related to automated testing methodology is the use of sensors and control mechanisms for manufacturing and maintenance processes. Many tasks on the manufacturing floor require processes that rely on accurately repeated conditions in order to produce consistently acceptable results. With a method to monitor critical parameters of the process, manufacturing efficiency can be significantly enhanced. This effort toward process control must begin with the sensor and the monitoring techniques for accurate control. An area of common need, mentioned previously, is the plating processes used for corrosion and wear control on many parts exposed to harsh environments. Currently, plating processes rely on established conditions used successfully in previous batch operations. A means to automatically monitor the deposited material would greatly improve the coating consistency.

The welding process could benefit from process control techniques. This operation obviously has many applications throughout the Army, in the production of combat systems and in their repair and maintenance. Active control of welding processes has been demonstrated using optical, infrared, acoustic, and other sensing techniques. Implementation of these techniques in Army operations could yield reductions in material loss and rework time, as well as improvements in product quality.

3.3.3 Diagnostic Testing and Assessment

The testing needs summarized in this category involve those which are directed at the determination of a material's existing condition relative to some previously established standard or known condition. This category is not limited to performance or problem analysis, but encompasses a broader definition to include inspection methodology and techniques. Diagnostic testing needs were indicated in nearly half (44%) of the survey responses.

Inspection methods and techniques for a wide variety of Army commodities were dominant in this category of the testing needs survey. Composite materials are in need of methods to detect subsurface defects such as delaminations, improper lay-up, voids, inadequate curing, and other problems. Since composites are used in a wide range of applications, the specific emphasis of the testing needs varies. Closely coupled with the use of composite materials, adhesive bond assessment has drawn significant attention because of needs to inspect and accurately evaluate the bond quality.

Although the testing of metals is a well developed technology, inspection methods are still needed for corrosion detection, plating and coating evaluation, hydrogen embrittlement assessment, and wear detection. Many of the existing methodologies or techniques are inadequate due to poor test accuracy and dated equipment and techniques.

As mentioned in the previous section, testing and inspection methodologies can benefit significantly with the development and application of automated and intelligent systems. Diagnostic systems for monitoring, inspection, and in-process control can improve test accuracy, reliability, and efficiency, resulting in the reduction of wasted materials and improved quality. This theme was clearly evident in many of the testing needs survey submissions.

Two diagnostic techniques that were briefly described in the survey could benefit the manufacturing of electronic components and subsystems. A magneto-optical mapper (MOM) employs a method by which the yield of exotic semiconductor sensor materials can be enhanced. With the MOM technique, semiconductor wafer material can be examined in an early stage of production, indicating the 'good' areas of the wafer, then allowing selective processing of those productive regions. This technique may have a significant impact on the yield of many exotic semiconductor materials used in Army sensor devices.

The second technique of significance is an inspection method called laminography. Electronic circuit assemblies have become more densely packed with the more frequent use of multi-layered printed circuit boards and surface mount technology. Laminography has the potential to quickly and selectively examine individual layers of a completed multi-layer circuit card assembly. This task is virtually impossible to perform using conventional methods once components have been installed on the board. The further development of this type of testing technique should favorably impact the production of electronic assemblies for Army systems and other government and industrial equipment.

Another goal of diagnostic testing and assessment is to provide useful information to determine the remaining life of materials and components. Methods are needed to indicate the remaining life by monitoring techniques and sensors. This need was specifically mentioned in the survey for electronic components and subassemblies.

3.3.4 Bonding and Adhesive Joining Technology

Material bonding technology in this category includes adhesive joining applications, soldering, welding technology, and the adhesion of plated or coated materials. In 16% of the survey submissions, bonding or joining problems were directly or indirectly associated with a testing need.

The problem of inspecting adhesively bonded joints has received recent specific focus throughout the Army. NDE techniques are in current development for a variety of applications, but most attention has been given to adhesively bonded composites and aircraft applications. The survey respondents reflected this emphasis with calls for NDE methods to evaluate composite structures used in aircraft, weapons systems, vehicles, missiles, and shelters. While some evaluation methods have been developed for specific applications, their use in other situations is hindered by limitations of the techniques and a lack of confidence in the test results. Similarly, mechanical testing techniques for adhesion strength do not accurately simulate loads that a joint encounters in real-life situations. Thus, throughout the Army there is a need to provide accurate and realistic guidelines, standards, and procedures for adhesive and composite testing and inspection which clearly define the limitations and specify where the techniques can be applied.

Welding technology may be considered another type of bonding problem within this category. A general need exists for monitoring and control techniques to allow the automation and in-process control of the welding. This technology must begin with the development of appropriate sensing techniques that would allow accurate control of a welding process. This may include optical, infrared, and other sensing schemes which could provide information that would indicate the ongoing condition of the weld and prevent out-of-tolerance conditions. The result would be more consistent quality welds, which may reduce the need for post-fabrication weld inspection. Where weld inspections are still required, automated systems and intelligent analysis of examination data is needed.

The adhesion of plating material to base material is also a bonding problem, which drew significant attention in the survey. Plating technology is used in applications such as gun tubes, engine components, airframe structures, bolts and fasteners, and many other applications throughout the Army. Platings are vital to protect materials from corrosion and enhance their wear resistance characteristics. Diagnostic methods are needed to determine if platings are properly applied and to determine the quality of adhesion to the underlying material. By developing in-process control techniques, the plating process can be made more reliable than the current batch processing and testing techniques.

Soldering is a bonding or joining process that relies on proper mechanical and electrical integrity. The survey responses indicated a need for solder joint inspection techniques which could be applied to densely populated circuit boards. Radiographic inspection methods coupled with appropriate image processing could be very useful in easing the tedious task of solder joint inspection. Methods to verify the electrical integrity of solder joints are also needed. With the large number of inspections that must be performed in this application, a systematic and automated inspection approach is needed.

3.3.5 Materials Durability and Structural Integrity

This category of Army testing problems is directed toward the problems associated with material integrity and mechanical qualities. Problems of wear, corrosion, mechanical strength and response are typical of those considered in the grouping. About 28% of the survey responses were related to problems of this nature.

Concerns for corrosion detection and damage assessment techniques were indicated frequently in the survey. NDE techniques for detecting corrosion in gun tubes, aircraft structures, and engine components are in high demand, particularly at the depot/maintenance level of product support. Methods are needed to quantify the extent of corrosion damage to assist in run/retire decisions. In gun tube applications, some corrosion inspection procedures involve subjective visual inspection to decide if parts should be refurbished or retired. Modern vision systems with appropriate image processing and image analysis intelligence are needed to facilitate these types of inspections.

Testing methods to determine wear were indicated in relation to engine components, bearings, platings, and gun tubes. Wear determination may be directly measured or can be inferred by monitoring operating parameters or other indicators. In engine applications, the accumulated deposits in oils and lubricants may be detected to indicate wear. Methods are also needed to monitor the quality of oils and lubricants to prevent viscosity breakdown, which results in excessive wear. Bearings and gears, with applications in engines, aircraft and vehicles, transmissions and drive mechanisms, are also in need of wear measurement techniques.

The mechanical durability of solder joints and circuit boards must be tested in order to ensure reliable operation in the field. While some testing procedures are in place, most techniques do not realistically test the components or subsystems. More accurate vibration testing is needed. This is particularly true of electronic elements included in missiles, which experience high-g loading.

Other materials that require durability testing are elastomers and fabrics. Elastomers used on tank track pads suffer from severe wear. New materials in development need testing methods which can realistically indicate how they would perform in field situations. Similarly, fabric materials used in uniforms, tenting, strapping, parachutes, etc., are also in need of accurate testing methods to determine the wear durability of the materials.

Finally, environmental testing methods and equipment are needed for many different Army commodities. While many Army procedures require some form of environmental testing, these requirements are waived in some instances due to a lack of equipment for a particular application. Materials mentioned in the survey responses as needing environmental testing methods were glass and plastic panels, nylon and other fabrics, and food and ration items.

3.3.6 Nuclear, Biological, Chemical Testing Problems

Although the Nuclear, Biological, and Chemical (NBC) testing problems represented a relatively small portion of the survey responses (11%), the testing needs in this category are rather specialized. Problems of agent detection and effectiveness of defensive materials and devices dominated the cited testing needs.

The testing methods for chemical and biological agents require accurate measurement and detection techniques because of the small quantities used and the potency of the agents. The equipment used in these tests is generally of dated technology. Tests are performed to determine agent penetrability against various materials and protective ensembles. Technological advancement is needed through automated testing in the laboratory and for protective item testing. Also, sensitive detection methods for minute quantities of agents are needed for field situations in order to provide the earliest possible warning of danger to allow quick troop response.

Testing is needed to determine the effects of chemical agents on various materials such as paints, coatings, elastomers, composites, adhesives and sealants, among many others. Materials that provide more effective resistance to agent penetration are needed. The decontamination process is very aggressive to the exposed materials. Testing methods are needed to

determine the effectiveness of the cleaning process and to measure its effects on the underlying materials.

Hazardous wastes are a byproduct of the necessary testing of chemical agent defensive measures and equipment. Testing methods are needed, however, which reduce the production of the dangerous byproducts. The use of less hazardous agent simulants has been suggested. This may be accomplished if the simulants can be shown to accurately mimic the true agent reactions and penetrability characteristics. Testing methods are also needed for the monitoring of hazardous waste storage sites in order to prevent environmental contamination.

3.3.7 Sensors, Optics, and Measurement Technology

This category of testing problems groups together those testing needs for sensing and measurement techniques and technologies. Problems related to this category were mentioned in 20% of the survey responses. Included here are the many sensing requirements for automated and in-process testing. Also included are those needs for the processing of visual inspection and measurement information.

Throughout the survey responses, a call for more efficient automated testing and in-process control techniques has been apparent. These needs imply a means of sensing parameters of the test or process that will provide accurate data for appropriate control functions and test decisions. The sensing needs for in-process control include weld process monitoring, plating process evaluation (both chemistry analysis and deposition measurement), and machining process control. The technologies applied in these situations vary greatly. However, the end result is to indicate the condition of an ongoing process in order to maintain a particular level of quality which results in a minimum amount of post-production rework or adjustment.

Commodity testing in general is a necessary but time-consuming process. Considering the current state of the art in automated, intelligent systems, significant improvements in test productivity and accuracy can be achieved by automating many commodity tests. This approach can be applied to materials testing (gun tube manufacturing, etc.), testing in many maintenance operations (engine overhaul, dimensioning, etc.), and electronic subsystems testing, among many others. Inspection processes using NDE techniques can also benefit from automated systems and data interpretation. The use of vision systems with image analysis capabilities can greatly improve tedious visual inspections, and can help to avoid skill-related test results and interpretation.

Identified in the survey were several Army testing situations which could benefit from the use of laser technology. Gun tube manufacturing can use laser technology for accurate straightness control and measurement. Laser methods can also be applied to ballistic and vibration testing. In ballistics, weapon, target, and projectile motions and velocity can be sensed by laser techniques. Laser technology has also been proposed as a means of sensing the performance of electronic devices in a non-contact manner, avoiding electronic noise, interference, and loading concerns.

3.3.8 Energetics and Munitions Testing

The testing of energetic materials and munitions received attention in 11% of the survey responses. This category encompasses propellant testing, rocket motor testing, munitions testing (live-fire testing), and those tests involving the energetic materials.

A testing method is needed to inspect rocket motor casings for internal damage to the solid propellant. This inspection is vital to the reliable performance of the missile after handling and transportation. Since damage to the propellant is often not apparent from exterior access, radiography and other NDE techniques have been suggested for the inspection. Munition propellants are also in need of testing techniques. In propellant production, chemical analysis methods are needed to accurately indicate the quality of the process material and to provide active control of the process.

The results of munitions testing are affected by many factors in live-fire tests. In mortar testing, the base plate foundation can influence the test results. From one test site to the next, conditions vary and thus results vary. A testing method is needed to eliminate or at least account for this variation in order to reflect the munition's true performance. A base plate simulator or neutral test bed has been suggested in the survey.

With the large inventory of stockpiled munitions within the Army, a method is needed to quickly assess the quality of munitions after prolonged periods of storage. Many munition stockpiles are simply restricted from access because of the uncertainty of the stability of the active materials. With a safe nondestructive (perhaps chemical) technique, munition supplies can be tested to determine if they can still be used or assigned for proper disposition.

3.3.9 Other Army Testing Problems

About 17% of the survey responses were grouped together in this category of testing needs due to the small number of occurrences or because of commonality across diverse commodities. Predominant in this category are software modeling or simulation needs, which are as diverse as the Army commodities themselves.

Software modeling and simulation needs were cited for solder joint technology, ballistic behavior and high-g weapons and events, materials analysis (mechanical simulation, plasticity theory, armor and antiarmor, etc.), and process control modeling. Testing and evaluation methods were cited also for the software itself. Methods are needed to verify the validity of software models, and control and decision algorithms, and to ensure the reliability of program functioning. Testing of artificial intelligence schemes is needed for automated testing applications (including intelligent test interpretation) and for weapons systems employing target acquisition intelligence.

In several survey responses, needs for accurate test procedures and standards were mentioned. As material and testing technologies evolve and improve, changes in procedures and standards are slow to be implemented and documented. This delays or prevents the use of newer materials and testing techniques, despite apparent advantages. In particular, the use, testing, and repair/maintenance of composite materials is in need of definitive applications procedures and standards to guide Army personnel.

Finally, issues related to hazardous wastes were cited in numerous survey responses. Many Army manufacturing and testing processes use and generate waste materials that require very careful handling, storage, and final disposition. These processes can help to alleviate the growing problem by using materials that result in less hazardous wastes, both in quantity and in severity. Testing methods are needed to monitor the stockpiled wastes to prevent their release into the environment.

3.4 Testing Needs Summary by Testing Technology

The testing needs described in the survey responses usually covered multiple technology categories. However, an effort was made to categorize the needs into four classical groups. Mechanical testing was specified in 77 (44%) of the 174 responses. Chemical testing needs were called for in 47 (27%) survey submissions. The test technology category with the most survey responses was that of nondestructive testing; 102 (59%) responses indicated an NDT need. Electronics and software testing needs were indicated on 42 (24%) of the survey submissions. The

following subsections contain descriptions that highlight the most prominent testing needs in each of these categories. Table 4 summarizes the testing needs identified by test technology; Figure 3 shows the percentage of survey responses for each test technology. Refer to the appendices for a complete listing of the individual submitted testing needs.

3.4.1 Mechanical Testing

This category of testing needs includes those problems where the solution involves the scientific evaluation of materials/materiel in terms of those properties that stem from elastic and inelastic response to an applied load. Such properties include, but are not necessarily limited to toughness, hardness, tensile, shear, elongation, vibration, shock, etc.

The mechanical testing needs presented in the survey responses called for primarily classical testing methodology. The applications that were described focused on determining the physical characteristics of a variety of materials: metals, composites, ceramics, fabrics, polymers, and elastomers. A general need to modernize mechanical testing techniques and equipment was indicated in the survey. At the same time, the emergence of new materials has created a need for new approaches to some of the classical mechanical tests. In particular, composite materials in all their varieties require careful interpretation of mechanical test results since the effects of the different materials combine to give its overall characteristics. Because of these difficulties, a need for standardized test methods and procedures is apparent throughout the Army commodity commands. Similar testing needs are also in demand for ceramic materials.

Army weapons and systems are being designed for performance in increasingly harsh conditions. Testing methods are needed to evaluate the effects of vibration, spin and impact on electronic components, fuze mechanisms, snart munitions elements, engine components, and many other types of components used in Army commodities. Methods are needed to accurately measure and then simulate these types of mechanical environments. Ballistic and explosive events are commonly tested in costly live-fire tests. Through the use of modern testing techniques, much of this type of testing could be performed in a laboratory setting.

3.4.2 Chemical Testing

This category of test technology includes those problems where the solution involves the determination of the quality of materials by classical volumetric or gravimetric techniques as well as chromatographic, spectroscopic, thermal, radioanalytic and other methods of chemical analysis.

Testing needs involving some form of chemical techniques and/or analysis were not particularly numerous in the survey. However, the scope of the needs varied widely, ranging from food quality tests to chemical agent testing. Aircraft components, engine components, and gun tubes are particularly in need of reliable chemical analysis techniques to evaluate the integrity of the platings applied on many parts. The protection provided by platings is many times compromised by poorly prepared surfaces or poor solution chemistry. Chemical methods are needed to test surface preparation and to monitor and control plating processes, including solution chemistry. Improved testing methods would benefit production efficiency and ensure more consistent application of the protective coatings. Corrosion analysis tests can also help to identify the causes of corrosive attack and ultimately suggest protective or corrective actions.

Testing methods to determine the performance characteristics of lubricants and oils are needed as mechanical designs are pushed to severe limits. The early detection of lubricant degradation or failure through on-line monitoring could prevent excessive wear on many components and extend useful product life. Detection techniques and sensors are needed to allow monitoring of oil/lubricant quality in engines, transmissions, bearings, and in similar situations.

TABLE 4

SUMMARY OF TESTING NEEDS BY TEST TECHNOLOGY

TESTING TECHNOLOGY PROMINENT TESTING NEEDS IDENTIFIED IN SURVEY

Mechanical Testing Materials Testing -

Metals and emerging materials, i.e., armor and antiarmor materials, composites, ceramics, elastomers, etc.

Material property characterization, classical physical parameters, (tensile, compressive, etc.)

Vibration, Shock, and Ballistic Testing

Standards, Procedures, and Acceptance Criteria

Chemical Testing Oil and Lubricant Evaluation Methods -

Detection of lubricity degradation due to excessive wear, environment extremes, etc.

On-line analysis techniques

Paints, Coatings, and Sealant Testing -

Shelf life testing methods

Agent and decontamination susceptibility

Plating Processes -

Solution chemistry monitoring techniques Plating process control techniques

Nuclear, Biological, Chemical Agent Testing Testing using chemical agent simulants
Reductions of hazardous waste generation
Hazardous waste monitoring techniques

Nondestructive Testing Plating Evaluation Methods -

Plating surface preparation evaluation methods Plating thickness and adhesion testing methods In-process control techniques for plating

Adhesive Bonds -

NDE methods for bond integrity and strength Detection techniques for delaminations and bondline thickness

Detection techniques for surface contamination or improper preparation

Composite Materials -

NDE methods for defect detection, internal damage, improper lay-up, improper curing, etc.

Technology for ultrasonics, acousto-ultrasonics, thermography, x-ray & neutron radiography, etc.

Metals -

Detection of microstructural damage, i.e., hydrogen embrittlement, grinding burn damage, residual stress, etc.

Automated and Intelligent NDE Systems -

NDE data analysis and decision support

Vision systems, expert systems, artificial intelligence

TABLE 4 (Continued)

SUMMARY OF TESTING NEEDS BY TEST TECHNOLOGY

TESTING TECHNOLOGY

PROMINENT TESTING NEEDS IDENTIFIED IN SURVEY

Electronic/Software Testing

Test Automation -

Expert systems, artificial intelligence, automated

data analysis, imaging technology

Component, Circuit, and Subsystem Testing Methods -Reliability testing of electronic components Shock, vibrations, high-g event simulation

Soldering Technology -

Solder joint integrity testing

Software Testing -

Verification of software algorithms and models Battlefield networking (software & hardware) Expert systems & artificial intelligence

Other Testing Technology Hazardous Wastes Monitoring and Control

MANPRINT Testing -

Human compatibility testing of Army commodities,

food items, materials, equipment, etc. Environmental Testing and Compatibility -

Testing of Army commodities in harsh environments

U.S. ARMY TESTING NEEDS SURVEY PROBLEM SUBMISSIONS BY TEST TECHNOLOGY




Figure 3. This chart shows the percentages of the Testing Needs Survey submissions organized by Testing Technology. Since some submissions included the use of multiple testing technologies, total percentages exceed 100%.

Legend: MECH - Mechanical Testing Technology

CHEM - Chemical Testing Technology

NDT - Nondestructive Testing Technology

ELES - Electronic and Software Testing Technology

OTH - Other Identified Testing Technology

The Army uses many different types of paints, coatings, and sealants. A need has been expressed for testing methods to reliably determine the condition of these materials during and after long-term storage. Currently, an expiration date is relied upon to decide whether or not these materials are still useful. It is believed that many of these coatings could be used beyond the posted expiration date if a simple and reliable testing technique were available.

Testing for protective and defensive measures against chemical agents involves the use of hazardous materials. Testing methods are needed which utilize more benign chemicals, but which also accurately model the aggressive nature of the agents. This type of testing may involve the development of new chemicals or compounds that can react in similar fashions and safely indicate aggressive action. Testing techniques are also needed to conduct field sampling for chemical agent use and to verify decontamination efforts. Chemical testing also generates significant amounts of waste products which themselves are very hazardous. Disposition of these wastes is becoming a serious problem for the Army. Neutralization techniques are needed to alleviate this problem not only for chemical testing by-products but also for wastes generated by plating processes and many other chemical processes common in the Army.

3.4.3 Nondestructive Testing

The testing technology most frequently requested in the survey of testing needs was that of nondestructive testing. All of the techniques commonly associated with NDT were in demand; visual/optical inspection, penetrant, ultrasonics, acousto-ultrasonics, acoustic emission, radiography (x-ray, gamma ray, neutron, tomography), infrared thermography, electromagnetics, and vibration/modal testing. Other emerging NDT methodologies have been considered in this category. Excluded from this category, however, is the determination of the functional characteristics of electronic devices, computers, and programs.

The NDT needs specified in the survey were focused in applications such as aircraft, gun tubes, engines and components, and advanced materials. Once again, the need for improved plating materials, techniques, and process control methods is apparent in this category of survey responses. Process control techniques are needed for implementation at the manufacturing and maintenance stages of many Army commodities. Improved plating materials and simply more consistency in the application of platings can extend part life and enhance reliability. Other processes such as welding, propellant manufacturing, and machining operations can benefit from the use of process control technology. Aircraft structures also suffer from hidden corrosion which can result in serious defects. NDT methods are needed to inspect these structures and reveal the presence of corrosion or the conditions which promote corrosive attack.

In gun tube applications, loss of plating material leads to accelerated wear and a degradation of weapon accuracy. Implementation of vision system technology in tedious visual inspections (such as gun tube inspections) can improve the consistency and accuracy of these types of examinations.

The trend toward the use of lighter weight, high-strength materials is accompanied by the need for new and specialized testing techniques. Composite materials are already widely used in aircraft structures, and are gaining use in advanced weapons designs. NDT techniques are urgently needed for accurate and reliable detection of internal damage in these materials. Often, damage due to impacts and loading conditions is not apparent from the external condition of these materials. Ceramic and ceramic composite materials are also in need of NDT methods for use in the curing or manufacturing stage and during the life of these parts.

The use of adhesives in bonding materials together is also gaining use due to strength to-weight advantages. However, bond integrity can also be compromised by poorly prepared adhesion surfaces and adhesives, and by the intrusion of moisture into the joint. Current

testing methods depend on standardized sample testing and adherence to procedures. Sample test methods, such as the lap shear test and the peel test, do not accurately model the adhesive loads or situations of real-world applications. Some NDT methods are currently in development to assess bond integrity in-situ; for example, ultrasonics and acousto-ultrasonics, thermographic, and radiographic methods. However, these methods remain to be refined and are largely limited to the laboratory setting. Since adhesives are used in critical situations such as rotor blades and aircraft control surfaces, the urgency for the development of adhesives NDT methods is clear. Initiatives to improve adhesive bonding are already underway within the Army; efforts should be promoted to implement field testing techniques for bonds as well.

Conventional structural materials, such as steel and aluminum alloys, continue to be in need of NDT techniques also. Testing methods are needed to characterize micro-structural material conditions, such as hydrogen embrittlement, grinding burn damage, residual stress, and other conditions. Glass and plastic materials used in windshields and optics are in need of techniques to detect degradation due to exposure and scratches. Leak detection methods are needed for both fuel storage tanks and on-board tanks such as in aircraft. NDT techniques are in demand for quality monitoring of oils and lubricants in engines and transmissions. Finally, a general need to implement automated and intelligent inspection systems is clearly in demand across all Army commodity commands. The driving factors are to improve inspection accuracy and consistency, and reduce inspection time. A common thread in the requests is the desire to remove ambiguous and inconsistent human interpretation of test data.

3.4.4 Electronic and Software Testing

Considered in this category of testing technology are those problems which are concerned with the performance characteristics of electronic devices, components, and subsystems. Computer hardware testing and computer software testing and verification is also included. This category does not include the testing of the electronic materials themselves.

Testing needs involving electronic techniques and software methodology were focused in test automation, electronic component and circuit evaluation, and software modeling and simulation. As mentioned in previous sections, automation of testing processes is a common need throughout Army materials testing programs. Coupled with the mechanics of automating test procedures, the use of expert systems, artificial intelligence, or other software methods are needed to assist in decision processes in materials testing. Imaging technology can be used effectively for tedious visual inspections or for interpretation of test data with appropriate processing software.

Electronic components, circuits, and subsystems are in need of testing techniques which can identify failure modes due to electronic transients and the physical environment. Vibration testing techniques typically excite single-axis movement; 2-axis and 3-axis vibration environment simulation is also needed for more accurate testing. Techniques for shock testing at high-g loads are needed for ballistic events and missile subsystems operating in unusually severe environments. Methods are needed to simply monitor the real-time loading of these high-g situations. On the circuit board level, methods are needed to more rapidly evaluate circuit board assemblies. Flaws in soldering must be detected in early stages of manufacturing to avoid premature failures in field situations. Efforts must also be made on testing methods which can indicate probable failures or suggest the remaining life of electronic systems.

Modern computer technology has been very useful in mathematically modeling new engineering designs. These computer models help designers test their designs against modeled load conditions before being committed to production. The results are more efficient mechanical designs and greater reliability. Modeling of newer designs, though, is taxing current computer resources and capabilities. Accurate modeling of these situations will require greater computing

speeds and larger memory capacities. Reliable and redundant computer resources are needed in battlefield situations as well. This technology is becoming essential to CCCI functions in the field.

3.4.5 Other Testing Technologies

A few testing needs submitted to the survey team warranted categorizing separately. Those problems which, because of their nature, are not generally covered by one of the test technology categories above have been collectively considered here.

Environmental issues involving the use and disposition of hazardous wastes have affected the testing methods used in several Army sectors. Chemical processes used in the manufacturing of parts and supplies generate waste products that are accumulated and stored for later disposition. Respondents in the survey noted that control of these waste stockpiles will require careful testing to detect and prevent contamination of the surrounding environment; those testing methods are in need of development and implementation. The development of appropriate neutralization techniques may also help by minimizing the quantities of these hazardous by-products.

The testing of personnel supplies and materials requires a battery of diverse compatibility tests. A concept called MANPRINT quantifies differences which affect compatibility with the soldier; such differences include proportions of human anatomy, human behavioral and perception patterns, and other features. A need was expressed to expand on this concept to standardize acceptance testing of personnel supplies.

Environmental exposure testing might also be considered a specialized test technology category. Many Army commodities require some form of environmental stress screening by military specification. However, in many situations, environmental testing equipment is not available for all requirements. Greater availability of environmental stress screening facilities is needed for those situations; or a review of the requirement may be appropriate.

4. SUMMARY AND CONCLUSIONS

The Testing Needs Survey received responses from all Army Major Subordinate Commands representing the various Army material categories. The survey has identified several testing technologies and product categories which have common needs requiring solutions through test methodology. These testing needs are driven by the emergence of new materials, by new designs operating to more severe limits, and by the constant effort to improve system reliability. The findings of the survey are summarized below in an effort to prioritize the needs. In this way, the Army can effectively focus available resources on the testing needs which are in demand and which have commonality across commodity categories. The Army's desire to remain current with materials technology and the testing methods required to evaluate those materials indicates a need to maintain an effective mechanism to assess its technology awareness.

4.1 Major Testing Needs Identified in Survey

Nondestructive evaluation techniques in general were the main technology requested in the surveyed testing needs. Almost every Army product or system requires some sort of NDE inspection during its life. Inspection methodologies are available; however, NDE expertise and equipment is limited. Newer techniques are also needed for more reliable inspections and for applications to the emerging materials. These shortcomings emphasize the Army's need to focus resources in addressing NDE technology needs in a concerted effort. Perhaps the most evident NDE needs involve the detection and assessment of corrosion problems, the evaluation of adhesive bond integrity, and composite materials evaluation. While these problems are the subject of current Army attention, their importance to Army-wide interests should be promoted through coordinated and continued efforts.

The methods used to evaluate most Army products in the manufacturing stage and later during the life of the products are generally well established techniques. Significant gains can be achieved in product evaluations by utilizing modern <u>automation technology</u> with the established testing techniques. This concept of automating testing processes was also in clear evidence in the survey responses. The advantages to be gained in product evaluations would be increased production efficiency, greater test accuracy, and improved product reliability. <u>Process control techniques</u> implemented at the manufacturing stage have a significant potential for cost savings by controlling quality at a very early stage of production. Also, savings in lost materials, reduced rework time, and end item testing can benefit many Army manufacturing processes.

Throughout the survey and across commodity categories, <u>composite materials</u> were found to influence many testing needs. The variety of these materials, their performance characteristics, and their applications make common testing techniques difficult to achieve. Nevertheless, the wide appeal and distinct advantages of these materials indicate a clear need to establish methods to accurately evaluate all aspects of their performance. Mechanical and NDT methods for composites should be regarded as the primary needs for evaluating these materials. As newer composites are formulated, testing technology must keep pace. Emerging materials such as <u>ceramics</u>, <u>polymers</u>, and <u>elastomers</u> were frequently targeted for testing needs in the survey responses.

The specific Army products receiving most attention in the survey were gun tubes, aircraft components, personnel items (clothing and protective items), and engines and components. The testing needs associated with gun tubes involved testing at both the manufacturing stage and during the service life of the components. Machining processes for gun tubes required more accurate control, and plating processes required both control and evaluation techniques. Gun tube inspection techniques and live-fire methods were in need of advancement. Aircraft testing needs included corrosion assessment problems, adhesive bond inspection (including the use of composites in bonded structures), and engine, bearing and transmission wear evaluation concerns. Personnel

protection items were in need of testing methods to evaluate their effectiveness against agent penetration. Engine testing needs focused on plating assessment, automated testing methods, and dimensioning techniques.

4.2 Recommendation for Maintenance of Testing Needs Information

Many common materials problems and testing technology needs exist throughout the various Army commodity commands. This fact has been made clear in the responses obtained in this survey. A mechanism is needed to assess on a regular basis the overall materials testing needs throughout the Army. Because of budget constraints and considerations, it has become imperative that a redundancy of efforts be minimized as much as possible without sacrificing vital materials and systems development. To accomplish this, a wider view of Army materials testing needs is suggested in the form of a regular Army-wide survey and database. This would allow the identification of common areas in which more coordinated efforts could be undertaken to the benefit of all commodity commands. A focusing of resources, including personnel, equipment, and funds, could promote more productive efforts in locations particularly qualified to address the specific issues. This approach would avoid the fragmentation of valuable resources within the Army. A clearer direction toward common Army goals may generate more timely technology developments for implementation at the appropriate sites.

TABLE 5

SUMMARY OF MAJOR TESTING NEEDS IDENTIFIED IN SURVEY

TESTING NEED/ITEM

APPLICATION OR SPECIFIED TEST SITUATION

Nondestructive

Evaluation Methods and Techniques

Plating Evaluation Methods -

Wear, thickness, adhesion, plating processes

Adhesive Bonds -

Bond integrity and strength determination

Composite Materials -

Defect detection, internal damage, improper lay-up,

state of cure, etc.

Automated Testing
Equipment and
In-Process Control

In-Process Contro Techniques Automated Inspection Techniques and Equipment -

Automated manufacturing, maintenance, and field testing

Process Control Methodology -

Manufacturing, machining, and maintenance Plating process control (gun tubes, aircraft, etc.)

Welding process control and inspection

Composite Materials and other Emerging Materials Mechanical Tests Specific to Composites and Ceramics Inspection/NDE Methods for Composites, Ceramics, etc. Damage Assessment, Repair, and Maintenance Methods Guidelines, Procedures and Standards for Emerging Materials Modeling and Evaluation Software for Emerging Materials

Gun Tubes

Manufacturing Processes -

Control techniques for machining processes Control techniques for plating processes

Maintenance and Field Evaluation - Plating inspection techniques

Corrosion and wear assessment methods

Aircraft Components

Engines, Structures, Components -

Wear inspection, evaluation, and monitoring Corrosion detection, control, and prevention Plating evaluation, process control techniques NDE methods for adhesively bonded structures

Personnel Items and Support Equipment Clothing, Suits, Masks, Fabrics, Strapping -

NDE methods for aging due to exposure

Environmental durability testing

NBC Agent Defense

State-of-the-art effectiveness testing

Rapid, automated detection techniques (lab/field) Food Quality, Storage Stability, Container Testing

Engines

and Components

Plating Process Control Techniques Plating Inspection Techniques

Wear Evaluation and Monitoring Techniques

Oil and Lubricant Quality Monitoring and Evaluation Machining, Dimensioning, and Tolerance Testing

APPENDIX A MTT PROGRAM SUCCESS STORIES - SEVEN EXAMPLES

APPENDIX A - TABLE OF CONTENTS

		<u>Page</u>
A.1	Automatic Fuze Inspection by Radiography	A.1-1
A.2	Magnetic Flux Leakage Inspection System	A.2-1
A.3	Mobility Monitoring System	A.3-1
A.4	Triaxial Vibration Test Method for Missile/Artillery Fuze Material	A.4-1
A.5	Gas Phase Leakage Testing of Protective Masks	A.5-1
A .6	Automatic Artillery Rocket Grain Inspection System	A.6-1
A.7	State-of-Charge Meter for Non-Rechargeable Lithium Batteries	A.7-1

APPENDIX A.1 AUTOMATIC FUZE INSPECTION BY RADIOGRAPHY

AUTOMATIC FUZE INSPECTION BY RADIOGRAPHY

PROBLEM

Current methods of radiographic inspection of Army fuzes are subjected to human judgment and human production limitations, which can lead to inspection errors and potentially dangerous conditions in the munitions items. Labor costs are associated with the interpretation of radiographic images and the preparation of inspection reports. Also, the use of x-ray film or paper represents direct costs for materials and film processing labor, as well as indirect costs due to the time delay for processing and the consequent need for holding areas and associated record keeping.

BENEFITS

Improved product reliability and safety Improved productivity Reduced costs

ECONOMICS

Savings:

\$ 530,000/yr single site implementation 956,000/yr second site implementation

\$1,486,000/yr total savings


STATUS

Implementation: August 1989

Location: Iowa Army Ammunition Plant (Second site, Milan Army Ammunition Plant)

End Item: Projectile, 155mm, RAAM, M718/M741

Projectile, 120mm, HEAT, M830 Cartridge, 40mm, HEDP, M430




AFIRS System

AUTOMATIC FUZE INSPECTION BY RADIOGRAPHY

This MTT project resulted in a prototype piece of equipment that automatically inspects munition fuzes by use of real-time filmless x-ray imaging and computerized image analysis. Both hardware and specialized software were developed under the project. The system not only provides immediate accept/reject decisions but also furnishes a printout of specific defect attributes on each fuze, statistical data on groups of fuzes, and digital image recording of all fuzes for archival records. Although developed for application to RAAM mine fuzes, the system can be easily programmed and adapted to other items. This equipment has already been adapted to inspect the M764 fuze used in M830 120mm projectiles, and a similar system is being built for the M549 40 mm fuze.

PROJECTILE, 155MM, AT, M718/741



APPENDIX A.2 MAGNETIC FLUX LEAKAGE INSPECTION SYSTEM

MAGNETIC FLUX LEAKAGE INSPECTION SYSTEM

PROBLEM

The M433 stockpile of seven million machine gun cartridges has been permanently suspended because of several malfunctions caused by cracking. Inadequate methods exist to detect cracks in this stockpile and other generic cartridge programs, such as the M384 40mm high explosive cartridge.

BENEFITS

Screening of defective rounds Improved safety Reduced cost

ECONOMICS

Savings: \$70,000,000 (after stockpile screening in July 1989)

Savings to investment ratio: 140 to 1


STATUS

Implementation: In process

Location: Milan Army Ammunition Plant (MAAP)

End items: M34 40 mm HE cartridges; M433 cartridges used in MK19 machine gun;

M42/M46 grenades




Cartridge, 40 mm: HEDP, M433

MAGNETIC FLUX LEAKAGE INSPECTION SYSTEM

A magnetic flux inspection system (MFLIS) has been installed at Milan AAP for the screening/renovation testing of M384 40mm high explosive cartridges. The system will automatically and nondestructively detect anomalies throughout the part, including within the steel body on the inside or outside diameter or within the walls of all surfaces, regardless of orientation.

A spin-off implementation application is to convert an MFLIS system for screening seven million machine gun cartridges. There is no NDT method available to screen this ammunition except MFLIS. Implementation on the stockpile is expected in 1989.



MFLIS System

APPENDIX A.3 MOBILITY MONITORING SYSTEM

MOBILITY MONITORING SYSTEM

PROBLEM

Lack of availability of instrumentation for vehicle endurance testing

BENEFITS

Enhanced testing capability Cost reduction Improved productivity

ECONOMICS


Savings: \$500,000 per test (estimated) Savings to investment ratio: 2 to 1

STATUS

Implementation: Completed

Location: Combat Systems Test Activity (CSTA), Yuma Proving Ground


Cold Regions Test Center (CRTC)



Mobility monitoring system vehicle performance recorder

MOBILITY MONITORING SYSTEM

Endurance testing requires rugged instrumentation. Most ruggedized instrumentation is either large and heavy or has low performance (low sample rates and/or a small number of data channels). This MANTECH project developed a set of high-performance, rugged data recorders. These recorders, available in 32-, 64-, and 256-channel versions, contain onboard signal conditioning. Data compression algorithms are available to provide up to a 1000-to-1 reduction (histogram) in stored data values, allowing long duration, high sample rate testing. The Mobility Monitoring System connects both measured (temperature, vibration) and control (driver name, test course) type data. The system has been used to test a variety of wheeled and tracked vehicles.





Mobility monitoring system mounted in vehicle (top photo) and bridge boat (bottom photo)

APPENDIX A.4

TRIAXIAL VIBRATION TEST METHOD FOR MISSILE/ARTILLERY FUZE MATERIEL

TRIAXIAL VIBRATION TEST METHOD FOR MISSILE/ARTILLERY FUZE MATERIEL

PROBLEM

Uniaxial acceptance/qualification vibration tests of fuze and electromechanical ordnance materiel are reficient because life cycle, simultaneous, multiaxis vibrations are not reproduced; potential operational/safety flaws cannot be precipitated; and the procedure is time consuming (repeated three times).

BENEFITS

- Upgrade of materiel quality/reliability
- Improvement in materiel safety
- Reduction in test time by 67 percent
- Reduction in manufacturing cost through the tailored test process

ECONOMICS

Cost avoidance estimate: \$2 million Savings to investment ratio: 10 to 1

STATUS

Implementation: in process

Location: HDL, Adelphi, MD (301) 394-2806

Items supported: Patriot, M732, MLRS, Traffic Jam, 5-ton Tactruck, Field x-ray, miscellaneous

fuze materiel. Any item up to 1000 pounds within a 2-ft square attachment surface


to MIL-STD level



M732 artillery fuze - transportation vibration test setup on triaxial tester

TRIAXIAL VIBRATION TEST METHOD FOR MISSILE/ARTILLERY FUZE MATERIEL

The uniaxial vibration method used in acceptance/qualification testing of fuze materiel does not produce multiaxis life cycle vibration, nor does it serve as a practical tool for verifying safety in many spatial directions within the test item. Therefore, operational and safety-related flaws are inadequately screened. A new triaxial, random vibration method was developed that reproduces the measured field vibration in three axes simultaneously, thus reducing test time by 67 percent. The method was demonstrated up to 15 G rms and 2000 Hz with a 100-lb payload, indicating good compliance with MIL-STD requirements. Several impressive achievements were demonstrated, including (1) detection of manufacturing and design-related flaws that were not precipitated, despite rigorous uniaxial tests per MIL-STD-810 criteria, and (2) repeated precipitation of the identical failure modes experienced in the field (Traffic Jam PS; 5-ton Tactruck Transmission CU). HDL fuze programs that will be using triaxial vibration tests include the Patriot, M732, and MLRS, as well as related electromechanical ordnance components. The method's superior test realism provides for an efficient laboratory procedure that will reduce the cost of expensive field tests of any Army materiel while preserving the test hardware--a significant advantage in testing missile/aviation materiel.



Patriot missile fuze--3D vibration energy envelope for triaxial flight vibration test (rms)

APPENDIX A.5 GAS PHASE LEAKAGE TESTING OF PROTECTIVE MASKS

GAS PHASE LEAKAGE TESTING OF PROTECTIVE MASKS

PROBLEM

Current challenge media yielded imprecise results, could not be detected at low leakage levels, and required excessive maintenance.

BENEFITS

Consistent leakage results Detection of low-level leakage Reduced maintenance costs

ECONOMICS

Savings: \$500,000 per year

The primary purpose of the project was to improve consistency of results and lower the threshold of leak detection. However, a savings/investment ratio of 3.99 is anticipated.

STATUS

Implementation: In process of applying technology to automated protective mask leakage tester; scheduled completion date is August 1991.

Location: Armament, Munitions and Chemical Command, Chemical Research, Development and

Engineering Center; surveillance and surety sites worldwide; protective mask produc-

tion contractors.

End Items: M17 and M40 series protective masks.




Protective mask

GAS PHASE LEAKAGE TESTING OF PROTECTIVE MASKS

This project developed inexpensive technology for detecting gas traces using Freon-12 and sulfur hexafluoride as challenge media. Currently, protective mask leakage testing is performed using a liquid aerosol as the challenge medium. The aerosol method is less precise and, because of the size of the aerosol particle, requires a significantly larger leak path to exhibit leakage. Also, the aerosol reacts with, and congeals in, the plumbing, thus requiring extensive preventive and corrective maintenance.

In this project, the current M14 Protective Mask Leakage Tester was modified to permit testing with either medium. Comparison testing was performed using M17 protective masks. Sulfur hexafluoride and Freon-12 provided more consistent data and could be detected at much lower levels than the aerosol. Currently, work is being performed to implement this technology to an automated protective mask leakage tester to be type classified as the M14A1. Although implementation is still pending, analysis indicates a savings/investment ratio of 3.99.



Gas phase leakage testing apparatus

APPENDIX A.6 AUTOMATIC ARTILLERY ROCKET GRAIN INSPECTION SYSTEM

AUTOMATIC ARTILLERY ROCKET GRAIN INSPECTION SYSTEM

PROBLEM

An automatic inspection system for propellant grains is needed to replace current visual and radiographic methods, which rely on human interpretations that are sometimes erroneous. Porosity or cracks in propellant grains can cause rapid burning and overpressure, resulting in a critically short round. A short round can risk lives of personnel, jeopardize mission accomplishment, and result in costly malfunction investigations.

BENEFITS

- Provides state-of-the-art inspection for rocket grains.
- System can be easily adapted to inspection of other grain types.
- System uses no chemicals that require treatment or disposal.
- Analysis subjectivity is consistent and controllable.
- Condition classification is immediate.
- Inspection time is reduced.
- Data archival is space-saving.
- Environmental factors are improved through data archiving.


ECONOMICS

Savings: \$129,000 per year for 10 years Savings to investment ratio: 12.999

STATUS

In process


155MM, XM864, DPICM PROJECTILE



AUTOMATIC ARTILLERY ROCKET GRAIN INSPECTION SYSTEM

This program was inaugurated to develop an automated, real-time x-ray inspection system for detecting flaws and porosity within the body of propellant grains. The new system will replace the current visual and radiographic system that is expensive, labor intensive, and highly subjective.

The system will be developed employing x-ray technology and computerized decision making. A trade-off analysis has selected a photon transmission rather than a Compton scattering method. One prototype system will be designed and fabricated on contract for direct implementation in a propellant manufacturing plant.



Automatic artillery rocket grain inspection system

APPENDIX A.7

STATE-OF-CHARGE METER FOR NON-RECHARGEABLE LITHIUM BATTERIES

STATE-OF-CHARGE METER FOR NON-RECHARGEABLE LITHIUM BATTERIES

PROBLEM

Lack of knowledge by users regarding the capacity remaining in lithium/sulfur-dioxide batteries has led to costly, premature disposal of these batteries. Field studies and examination of batteries marked for disposal have verified that lithium batteries are being disposed of before all useful life has been expended.

BENEFITS

Widespread use of a state-of-charge device has the potential of saving the Army millions of dollars per year through complete usage of the batteries. Also, use of the meter will give soldiers confidence that a partially used battery has sufficient capacity to accomplish a mission.

ECONOMICS

Savings: Approximately \$10 million per year

STATUS

Program initiated in FY88.

Prototype state-of-charge meters have been purchased in FY89.

Prototype units were lab tested and field demonstrated at Fort Bragg and Fort Lewis.

Quantities of meters are planned to be purchased in FY90 for field testing.




Field soldier with AN/PRC-119 SINCGARS radio set

STATE-OF-CHARGE METER FOR NON-RECHARGEABLE LITHIUM BATTERIES

Unlike other electrochemical systems, the lithium system does not possess the simple characteristics required for measuring remaining capacity (e.g., sloping voltage). A method for state-of-charge determination of a lithium/sulfur-dioxide battery has been fabricated and tested. Field demonstrations of prototype meters showed that lithium batteries marked for disposal had an average remaining capacity of 50 percent. Field tests also revealed that approximately 45 percent of these batteries had a remaining capacity of 75 percent or more.

Soldiers in the field stated that they were reluctant to employ a used battery because they had no way of knowing whether the battery was good or bad. They further stated that they would consider a battery with 75 or more percent to be "new," and that a reliable meter would give them confidence that a partially used battery had sufficient capacity to accomplish a mission.

Widespread use of a state-of-charge meter would not only save millions of dollars but would also reduce logistics cost (fewer batteries would have to be purchased) and would greatly increase battery user confidence.



Lithium battery state-of-charge meter

APPENDIX B AMC/MTL TESTING NEEDS SURVEY DOCUMENTS

APPENDIX B - TABLE OF CONTENTS

		Page
B.1	Reference AMCQA-E Letter Dated 7 March 1988, Subject: AMC Material Testing Needs Survey	B.1-1
B.2	Reference SLCMT-MRM Letter Dated 19 April 1988, Subject: AMC Material Testing Needs Survey	B.2-1

APPENDIX B.1

REFERENCE AMCQA-E LETTER DATED 7 MARCH 1988, SUBJECT: AMC MATERIAL TESTING NEEDS SURVEY



DEPARTMENT OF THE ARMY HEADQUARTERS, U. S. ARMY MATERIEL COMMAND 5001 EISENHOWER AVENUE, ALEXANDRIA, VA 22333-0001



S: 7 Mar 88 21 Mar 88

2 3 FEB 1938

AMCQA-E

MEMORANDUM FOR: SEE DISTRIBUTION

SUBJECT: AMC Materials Testing Needs

- 1. Per reference, the Materials Technology Laboratory (MTL), through the Materials Testing Technology (MTT) Program, strives to bridge the gap between testing/inspection technology and application requirements. To assist in the identification of these requirements, MTL needs your help in performing a comprehensive survey of those areas requiring more advanced testing methodology, including those testing/inspection procedures with high cost/performance ratios. Special emphasis will be placed on depot test/inspection needs to assist in the HQDA "Depot 2000" program.
- 2. Request a point of contact be provided to MTL by 7 March 1988 for participation and support of this survey. Along with the MTT administrative support contractor, the Nondestructive Testing Information Analysis Center (NTIAC), MTL will develop survey questionnaires and provide composite visit schedules by 21 March 1988.
- 3. HQ AMC point of contact is Mr. E. D. Soliven, AMCQA-EQ, AUTOVON 284-8916/20, and MTL point of contact is Mr. F. Stenton, SLCMT-TMP, AUTOVON 955-5523.
- 4. Reference AMC Regulation 702-14, 2 January 1979, Materials Testing Technology (MTT) Program.

FOR THE COMMANDER:

TERRY/L. STAHL

Lung Lottabl

Assistant Deputy Chief of Staff for Product Assurance and Testing

AMCQA-E
SUBJECT: AMC Materials Testing Needs

DISTRIBUTION:
COMMANDER
AMCCOM (AMSMC-QA(R))
AVSCOM (AMSAV-Q)
CECOM (AMSEL-PA)
DESCOM (AMSEL-PA)
DESCOM (AMSDS-Q)
LABCOM (AMSLC-AS)
MICOM (AMSHI-QA)
TACOM (AMSTA-Q)
TECOM (AMSTE-EV)
TROSCOM (AMSTR-Q)
DIR, MTL (SLCMT-TM)
HQ AMC, DCS FOR PRODUCTION (AMCPD)

APPENDIX B.2

REFERENCE SLCMT-MRM LETTER DATED 19 APRIL 1988, SUBJECT: AMC MATERIAL TESTING NEEDS SURVEY

DEPARTMENT OF THE ARMY

U.S. ARMY LABORATORY COMMAND MATERIALS TECHNOLOGY LABORATORY WATERTOWN, MASSACHUSETTS 02172-0001



MEMORANDUM FOR: SEE DISTRIBUTION

SUBJECT: AMC Material Testing Needs Survey

- 1. Reference AMCQA-E Letter dated 7 March 1988, 21 March 1988, same subject (Enclosure 1).
- 2. Pursuant to the reference, this Laboratory will be conducting on-site reviews at AMC Major Subordinate Commands (MSC's) during the next several months to assist MCS's in identifying and describing AMC material testing needs. Enclosed herewith (Enclosure 2) is a copy of "FY1988 AMC Testing Needs Survey - Background Information." This document describes in general terms what the survey is intended to accomplish and how, probable sources of testing needs throughout the material life cycle, and categories of information. Your comments on this document are hereby solicited and would be appreciated.
- 3. A tentative schedule has been established for these reviews (Enclosure 3). The details of each visit (exact date, time, place, etc.) will be arranged and finalized between the appropriate MTL liaison and the point of contact for each installation. The MTL review team membership can and probably will vary with each visit, but will generally consist of the MTT Program liaison or a responsible representative of MTL, and a representative of the Nondestructive Testing Information and Analysis Center (NTIAC) which has been contracted to assist MTL in administ ring the survey.
- 4. Prior to, and in time for the scheduled visits, each installation should prepare to provide in-depth briefings on each identified testing need including any associated specifications, standards, drawings, visual aids, or other pertinent documentation. Each Command should assure the representation and participation at these reviews of Program/Project Managers within or associated with their Commands (see distribution).
- 5. It should be emphasized that "testing needs" are not necessarily "problems". If a need now exists or is anticipated it should be identified whether or not a possible solution can be proposed. This is particularly true in areas of high technology or high risk applications of new materials and processes (or high risk application of existing material and processes).
- 6. A list of the Points of Contact (POC's) for the site visits scheduled for May 1988 is shown in Enclosure 4. An updated list of POC's will be prepared and mailed to the appropriate MSC's as visitation dates and arrangements are confirmed.

FOR THE COMMANDER:

WALTER N. ROY MTT Program Manager

DISTRIBUTION LIST

Commander U.S. Army Laboratory Command ATTN: AMSLC-CT, Mr. R. Moore 2800 Powder Mill Road Adelphi, MD 20783-1197

Commander
Harry Diamond Laboratories
ATTN: SLCHD-PO-P, Mr. J. Hoke
2800 Powder Mill Road
Adelphi, MD 20783-1197

Commander U.S. Army Test & Evaluation Command ATTN: AMSTE-TC-M, Mr. J. Piro Aberdeen Proving Ground, MD 21005

Commander
U.S. Army Armament, Munitions
and Chemical Command
ATTN: AMSMC-QAC-E(E), Mr. T. Potite
Aberdeen Proving Ground, MD 21010-5423

Commander U.S. Army Depot System Command ATTN: AMSDS-QM, Mr. B. Newman Chambersburg, PA 17201-4170

Commander Letterkenny Army Depot ATTN: SDSLE-Q, Mr. G. Mantooth Chambersburg, PA 17201-4150

Commander Red River Army Depot ATTN: SDSRR-Q, Mr. W. D. Wuertz Texarkana, TX 75501

Commander Corpus Christi Army Depot ATTN: SDSCC-Q, Mr. D. L. Ross Corpus Christi, TX 78419

FY1988 AMC TESTING NEEDS SURVEY BACKGROUND INFORMATION

PURPOSE

The AMC Deputy Chief of Staff for Product Assurance and Test, Mr. S. J. Lorber, has tasked the Army Materials Technology Laboratory (MTL) as manager of the MTT Program with the responsibility for conducting an in-depth survey of AMC's testing needs. The purpose of this survey is to provide a planning matrix and five year plan for the formulation, prioritization, and funding of projects within the MTT Program. Through this survey an estimate will be developed for the amount of resources required to address the testing needs of emerging materials and notional systems. A similar survey was conducted by MTL for AMC in 1975. That survey filled a major need at the time, and provided an earlier planning matrix that led to the scheduling and successful conclusion of many critical testing needs projects.

SCOPE

The survey is intended to identify and describe material testing needs throughout all phases of the materiel life cycle for all systems, items, and components in or scheduled for the Army inventory. Particular emphasis should be given to the planned increased use of emerging materials i.e. ceramics, composites, polymers, etc. in notional systems. Also of concern are requirements to evaluate the remaining life of components which are scheduled for routine replacement or evaluation during maintenance or rebuild operations. In the past, programs have been funded to satisfy testing need requirements during each phase of a material life cycle. Several examples of different programs follow to illustrate the variety of potential needs to be addressed.

Production - Monitor/evaluate quality parameters/characteristics

- Process feedback and control

In Service - Insitu monitors for stresses and fatigue

Overhaul - Dynamic testing of engine components

- In process monitoring of welding process

Storage - Surveillance inspection method to monitor deterioration of

propellant/explosive materials

TESTING NEEDS

- a. On-Site Reviews. In response to the requirements of this task, a series of on-site reviews has been scheduled at AMC Major Subordinate Commands (MSC's) during the next several months of the current fiscal year (1988). The MSC's have been requested to provide in-depth briefings on each identified testing need including any associated specifications, standards, drawings, visual aids, or other pertinent exhibits. Each Command was also requested to assure the representation and participation at these reviews of Program/Project Managers within or associated with their Commands.
- b. Survey Team. The MTL survey team membership can and will probably vary with each visit, but will generally consist of the Materials Testing Technology (MTT) Program liaison or a responsible representative of MTL, and a representative of the Nondestructive Testing Information Analysis Center (NTIAC). NTIAC has been contracted to assist MTL in adminstering this survey.

- c. Information Required.
- (1) To facilitate the identification and categorizing of testing needs, there is attached hereto a general list of the types of information that should be considered and reported with each testing need. The list is only a guide and should not be considered restrictive.
- (2) In even more general terms the type of information required for this survey can be summarized in the form of questions as follow:
 - (a) Where in the materiel life cycle is the need?
 - (b) Is the need associated with a system (program/project managed) or does it have broad potential for application to many systems?
 - (c) Is the need specific to a material or process?
 - (d) What are the current requirements and/or QA procedures?
 - (e) What are the potential benefits? (Return on Investment, Reliability, Availability, Maintainability, etc.)
 - (f) Is the need immediate or anticipated?
 - (g) Is there a proposed solution?
 - (h) What is the testing technology? (Nondestructive Testing (NDT), Mechanical, Chemical, Electronics/Software, or combination?)

The above questions have merely been listed to indicate the types of questions that can be asked in any reasonable approach to help in identifying testing needs in context. These questions should not be considered exclusive.

SUMMARY

The foregoing provides only a broad background and overview of the testing needs planning matrix. It can be seen that this survey is an ambitious undertaking and will require the fullest cooperation and participation of all elements of the AMC community. With such cooperation and participation, the results of this effort should provide an effective program planning guide appropriate for both near and far term goals.

AMC TESTING NEEDS SURVEY - CATEGORIES OF INFORMATION

A. COMMODITY

- Aircraft 1.
- 2. Missiles
- 3. Weapons
- Tracked Combat Vehicles 4.
- Ammunition
- 6. Tactical and Support Vehicles
- Communications and Electronic Equipment 7.
- Other Support Equipment 8.

B. MATERIALS

- 1. Metals
- Ceramics
- 3. Composites
- 4. Polymers

TESTING NEED APPLICABLE TO

- 1. System (N/A)
- 2. Prime Item
- 3. Critical Item
- 4. Non-Complex Item
- 5. Inventory Item
- 6. Process
- 7. Material
- 8. Computer Program
- 9. Other (Specify)

D. TEST ENGINEERING CRITERIA

- Performance
- 2. Reliability
- 3. Maintainability
- 4. Environmental
- 5. Transportability
- 6. Quality
- 7. Safety
- 8. Human Performance/Engineering
- 9. Process Control
- 10. Procedures and Operations
- 11. Identification and Marking
- 12. Physical Characteristics
- 13. Computer Memory Requirements14. Tribology
- 15. Other (Specify)
 - (* One or more of these criteria may be applicable to the testing need for the item identified in B. above.)

TESTING TECHNOLOGY

- 1. Chemical
- 2. Mechanical
- Nondestructive
- 4. Electronics/Software

CHEMICAL TESTING

This category encompasses projects where the <u>solution</u> to an Army problem involves the determination of the quality of materials by classical volumetric, or gravimetric techniques as well as chromatographic, spectroscopic, thermal, radioanalytical, electroanalytical, spectrometric, and other methods of chemical analysis. Projects evaluated by this subgroup should be limited to those which propose a chemical test, rather than all those which address chemical items.

MECHANICAL TESTING

This category encompasses projects where the <u>solution</u> to an Army problem involves the scientific evaluation of the technical requirements for materials/materiel in terms of those properties that stem from elastic and inelastic response to an applied load, possibly involving a relationship between stress and strain. Such properties include, but are not necessarily limited to, toughness, hardness, tensile, shear, elongation, vibration, shock, etc.

NONDESTRUCTIVE TESTING

This category encompasses projects where the <u>solution</u> to an Army problem would employ either (a) traditional NDT (i.e., radiography, magnetic particle, liquid penetrant, ultrasonics, eddy current, and infrared), or (b) other emerging methodologies which are nondestructive for testing applications. (A nondestructive test is one that does not prevent use of the item tested for its intended application.) Specifically <u>excluded</u> are projects where the Army <u>problem</u> concerns the functional characteristics of electronic devices (systems, subsystems, or components) or computers (hardware) and computer programs (software). This exclusion <u>does not</u> apply to <u>electronic materials</u>.

ELECTRONIC/SOFTWARE TESTING

This category encompasses projects where the Army <u>problem</u> concerns the performance characteristics of electronic devices (systems, subsystems, or components) or computers (hardware) and computer programs (software). In general, solutions to these problems are nondestructive in nature although the category does accommodate destructive tests. This category <u>does not include electronic materials</u>.

AMC TESTING NEEDS SURVEY POINTS-OF-CONTACT

Command	<u>Location</u>	Name	Phone/Autovon
AMCCOM/ARDEC	Dover, NJ Picatinny	Jim Sewell	(201) 724-5364 AV 880-5364
AMCCOM/CRDEC	Aberdeen, MD Edgewood	Tom Potite	(301) 671-4321 AV 584-4321
AMCCOM/WVT	Watervliet, NY	Ken Insco & Carol Liu	(518) 271-4784 AV 974-4784
AVSCOM	St. Louis, MO	A. Spratt	(314) 263-1762 AV 693-1762
CECOM	Ft. Monmouth, NJ	Bing Bui	(201) 532-3442/9 AV 992-3442/9
DESCOM	Chambersburg, PA	Joe Byers	(717) 267-9126 AV 570-9126
DESCOM/CCAD	Corpus Christi, TX	Dan Ross Charles Wilson	(512) 939-3871 AV 861-3871
DESCOM/LTRK	Chambersburg, PA Letterkenny Dep.	Glenn Mancooth	(717) 267-8084 AV 570-8084
DESCOM/RRAD	Texarkana, TX Red River Dep.	W. D. Wuertz	(214) 838-2151 AV 829-2151
LABCOM	Adelphi, MD	Steven Doherty	(202) 394-3330 AV 290-3330
LABCOM/ETDL	Ft. Monmouth, NJ	Joe Key	(201) 544-4258 AV 995-4258
LABCOM/HDL	Adelphi, MD Harry Diamond Lab	Julius Hoke	(202) 394-1551 AV 290-1551
LABCOM/MTL	Watertown, MA Matl. Tech. Lab	Walter Roy Fred Stenton	(617) 923-5333/43 AV 955-5333/43
MICOM	Huntsville, AL	D. Dunston	(205) 876-2147 AV 746-2147
TACOM	Warren, MI	Chester Kedzior	(313) 574-8037/8/9 AV 786-8037/8/9

AMC TESTING NEEDS SURVEY POINTS-OF-CONTACT (CONT'D)

Command	Location	Name	Phone/Autovon
TECOM	Aberdeen, MD Edgewood	Jim Piro	(301) 278-2170 AV 298-2170
TROSCOM	Natick, MA (NRDEC)	Don McLeod	(617) 651-4883 AV 256-4883

MTT PROGRAM AND TESTING NEEDS SURVEY COORDINATORS

Command	Location	<u>Name</u>	Phone/Autovon
MTL (MTT Program and Survey)	Watertown, MA Matl. Tech. Lab	Walter Roy Fred Stenton Roger Lamothe	(617) 923-5333/43 AV 955-5333/43
NTIAC (Survey)	San Antonio, TX Sw. Res. Inst.	Frank Iddings Richard Cervantes	(512) 522-2737 (512) 522-2481

APPENDIX C MATERIALS TESTING NEEDS SURVEY SUBMISSIONS

APPENDIX C - TABLE OF CONTENTS

		<u>Page</u>
C.1	Testing Needs Submissions Form Number/Title Index	C.1-1
C.2	Summary Listing of Individual Survey Submissions	C.2-1
C.3	Sample of Survey Information Summary Form	C.3-1
C.4	Submissions Index by Command and Installation	C.4-1
C.5	Submissions Index by Product Category	C.5-1
C.6	Submissions Index by Problem Area	C.6-1
C.7	Submissions Index by Test Technology Category	C.7-1
C.8	Summary Table of All Testing Need Categories and Submissions Form Numbers	C.8-1

APPENDIX C.1 TESTING NEEDS SUBMISSIONS FORM NUMBER/TITLE INDEX

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS 1 TITLE : COMPOSITE MATERIAL EVALUATION AIRCRAFT COMPOSITES COMMAND : DESCOM INSTAL'N : CCAD NDE PRESENTER : G. WILSON COST(\$K) : 0 **AFACHE** TESTING TECHNOLOGIES : BLACKHAWK ULTRASONICS NONDESTRUCTIVE THERMOGRAPHY RADIOGRAPHY 2 TITLE : NDE OF ADHESIVELY BONDED JOINTS ADHESIVES BONDS COMMAND : DESCOM INSTAL'N : CCAD AIRCRAFT PRESENTER : G. WILSON COST(\$K): 0 NDE TESTING TECHNOLOGIES : COMPOSITES CERAMICS NONDESTRUCTIVE METALS JOINTS J TITLE : MECHANICAL TESTING AND NDE OF AIRCRAFT HYDROGEN DAMAGE COMPONENTS FOR HYDROGEN EMBRITTLEMENT ENGINES COMMAND : DECCOM INSTAL'N : CCAD AIRCRAFT PRESENTER : G. WILSON COST(\$K) : 0 STEEL TESTING TECHNOLOGIES : MDE MECHANICAL MECHANICAL NONDESTRUCTIVE MATERIALS COMPONENTS 4 TITLE : MONITORING OF CADMIUM AND OTHER PLATING PLATING PROCESSES PROCESS CONTROL COMMAND : DESCOM INSTAL'N : CCAD CHEMICAL MONITOR PRESENTER : G. WILSON COST(\$K): O NDE TESTING TECHNOLOGIES : AIRCRAFT CHEMICAL CADMIUM NONDESTRUCTIVE CHROMIUM PLATING SOLUTION 5 TITLE : DETECTION OF MAIN ROTOR BLADE DEBONDING ROTOR BLADES AIRCRAFT COMMAND : DESCOM INSTAL'N : CCAD ADHESIVE BONDS PRESENTER : G. WILSON COST(\$K): 0 DEBONDING TESTING TECHNOLOGIES : NDE WATER INTRUSION NONDESTRUCTIVE NONE NONE 6 TITLE : TESTING METHODS FOR GLASS AND PLASTIC GLASS FANELS PLASTICS COMMAND : DESCOM INSTAL'N : CCAD WINDOW PANELS PRESENTER : G. WILSON COST(#K) : 0 FLOOR PANELS TESTING TECHNOLOGIES : OPTICAL PESTING MECHANICAL MECHANTICAL NONDESTRUCTIVE NDE

NOME

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS ______ 7 TITLE : DETERMINATION OF CRITICAL BLISTERING OF BLADDER TANKS BLADDER TANKS FUEL TANKS CUMMAND : DESCOM INSTAL'N : CCAD PRESENTER : G. WILSON COST(\$K) : O
TESTING TECHNOLOGIES : INSTAL'N : CCAD BLISTERING AIRCRAFT FUEL MECHANICAL NDE NONDESTRUCTIVE ELASTOMERS STORAGE 8 TITLE : LEAK DETECTION IN FUEL SYSTEMS AIRCRAFT FUEL LEAKS COMMAND : DESCOM INSTAL'N : CCAD
PRESENTER : G. WILSON COST(\$K) : O FUEL STORAGE AIRFRAME TESTING TECHNOLOGIES : CORROSION CHEMICAL CHEMICAL TESTING NONDESTRUCTIVE NDE NONE 9 TITLE : QUALITY CONTROL AND TESTING OF AIRCRAFT AIRCRAFT OILS AND LUBRICANTS OILS COMMAND : DESCOM INSTAL'N : CCAD LUBRICANTS PRESENTER : G. WILSON COST(\$K): 0 ENGINES TESTING TECHNOLOGIES : QUALITY CONTROL CHEMICAL TESTING CHEMICAL NONDESTRUCTIVE NDE WEAR 10 TITLE : MONITORING, DETECTION, AND DISPOSAL OF HAZARDOUS WASTES HAZARDOUS WASTES WASTE MANAGEMENT COMMAND : DESCOM INSTAL'N : CCAD PRESENTER : G. WILSON COST(\$K) : O TESTING TECHNOLOGIES : INSTAL'N : CCAD WASTE STORAGE DISPOSAL CHEMICAL TESTING CHEMICAL NDE NONDESTRUCTIVE WASTE MONITORING NONE 11 TITLE : PART MARKING AND IDENTIFICATION MARKINGS FART IDENTIFICAT COMMAND : DESCOM INSTAL'N : CCAD PRESENTER : D. ROSS PARTS CONTROL COST(\$K) : 0 LASER MARKING TESTING TECHNOLOGIES: TAGGING MECHANICAL. IMBEDDED ELECT / SOFTWARE MICROELECTRONICS 12 TITLE : CORROSION DETECTION FOR AIRFRAME AND CORROSION AIRCRAFT COMPONENTS AIRCRAFT INSTAL'N : CCAD COMMAND : DESCOM AIRFRAME COST(\$K) : O PRESENTER : D. ROSS CHEMICAL TESTING TESTING TECHNOLOGIES : NDE CHEMICAL NOME NONDESTRUCTIVE NONE

NONE

TNS# TESTING NEEDS SURVEY INFORMATION	KEYWORDS
13 TITLE: QUANTITATIVE DETERMINATION OF GRINDING BURN ON METALS COMMAND: DESCOM INSTAL'N: CCAD PRESENTER: G. WILSON COST(\$K): O TESTING TECHNOLOGIES: CHEMICAL NONDESTRUCTIVE	GRINDING BURN METALS DETECTION COMPONENTS AIRCRAFT ENGINES NDE CHEMICAL
14 TITLE: WELD PROCESS MONITORING AND CONTROL COMMAND: DESCOM INSTAL'N: COAD PRESENTER: G. WILSON COST(\$K): 0 TESTING TECHNOLOGIES: NONDESTRUCTIVE	WELDING PROCESS MONITOR PROCESS CONTROL NDE IMAGING OPTICAL AIRCRAFT MAINTENANCE
15 TITLE : AUTOMATIC TEST EQUIPMENT (ATE) FOR ENGINE OVERHAUL COMMAND : DESCOM INSTAL'N : RRAD PRESENTER : B. WUERTZ COST(\$K) : O TESTING TECHNOLOGIES : MECHANICAL ELECT / SOFTWARE	ENGINES OVERHAUL ATE DIMENSIONAL MEASUREM TRANSMISSIONS MECHANICAL NONE NONE
14 TITLE: NDE OF ROCKET MOTORS AND PROPELLANTS COMMAND: DESCOM INSTAL'N: RRAD PRESENTER: B. WUERTZ COST(\$K): 0 TESTING TECHNOLOGIES: NONDESTRUCTIVE	ROCKET MOTORS PROPELLANTS NDE DELAMINATION VOIDS RADIOGRAPHY ULTRASONICS DAMAGE
17 TITLE: AUTOMATED EVALUATION OF PLATINGS AND PLATING PROCESSES COMMAND: DESCOM INSTAL'N: RRAD PRESENTER: B. WUERTZ COST(\$K): 0 TESTING TECHNOLOGIES: CHEMICAL NONDESTRUCTIVE	PLATING PROCESS CONTROL MONITORING MEASUREMENT GUN TUBES ENGINES AIRCRAFT CHEMICAL TESTING
18 TITLE: AUTOMATED NONDESTRUCTIVE EVALUATION OF GUN TUBES COMMAND: DESCOM INSTAL'N: RRAD PRESENTER: B. WUERTZ COST(\$K): 0 TESTING TECHNOLOGIES: NONDESTRUCTIVE ELECT / SOFTWARE	GUN TUBES NDE AUTOMATED WEAR CORFOSION MEASUREMENT VISION SYSTEM INSPECTION

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS مالي فردن منور ويت الحدد على وقاد على وياد الحدد يدد المدر بيان الحدد الجد على الحدد المدر الحدد المدر الحدد على الحدد على ويت الحدد الحدد ولما الحدد ويد أوجه الحدد 19 TITLE : IN-SITU ANALYSIS OF OIL/LUBRICANT QUALITY OILS LUBRICANTS COMMAND : DESCOM INSTAL'N : RRAD QUALITY CONTROL PRESENTER : B. WUERTZ COST(\$K) : 0 ENGINES TRANSMISSIONS TESTING TECHNOLOGIES : CHEMICAL MONITORING CHEMICAL TESTING NONDESTRUCTIVE NDE ADHESIVE BONDS 20 TITLE : NDE OF ADHESIVELY BONDED JOINTS NDE COMMAND : DESCOM INSTAL'N : RRAD PATRIOT PRESENTER : B. WUERTZ COST(\$K) : 0 MISSILES AIRCRAFT TESTING TECHNOLOGIES : VEHICLES TRACK PADS NONDESTRUCTIVE COMPOSITES 21 TITLE : DETERMINATION OF METAL FATIGUE AND FATIGUE METALS REMAINING LIFE INSTAL'N : RRAD DETECTION COMMAND : DESCOM PRESENTER : B. WUERTZ COST(\$K): 0 REMAINING LIFE TESTING TECHNOLOGIES : GUN TUBES MECHANICAL **VEHICLES** AIRFRAME NONDESTRUCTIVE NONE 22 TITLE : NDE OF BOLTS BOLTS QUALITY CONTROL COMMAND : DESCOM INSTAL'N : RRAD NDE PRESENTER : B. WUERTZ COST(\$K): 0 MATERIALS. TESTING TECHNOLOGIES : CRACKING STRESS NONDESTRUCTIVE NONE NONE 23 TITLE : IN-PROCESS WELDING MONITORING WELDING PROCESS COMMAND : DESCOM INSTAL'N : RRAD MONITORING PRESENTER : B. WUERTZ COST(\$K): 0 CONTROL TESTING TECHNOLOGIES : NDE INFRARED NONDESTRUCTIVE ELECT / SOFTWARE TRACKED VEHICLES MISSILE CARRIERS 24 TITLE : CORROSION DETECTION AND MEASUREMENT CORROSION DETECTION COMMAND : DESCOM INSTAL'N : READ MEASUREMENT PRESENTER : B. WUERTZ COST(\$K): 0 RUNITIONS TESTING TECHNOLOGIES : TRACKED VEHICLES WEAPONS NONDESTRUCTIVE NDE NONE

APPENDIX C.2 SUMMARY LISTING OF INDIVIDUAL SURVEY SUBMISSIONS

TNS# TESTING NEEDS SURVEY INFORMATION	KEYWORDS
19 TITLE : IN-SITU ANALYSIS OF OIL/LUBRICANT QUAL COMMAND : DESCOM INSTAL'N : RRAD PRESENTER : B. WUERTZ COST(\$K) : O TESTING TECHNOLOGIES : CHEMICAL NONDESTRUCTIVE	LUBRICANTS
20 TITLE : NDE OF ADHESIVELY BONDED JOINTS COMMAND : DESCOM INSTAL'N : RRAD PRESENTER : B. WUERTZ COST(\$K) : 0 TESTING TECHNOLOGIES : NONDESTRUCTIVE	
21 TITLE : DETERMINATION OF METAL FATIGUE AND REMAINING LIFE COMMAND : DESCOM INSTAL'N : RRAD PRESENTER : B. WUERTZ COST(\$K) : 0 TESTING TECHNOLOGIES : MECHANICAL NONDESTRUCTIVE	METALS
COMMAND: DESCOM INSTAL*N: RRAD PRESENTER: B. WUERTZ COST(\$K): 0 TESTING TECHNOLOGIES: NONDESTRUCTIVE	BOLTS QUALITY CONTROL NDE MATERIALS CRACKING STRESS NONE NONE
23 TITLE: IN-PROCESS WELDING MONITORING COMMAND: DESCOM INSTAL'N: RRAD PRESENTER: B. WUERTZ COST(\$K): 0 TESTING TECHNOLOGIES: NONDESTRUCTIVE ELECT / SOFTWARE	WELDING PROCESS MONITORING CONTROL NDE INFRARED TRACKED VEHICLES MISSILE CARRIERS
24 TITLE : CORROSION DETECTION AND MEASUREMENT COMMAND : DESCOM INSTAL'N : READ PRESENTER : B. WUERTZ COST(%K) : O TESTING TECHNOLOGIES : NONDESTRUCTIVE	CORROSION DETECTION MEASUREMENT MUNITIONS TRACKED VEHICLES WEAFONS NDE NONE

	TESTING NEEDS SURVEY INFORMATION	KEYWORDS
25	TITLE: WEAR OF GUN TUBES DUE TO THE BALLOTING EFFECT COMMAND: LABCOM INSTAL'N: HDL PRESENTER: A. FREYDMAN COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL. NONDESTRUCTIVE	GUN TUBES WEAR BALLOTING EFFECT NDE OPTICAL FUZES PROJECTILES NONE
	TITLE: MEASUREMENT OF PROJECTILL VIBRATION/SHOCK IN GUN TUBES COMMAND: LABCOM INSTAL®N: HDL PRESENTER: A. FREYDMAN COST(**K): O TESTING TECHNOLOGIES: MECHANICAL NONDESTRUCTIVE	FUZES PROJECTILES VIERATION SHOCK NDE OPTICAL GUN TUBES HISTORY
	TITLE: MEASUREMENT OF INTERNAL RESPONSE ENVIRONMENT OF MISSILES COMMAND: LABCOM INSTAL'N: HDL PRESENTER: A. FREYDMAN COST(\$K): O TESTING TECHNOLOGIES: MECHANICAL NONDESTRUCTIVE	MISSILES ELECTRONICS VIBRATION SHOCK NDE OPTICAL TELEMETRY HISTORY
	TITLE: DEVELOPMENT OF MULTI-AXIS PRODUCTION SCREENING TESTS COMMAND: LABCOM INSTAL'N: HDL PRESENTER: A. FREYDMAN COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL	VIBRATION SHOCK PRODUCTION SCREENING MULTI-AXIS SHAKERS FAILURE NONE NONE
	TITLE: MODELING OF HIGH-6 EFFECTS FOR WEAPONS AND MUNITIONS COMMAND: LABCOM INSTAL®N: HDL PRESENTER: A. FREYDMAN COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL ELECT / SOFTWARE BALLISTIC	MODELING SOFTWARE COMPUTER HIGH G EVENTS BALLISTICS IMPACT ARMOR SHOCK EVENTS
1	TITLE: TESTING OF HIGH-G EFFECTS FOR WEAPONS AND ARMORS COMMAND: LABCOM INSTAL'N: HDL PRESENTER: A. FREYDMAN COST(\$K): O TESTING TECHNOLOGIES: MECHANICAL	BALLISTICS HIGH G EVENTS AIR GUNS HIGH ENERGY WEAPONS MITIGATORS RAIL GUNS WEAPONS SHOCK EVENTS

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS 31 TITLE : CONTINUOUS MEASUREMENT OF VELOCITY AND BALLISTICS MOTION IN BALLISTIC AND VIBRATION TESTING VELOCITY COMMAND : LABCOM INSTAL'N : HDL MOTION PRESENTER : J. HOKE COST(\$K) : 0 CONTINUOUS MEASUREME TESTING TECHNOLOGIES: ARMOR MECHANICAL PENETRATORS NONDESTRUCTIVE NDE LASER INTERPEROMETRY 32 TITLE : MECHANICAL TESTING OF SOLDER JOINTS SOLDER JOINTS "LECTRONICS COMMAND : LABCOM INSTAL'N : HDL MICROELECTRONICS PRESENTER : J. HOKE COST(#K) : 0 MECHANICAL TESTING TECHNOLOGIES : VIBRATION MECHANICAL SHAKERS NONDESTRUCTIVE FAILURE NONE 33 TITLE : MODELING SOFTWARE FOR SOLDER JOINTS MODELING SOLDER JOINTS COMMAND : LABCOM INSTAL'N : HDL ELECTRONICS PRESENTER : J. HOKE COST(\$K): O DESIGN TESTING TECHNOLOGIES : SIMULATION SOFTWARE ELECT / SOFTWARE COMPUTER NONE 34 TITLE : NDE OF SOLDER JOINTS AND CIRCUIT SOLDER JOINTS SUBASSEMBLIES CIRCUIT BOARDS COMMAND : LABCOM INSTAL'N : HDL ELECTRONICS PRESENTER : J. HOKE COST(\$K): 0 NDE TESTING TECHNOLOGIES : X-RAY IMAGING NONDESTRUCTIVE INSPECTION AUTOMATED 35 TITLE : TESTING AND EVALUATION OF MODELING AND SOFTWARE SIMULATION SOFTWARE MODELING COMMAND : LABCOM INSTAL'N : HDL SIMULATION PRESENTER : J. HOKE COST(\$K) : O COMPUTER TESTING TECHNOLOGIES : EXPERT SYSTEMS ARTIFICIAL INTEL ELECT / SOFTWARE PROGRAMMING EVALUATION 36 TITLE : SOFTWARE DEVELOPMENT FOR ARTIFICIALLY SOFTWARE INTELLIGENT TARGET ACQUISITION EXPERT SYSTEMS COMMAND : LABCOM INSTAL'N : HDL ARTIFICIAL INTEL PRESENTER : J. HOKE COST(\$K): 0 COMPUTER TESTING TECHNOLOGIES : TARGETS ACQUISITION ELECT / SOFTWARE IDENTIFICATION PROGRAMMING

E CONTROL DE LE CONTROL DE LES PROPERTOS DE L'ARGEST PRESENTANTES PROPERTOS DE L'ARGEST PROPERTOS DE L'ARGEST

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS 37 TITLE : ACCEPTANCE TESTING OF COMPOSITES AND COMPOSITES NON-METALLICS NON-METALLICS COMMAND : TECOM INSTAL'N : AFG **VEHICLES** PRESENTER : G. SHELTON COST(\$K) : 0 TRACKED COMBAT NDE TESTING TECHNOLOGIES : THERMOGRAPHY RADIOGRAPHY NUMBESTRUCTIVE ULTRASONICS 38 TITLE : EFFECTIVENESS TESTING OF ELECTROMAGNETIC SHIELDING ELECTROMAGNETICS SHIELDING INSTAL N : AFG SIMULATOR COMMAND : TECOM COST(\$K) : 0 PRESENTER : G. SHELTON MATERIALS TESTING TESTING TECHNOLOGIES : RADIATION ELECT / SOFTWARE EQUIPMENT ELECTRONICS 39 TITLE : SIMULATION OF INFRARED TARGETS INFRARED RADIATION INSTAL'N : APG TARGETS COMMAND : TECOM COST(\$K): 0 PRESENTER : W. MILLWAY SIGNATURES TESTING TECHNOLOGIES : ACQUISITION SIMULATION MECHANICAL ELECT / SOFTWARE DETECTION EQUIPMENT 40 TITLE : DETERMINATION OF THE ELECTROMAGNETIC LUBRICANTS SUSCEPTIBILITY OF OILS AND LUBRICANTS OILS INSTAL'N : APG COMMAND : TECOM ELECTROMAGNETICS COST(\$K): 0 PRESENTER : J. PIRO RADIATION TESTING TECHNOLOGIES : SUSCEPTIBILITY CHEMICAL ENGINES ELECT / SOFTWARE TRANSMISSIONS CHEMICAL 41 TITLE : EFFECTS OF CHEMICAL AGENTS ON MATERIALS, CHEMICAL AGENTS COATINGS, AND ADHESIVES CONTAMINATION : TECOM INSTAL'N : APG COMMAND DECONTAMINATION PRESENTER : J. PIRO COST(#K) : 0 SUSCEPTIBILITY TESTING TECHNOLOGIES : COMPOSITES MECHANICAL CHEMICAL ADHESIVE BONDS OFTICAL COATINGS MATERIALS 42 TITLE : FERFORMANCE TESTING/MEASUREMENT OF SMOKES SMOKE AND OBSCURANTS **DESCURANTS** : TECOM INSTAL'N : AFG COMMAND TESTING PRESENTER : J. PIRO COST(\$K) : 0 MEASUREMENT TESTING TECHNOLOGIES : COVERAGE LIGHT SCATTERING MECHANICAL CHEMICAL DENSITY LASER

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS . 43 TITLE : SOIL TESING FOR CHEMICAL AGENT CHEMICAL AGENTS COMMAND: TECOM INSTAL'N: APG PRESENTER: J. PIRO COST(\$K): O TESTING TECHNOLOGIES: CONTAMINATION INSTAL'N : AFG DECONTAMINATION FIELD SAMPLING KIT CHEMICAL SOIL **VEGITATION** NONE 44 TITLE : ENVIRONMENTAL TESTING OF LAMINATES PLASTICS COMMAND : TECOM INSTAL'N : APG PRESENTER : F. MABANTA COST(\$K) : O ACRYLICS INSTAL'N : APG LAMINATES ENVIRONMENTAL TESTING TECHNOLOGIES : AGING MECHANICAL DETERIORATION NONDESTRUCTIVE NDE MECHANICAL 45 TITLE : DELELOPMENT OF SIGNATURE MASKING INFRARED MATERIALS

COMMAND : TECOM INSTAL'N : APG

PRESENTER : F. MABANTA COST(\$€) : 0 ELECTROMAGNETICS INSTAL'N : AFG TARGETS SIGNATURE TESTING TECHNOLOGIES : MASKING MATERIALS MECHANICAL CHEMICAL LOW OBSERVABLES MILLIMETER WAVE MICROWAVE 46 TITLE : LIQUID (CHEMICAL) AGENT DETECTOR CHEMICAL AGENTS: DETECTION COMMAND : CRDEC INSTAL'N : EDGEWOOD COMMAND : CRDEC PRESENTER : H. ELBAUM LIQUID AGENTS COST(\$K) : 0 DETECTOR TESTING TECHNOLOGIES : FIELD SAMPLING CHEMICAL DROPLET SIZE COLOR NONE 47 TITLE : BUTYL COAT CLOTH AND MATERIAL TESTING CHEMICAL AGENTS COMMAND: CRDEC INSTAL'N: EDGEWOOD PRESENTER: H. ELBAUM COST(\$K): O TESTING TECHNOLOGIES: PROTECTION CLOTHING MATERIALS BUTYL COAT CHEMICAL PERMEATION NONE NONE 48 TITLE : TEST METHOD TO EVALUATE FILTER AND CHEMICAL AGENTS CHARCOAL EFFECTIVENESS FILTERS COMMAND : CRDEC INSTAL'N : EDGEWOOD PRESENTER : H. ELBAUM COST(**) : O TESTING TECHNOLOGIES : MASKS CHARCOAL MATERIALS CHEMICAL EFFECTIVENESS TEST NONDESTRUCTIVE INSTRUMENT NONE

	TESTING NEEDS SURVEY INFORMATION	KEYWORDS
47	TITLE : DEVELOPMENT OF CHEMICAL AGENT SIMULANTS COMMAND : CRDEC INSTAL'N : EDGEWOOD PRESENTER : H. ELBAUM COST(\$K) : 0 TESTING TECHNOLOGIES : CHEMICAL	CHEMICAL AGENTS SIMULANTS PROTECTION CHEMICAL TESTING HAZARDOUS WASTES NEUTRALIZATION NONE NONE
50	TITLE: METHODS FOR THE REDUCTION OF HAZARDOUS WASTES COMMAND: CRDEC INSTAL'N: EDGEWOOD PRESENTER: H. ELBAUM COST(\$K): 0 TESTING TECHNOLOGIES: CHEMICAL	HAZARDOUS WASTES WASTE MANAGEMENT REDUCTION NEUTRALIZATION CHEMICAL AGENTS NONE NONE NONE
51	TITLE: DEVELOPMENT OF "FULLERS EARTH" EQUIVALENT MATERIAL COMMAND: CRDEC INSTAL'N: EDGEWOOD PRESENTER: H. ELBAUM COST(\$K): 0 TESTING TECHNOLOGIES: CHEMICAL	FULLERS EARTH CHEMICAL TESTING ABSORBANT EQUIVALENT MATERIAL NONE NONE NONE NONE
52	TITLE: DEVELOPMENT AND TESTING OF CHEMICAL AGENT RESISTANT PAINTS COMMAND: CRDEC INSTAL'N: EDGEWOOD PRESENTER: H. ELBAUM COST(**K): O TESTING TECHNOLOGIES: CHEMICAL	PAINTS COATINGS CHEMICAL AGENTS RESISTANCE ABSORPTION VEHICLES AIRCRAFT EQUIPMENT
	TITLE : GAS PHASE LEAKAGE TESTER COMMAND : CRDEC INSTAL'N : EDGEWOOD PRESENTER : L. FRIEDMAN COST(\$K) : 0 TESTING TECHNOLOGIES : CHEMICAL NONDESTRUCTIVE	GAS MASKS M14 MASK GAS CHASE TESTING AUTOMATED HEADFORM LIGHT SCATTERING AEROSOL
	TITLE: DEVELOPMENT OF MUNITIONS TO DEFEAT IR AND MILLIMETER WAVE COMMAND: CRDEC INSTAL®N: EDGEWOOD PRESENTER: D. MATTS COST(\$K): 0 FESTING TECHNOLOGIES: MECHANICAL CHEMICAL	MUNITIONS INFRARED MILLIMETER WAVE MM WAVE ABSORPTION VEHICLES AIRCRAFT OBSCURANTS

	TESTING NEEDS SURVEY INFORMATI		KEYWORDS
55		NOF 300 GAL. FUEL NSTAL'N : LTRK COST(\$K) : 0	FUEL TANKS LEAK DETECTION INSPECTION AUTOMATED NDE ACOUSTIC EMISSION NONE NONE
56		F GUN TUBES NSTAL'N : LTRK OST(\$K) : 0	GUN TUBES INSPECTION AUTOMATED NDE VISION SYSTEM CORROSION WEAR PLATING
57		AND SUBASSEMBLIES NSTAL'N : LTRK OST(\$K) : 0	ELECTRONICS REMAINING LIFE DIAGNOSTICS COMPONENTS SUBASSEMBLIES NDE AUTOMATED SELF-TESTING
		NSTAL'N : LTRK OST(\$K) : 0	BALLISTICS VELOCITY MOTION MEASUREMENT ARMOR PENETRATORS NDE LASER INTERFEROMETRY
		NSTAL'N : LTRK OST(\$K) : 0	WELDS INSPECTION AUTOMATED NDE REPAIRS VEHICLES COMBAT NONE
		NSTALIN : LTRK OST(\$K) : O	SOLDER JOINTS ELECTRONICS NDE HAWK MISSILE X-RAY IMAGING INSPECTION AUTOMATED

	TESTING NEEDS SURVEY INFORMATION	KEYWORDS
51	TITLE: TEST METHODS TO DETERMINE WEAR AND GEAR MECHANISMS COMMAND: DESCOM INSTAL'N PRESENTER: W. SIPES COST(\$K) TESTING TECHNOLOGIES: MECHANICAL NONDESTRUCTIVE	WEAR LTRK NDE
62	TITLE: THICKNESS DETERMINATION OF CONFICURES COMMAND: DESCOM INSTAL'N: PRESENTER: W. SIPES COST(\$K): TESTING TECHNOLOGIES: MECHANICAL NONDESTRUCTIVE	CONFORMAL LTRK ELECTRONICS
	TITLE: TEST METHODS TO DETERMINE SHELF FAINTS, ADHESIVES, SEALANTS, CO COMMAND: DESCOM INSTAL'N: PRESENTER: W. SIPES COST(\$K): TESTING TECHNOLOGIES: CHEMICAL	OATINGS COATINGS LTRK SEALANTS
	TITLE : TEST METHODS TO MONITOR BEARING COMMAND : DESCOM INSTAL'N : PRESENTER : W. SIPES COST(*K) : TESTING TECHNOLOGIES : MECHANICAL NONDESTRUCTIVE	QUALITY LTRK MONITORING
	TITLE: TEST METHODS TO DETERIMINE OIL LUBRICANT QUALITY COMMAND: DESCOM INSTAL'N: PRESENTER: R. GLICK COST(\$K): TESTING TECHNOLOGIES: CHEMICAL NONDESTRUCTIVE	LUBRICANTS LTRK QUALITY
	TITLE: IN-PROCESS MONITORING OF PLATING PROCESSES COMMAND: DESCOM INSTAL'N: PRESENTER: R. GLICK COST(\$K): TESTING TECHNOLOGIES: CHEMICAL NONDESTRUCTIVE	PROCESS CONTROL LTRK THICKNESS

	TESTING NEEDS SURVEY	INFORMATION	KEYWORDS
67	ADHESIVES AND	TO DETERMINE THE QUALITY OF) ADHESIVE JOINTS INSTAL'N : LTRK COST(\$K) : 0 : CHEMICAL	ADHESIVES BONDS OUALITY NDE COMPOSITES FAILURE JOINTS NONE
5 3	ASSESSMENT COMMAND : DESCOM	FOR CORROSION DETECTION AND INSTAL'N : LTRK COST(*K) : 0 CHEMICAL	CORROSION DETECTION NDE DAMAGE ENGINES VEHICLES AIRCRAFT ASSESSMENT
•	TITLE : FIELD BORE ME COMMAND : AMCCOM PRESENTER : K. INSCO TESTING TECHNOLOGIES MECHANICAL NONDESTRUCTIVE	INSTAL'N : WVT COST(\$K) : 0	CANNONS GUN TUBES BORE MEASUREMENT STAR GAGES GROOVES DIAMETER NONE
70	TITLE : SMALL CALIBER COMMAND : AMCCOM PRESENTER : K. INSCO TESTING TECHNOLOGIES MECHANICAL NONDESTRUCTIVE	INSTAL'N : WVT COST(\$K) : 0 :	GUN TUBES MORTARS SMALL CALIBER INSPECTION STATION COORDINATE MEASURING MACHINE NONE
71	TITLE : LASER INSPECT COMMAND : AMCCOM PRESENTER : M. INSCO TESTING TECHNOLOGIES MECHANICAL NONDESTRUCTIVE	INSTAL'N : WVT COST(#K) : 0	HOWITZER KEYWAYS INSPECTION STRAIGHTNESS RECOIL LASER GUN TUBES NONE
	TITLE : INSPECTION OF COMMAND : AMCCOM PRESENTER : K. INSCOTESTING TECHNOLOGIES MECHANICAL	INSTAL'N : WVT COST(\$K) : 0	PADS OBTURATOR INSPECTION VISION SYSTEM DEFORMATION HOWITIER BREACH SEAL SPINDLE

	S# TESTING NEEDS SURVEY INFORMATION		KEYWORDS
73		NSTAL'N : WVT UST(\$K) : 0	BASE PLATES MORTARS PROOF FIRING TESTING SIMULATOR PRESSURE IMPACT INSPECTION
74		F EQUIPMENT USTAL'N : WVT UST(\$K) : 0	TENSILE CHARPY EQUIPMENT MATERIALS AUTOMATED FORGING GUN TUBES NONE
75		USTAL'N : WVT UST(#K) : Ó	RADIOGRAPHY TOMOGRAPHY COMPUTERIZED INDUSTRIAL MATERIALS GUN TUBES INSPECTION FORGING
		ISTALIN : WVT IST(\$K) : 0	COMPOSITES INSPECTION ACOUSTO-ULTRASOMICS LAUNCHER EVACUATOR DEFECTS NDE NONE
		STAL'N : WVT ST(\$K) : 0	PLATING PROCESS MONITOR PROCESS CONTROL GUN TUBES AUTOMATED CHEMICAL MONITOR NONE NONE
		STAL'N : WVT ST(\$K) : 0	COMPOSITES NDE EVACUATOR INSPECTION DEFECTS ULTRASONICS X-RAY NONE

TNS# TESTING NEEDS SURVEY INFORMATION	KEYWORDS
79 TITLE: CHEMICAL TESTING AND OC FOR ORGANIC COMPOSITE MATERIALS COMMAND: AMCCOM INSTAL'N: WVT PRESENTER: G. FRIAR COST(\$K): O TESTING TECHNOLOGIES: CHEMICAL	COMPOSITES ORGANIC CHEMICAL TESTING POLYMERS CALORIMETRY CURING MONITORING QUALITY CONTROL
80 TITLE : DESTRUCTIVE TEST OF HARD COATING ADHESION COMMAND : AMCCOM INSTAL'N : WYT PRESENTER : G. CAPSIMALIS COST(\$K) : O TESTING TECHNOLOGIES : MECHANICAL	COATINGS PLATING GUN TUBES CHROMIUM ADHESION SHOCK TESTING THERMAL SHOCK DESTRUCTIVE
81 TITLE: NONDESTRUCTIVE CHARACTERIZATION OF COATINGS COMMAND: AMCCOM INSTAL'N: WVT PRESENTER: G. CAPSIMALIS COST(\$K): O TESTING TECHNOLOGIES: NONDESTRUCTIVE	COATINGS PLATING SUN TUBES CHROMIUM ADHESION NDE POROSITY THERMOGRAPHY
82 TITLE: AUTOMATED ANALYSIS AND CONTROL OF METAL FINISHING PROCESS SOLUTIONS COMMAND: AMCCOM INSTAL'N: WVT PRESENTER: G. CAPSIMALIS COST(\$K): O TESTING TECHNOLOGIES: CHEMICAL	PLATING SOLUTIONS CHEMISTRY MONITORING CONTROL ON-LINE ANALYSIS TITRATION X-RAY FLOURESCENCE
83 TITLE: ULTRASONIC IMMERSION TESTING OF BILLETS COMMAND: AMCCOM INSTAL'N: WVT PRESENTER: G. CAPSIMALIS COST(%K): O TESTING TECHNOLOGIES: NONDESTRUCTIVE .	BILLETS GUN TUBES EVACUATOR NDE VOIDS INCLUSIONS ULTRASONICS NONE
34 TITLE: RESIDUAL STRESS INSPECTION OF GUN TUBES COMMAND: AMCCOM INSTAL'N: WYT PRESENTER: G. CAPSIMALIS COST(*K): 0 TESTING TECHNOLOGIES: NONDESTRUCTIVE ELECT / SOFTWARE	GUN TUBES RESIDUAL STRESS NDE INSPECTION AUTOFRETTAGE X-RAY DIFFRACTION NONE NONE

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS 85 TITLE : MEASUREMENT AND CONTROL OF CUTTING TOOL CUTTING TOOL DEGENERATION DEGRADATION COMMAND : AMCCOM INSTAL'N : WYT MACHINING PRESENTER : R. WHARTON COST(\$K) : O MONITORING TESTING TECHNOLOGIES : NDE INFRARED ELECT / SOFTWARE NONDESTRUCTIVE CONTROL GUN TUBES 86 TITLE: REAL TIME MONITORING AND REGULATION OF GUN TUBES ROTARY FORGE PROCESS FORGING : AMCCOM INSTAL'N : WVT COMMAND MONITORING PRESENTER : R. WHARTON COST(\$K): 0 CONTROL TESTING TECHNOLOGIES : REAL TIME PROCESS CONTROL NONDESTRUCTIVE NONE NONE 87 TITLE : MODAL TESING OF MACHINE TOOLS MACHINE TOOL DAMAGE COMMAND : AMCCOM INSTAL'N : WVT NDE PRESENTER : R. WHARTON COST(#K) : 0 MODAL TESTING TESTING TECHNOLOGIES : VIBRATION CONTROL NONDESTRUCTIVE NONE NONE 88 TITLE : CHARACTERIZATION OF BORE DEFECTS GUN TUBES BORE COMMAND : AMCCOM INSTAL'N : WVT DEFECTS. PRESENTER : R. WHARTON COST(多树) : 0 NDE TESTING TECHNOLOGIES : AUTOMATED CHARACTERIZATION NONDESTRUCTIVE ELECT / SOFTWARE LASER NONE 89 TITLE : RESPONSE OF MATERIALS TO HIGH RATE GUN TUBES LOADING CERAMICS COMMAND : AMCCOM INSTAL'N : WVT COMPOSITES PRESENTER : G. CAPSIMALIS COST(\$K) : 0 STEEL TESTING TECHNOLOGIES : LOADING MECHANICAL HIGH STRESS DYNAMIC TESTING COMPUTERIZED 90 TITLE : LIFE CYCLE TESTING OF WEAPONS COMPONENTS BREECHES LARGE CALIBER COMMAND : AMCCOM INSTAL'N : WVT LIFE-CYCLE PRESENTER : A. BENET LABS COST(#K): 1500 LOADING TESTING TECHNOLOGIES : EVALUATION MECHANICAL TEST CHAMBER ELECT / SOFTWARE MONE NONE

	TESTING NEEDS SURVEY INFORMATION	KEYWORDS
91	TITLE : REAL-TIME SENSORS AND METHODOLOGY FOR PROCESS CONTROL COMMAND : LABCOM INSTAL'N : MTL PRESENTER : K. RICE COST(\$K) : O TESTING TECHNOLOGIES : MECHANICAL CHEMICAL NONDESTRUCTIVE ELECT / SOFTWARE	SENSORS PROCESS CONTROL METHODS PLATING WELDING SURFACE PROCESSING NDE ION IMPLANTATION
92	TITLE: CERAMIC ARMOR DEVELOPMENT AND TESTING COMMAND: LABCOM INSTAL'N: MTL PRESENTER: K. RICE COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL NONDESTRUCTIVE	CERAMICS PROCESS CONTROL NDE ARMOR EVALUATION NONE NONE NONE
	TITLE: DEVELOPMENT OF CERAMICS FOR HEAT ENGINES AND GUN TUBES COMMAND: LABCOM INSTAL'N: MTL PRESENTER: K. RICE COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL NONDESTRUCTIVE	CERAMICS MATERIALS NDE HEAT ENGINES GUN TUBES BEARINGS NONE NONE
	TITLE: DEVELOPMENT OF DUAL-HARDNESS STEELS AND CORROSION RESISTANT STEELS COMMAND: LABCOM INSTAL'N: MTL PRESENTER: K. RICE COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL NONDESTRUCTIVE	STEEL RESEARCH DEVELOPMENT HIGH HARDNESS HIGH TOUGHNESS DUAL HARDNESS CORROSION RESISTANCE
	TITLE: DEVELOPMENT OF POWDERED METALS AND RAPID SOLIDIFICATION PROCESSED METALS COMMAND: LABCOM INSTAL'N: MTL PRESENTER: K. RICE COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL NONDESTRUCTIVE .	METALS POWDERED RAPID SOLIDIFICATION ARMOR GUN TUBES STRUCTURAL GEARS BEARINGS
	TITLE: DEVELOPMENT OF POLYMER AND COMPOSITE MATERIALS AND TESING TECHNOLOGY COMMAND: LABCOM INSTAL'N: MTL PRESENTER: K. RICE COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL NONDESTRUCTIVE	POLYMERS COMPOSITES ELASTOMERS ADHESIVES MATERIALS DEVELOPMENT STRUCTURES NONE

TESTING NEEDS SURVEY INFORMATION	KEYWORDS
TITLE : COMPUTER SIMULATION OF FINITE PLASTICIT THEORY COMMAND : LABCOM INSTAL'N : MTL PRESENTER : A. CHOU COST(\$K) : O TESTING TECHNOLOGIES : MECHANICAL ELECT / SOFTWARE	
 TITLE: DAMAGE MODELING FOR ADVANCED ARMOR AND ANTIARMOR MATERIALS COMMAND: LABCOM INSTAL'N: MTL PRESENTER: A. CHOU COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL ELECT / SOFTWARE	SIMULATION COMPUTER MODELING ARMOR PENETRATION FRAGMENTATION DAMAGE METALS CERANICS
TITLE: NEUTRON ANALYSIS OF CERAMIC INJECTION MOLDING PROCESS COMMAND: LABCOM INSTAL'N: MTL PRESENTER: J. ANTAL COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL NONDESTRUCTIVE	CERAMICS INJECTION MOLDING CHARACTERIZATION NEUTRON ANALYSIS RADIATION NEUTRON ABSORPTION SHIELDING
TITLE: NEUTRON ANALYSIS OF CORROSION PROCESSES IN AIRFOILS COMMAND: LABCOM INSTAL'N: MTL PRESENTER: J. ANTAL COST(\$K): 0 TESTING TECHNOLOGIES: NONDESTRUCTIVE ELECT / SOFTWARE	CORROSION DETECTION NEUTRON RADIOGRAPHY AIRFOILS AIRCRAFT IMAGING SOFTWARE
TITLE: NEUTRON ANALYSIS OF ADHESION BETWEEN INORGANIC MATERIALS COMMAND: LABCOM INSTAL'N: MTL PRESENTER: J. ANTAL COST(\$K): 0 TESTING TECHNOLOGIES:	ADHESIVES BONDS INORGANICS NEUTRON RADIOGRAPHY AIRCRAFT STRUCTURES MOISTURE
TITLE: MECHANICAL PROPERTIES FATIGUE AND STRESS PREDICTION COMMAND: LABCOM INSTAL'N: MTL PRESENTER: J. NUNES COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL	COMPOSITES POLYMERS CERAMICS MECHANICAL FATIGUE STRESS MATERIALS TESTING

TNS# TESTING NEEDS SURVEY INFORMATION	KEYWORDS
103 TITLE: MODELING AND SIMULATION OF BALLISTIC BEHAVIOR COMMAND: LARCOM INSTAL'N: MTL PRESENTER: A. CHOU COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL ELECT / SOFTWARE	BALLISTICS IMPACT SIMULATION MODELING EVENTS ARMOR MATERIALS NONE
104 TITLE: ADVANCED NONDESTRUCTIVE EVALUATION TECHNIQUES COMMAND: LABCOM INSTAL'N: MTL PRESENTER: W. ROY COST(\$K): 0 TESTING TECHNOLOGIES: NONDESTRUCTIVE ELECT / SOFTWARE	NDE METHODS ENHANCEMENTS MATERIALS EMERGING COMPOSITES CERAMICS NONE
105 TITLE : NDE FOR IN-PROCESS CONTROL AND INSPECTION COMMAND : LABCOM INSTAL'N : MTL PRESENTER : W. ROY COST(\$K) : 0 TESTING TECHNOLOGIES : NONDESTRUCTIVE ELECT / SOFTWARE	NDE PROCESS CONTROL MONITORING INSPECTION COMPOSITES CERAMICS NONE NONE
106 TITLE : NDE OF ADHESIVE BOND INTEGRITY COMMAND : LABCOM INSTAL®N : MTL PRESENTER : W. ROY COST(\$K) : O TESTING TECHNOLOGIES : NONDESTRUCTIVE	NDE ADHESIVES BONDS INTEGRITY INSPECTION COMPOSITES TOMOGRAPHY ULTRASONICS
107 TITLE: NDE METHODS FOR CORROSION DETECTION AND ASSESSMENT COMMAND: LABCOM INSTAL'N: MTL PRESENTER: F. LANDMAN COST(\$K): 0 TESTING TECHNOLOGIES: NONDESTRUCTIVE	CORROSION DETECTION AIRCRAFT BLADES AIRFOILS NDE INSPECTION NONE
108 TITLE: STANDARDIZATION OF COMPOSITE TESTING METHODS AND MATERIALS PROPERTIES DATABASE COMMAND: LABCOM INSTAL'N: MTL PRESENTER: W. ROY COST(\$K): 0 TESTING TECHNOLOGIES: MECHANICAL	COMPOSITES PROPERTIES MECHANICAL MATERIALS STANDARDIZATION DATABASE NONE NONE

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS 109 TITLE : ARTIFICIAL INTELLIGENCE CAMOUFLAGE CAMOUFLAGE RESEARCH TEST BED DESIGN : TROSCOM INSTAL'N : NATICK EVALUATION COMMAND ARTIFICIAL INTEL PRESENTER : L. HEPFINGER COST(\$K): 300 TESTING TECHNOLOGIES : CLOTHING PATTERNS NONE NONDESTRUCTIVE NONE 110 TITLE : BALLISTIC DATA FOR CASUALTY REDUCTION AND ARMOR TRANSIENT DEFROMATION ANALYSIS HELMETS : TROSCOM INSTAL'N : NATICK MATERIALS COMMAND PRESENTER : G. OLEJNICZAK COST(\$K): 0 BALLISTICS PENETRATION TESTING TECHNOLOGIES : FRAGMENTATION PROTECTION NONDESTRUCTIVE DEFORMATION 111 TITLE : VAPOR ADSORPTION AND PERMEATION ANALYZER GARMENTS CLOTHING INSTAL'N : NATICK PROTECTION COMMAND : TROSCOM PRESENTER : D. RIVIN COST(\$K): 100 CHEMICAL AGENTS ADSORPTION TESTING TECHNOLOGIES : PERMEATION CHEMICAL MECHANICAL EVALUATION CHROMATOGRAFHY 112 TITLE : ACCELERATED WEATHERING AT EXTREME WEATHERING TEMPERATURES TEXTILES : TROSCOM COMMAND INSTAL'N : NATICK ACCELERATED PRESENTER : C. HEATH CDST(\$K): 90 CLOTHING EXPOSURE TESTING TECHNOLOGIES : TEMPERATURE MECHANICAL: DAYLIGHT NONE 113 TITLE : ADVANCED DESIGN VISIBLE AND NEAR INFRARED CLOTHING SPECTROMETER FABRICS. INSTAL'N : NATICK COMMAND : TROSCOM SPECTROPHOTOMETER PRESENTER : A. COMMERFORD COST(\$K): 125 REFLECTANCE TESTING TECHNOLOGIES : VISIBLE INFRARED NONDESTRUCTIVE COUNTERMEASURES FLOURESCENCE 114 TITLE : VIBRATION AND LOW TEMPERATURE AT ALTITUDE VIBRATION TESTING LOW TEMPERATURE : TROSCOM INSTAL'N : NATION COMMAND SURVIVAL KIT PRESENTER : D. QUERIM COST(4K): 50 SLEEPING DAG TESTING TECHNOLOGIES : AIRCRAFT MECHANICAL ALTITUDE TESTING PACKAGING. VACUUM

TNS# TESTING NEEDS SURVEY INFORMATION -----115 TITLE : FULL ENSEMBLE TESTING CLOTHING NBC COMMAND : TROSCOM INSTAL'N : NATICK **EVALUATION** PRESENTER : R. KINNEY COST(\$K): 500 ENSEMBLE TESTING TECHNOLOGIES : SAMPLING MECHANICAL CHEMICAL SIMULANTS CHALLENGE PROTECTION 116 TITLE: VAPOR CONTAMINATION VAPOR PENETRATION CLOTHING SWATCH TEST CONTAMINATION COMMAND : TROSCOM INSTAL'N : NATICK PENETRATION PRESENTER : R. KINNEY COST(\$K): 100 VAPOR TESTING TECHNOLOGIES : PROTECTION MECHANICAL EVALUATION NBC DIFFUSION 117 TITLE : LABORATORY TEST FOR FIELD WEAR AND CLOTHING DURABILITY WEAR : TROSCOM COMMAND INSTAL'N : NATICK DURABILITY PRESENTER : C. FITZGERALD COST(\$K): 500 FIELD TESTING TESTING TECHNOLOGIES : EQUIVALENCY MECHANICAL MODELING NONE NONE 118 TITLE : TESTING FOR MULTIPLE THREAT INDIVIDUAL CLOTHING PROTECTIVE SYSTEMS PROTECTIVE COMMAND : TROSCOM INSTAL'N : NATICK MULTIPLE THREAT PRESENTER : C. FITZGERALD COST(\$K): 150 NBC TESTING TECHNOLOGIES : SYSTEM MECHANICAL CHEMICAL EVALUATION ENSEMBLE CVC 119 TITLE : IMPACT ENERGY ABSORPTION TEST METHOD IMPACT ABSORFTION COMMAND : TROSCOM INSTAL'N : NATICK HELMETS PRESENTER : S. WACLAWIK CDST(#K) : 50 BODY ARMOR TESTING TECHNOLOGIES : POLYMERS MECHANICAL PROTECTION STANDARDIZATION EVALUATION 120 TITLE : LIFE AND PERFORMANCE TESTING OF NOVEL IMCS HEAT ENGINES AND SMALL COMPRESSORS HEAT ENGINES : TROSCOM INSTALIN : NATICE COMMAND COMPRESSOR PRESENTER : M. KUPCINSKAS COST(\$K): 10 COOLING TESTING TECHNOLOGIES : WEAR MECHANICAL EVALUATION NBC CLOTHING

TNS# TESTING NEEDS SURVEY INFORMATION	KEYWORDS
121 TITLE : PUNCTURE RESISTANCE OF NON-COATED CLOTHS COMMAND : TROSCOM INSTAL'N : NATICK PRESENTER : D. QUERIM COST(\$K) : 165 TESTING TECHNOLOGIES : MECHANICAL	CLOTHING PUNCTURE RESISTANCE PARACHUTE ROUGH TERRAIN SUIT EVALUATION NONE
122 TITLE : RF FORTABLE REFLECTOMETER CONMAND : TROSCOM INSTAL'N : NATICK PRESENTER : D. RAPACZ COST(\$K) : 75 TESTING TECHNOLOGIES : NONDESTRUCTIVE	CLOTHING REFLECTANCE ABSORPTION RADAR DETECTION EVALUATION PROTECTION NONE
123 TITLE : DETERIORATION OF BIODEGRADABLE CONTAINER COMMAND : TROSCOM INSTAL'N : NATICK PRESENTER : D. GORDON COST(\$K) : 100 TESTING TECHNOLOGIES : MECHANICAL CHEMICAL ELECT / SOFTWARE	PACKAGING DEGRADATION RATIONS CONTAINER BIODEGRADATION INERTNESS MONE NONE
124 TITLE : STORAGE STABILITY MEASUREMENT COMMAND : TROSCOM INSTAL'N : NATICE PRESENTER : D. GORDON COST(\$K) : 200 TESTING TECHNOLOGIES : MECHANICAL CHEMICAL ELECT / SOFTWARE	RATIONS STORAGE STABILITY SHELF LIFE EVALUATION AMBIENT CHILLED NONE
125 TITLE : AIR QUALITY MONITOR COMMAND : TROSCOM INSTAL'N : NATICE PRESENTER : R. LAMPI COST(\$K) : 125 TESTING TECHNOLOGIES : CHEMICAL	AIR QUALITY MONITOPING FIELD SHELTERS TRAILERS FEEDING COMBUSTION PRODUCTS
126 TITLE : SUPRS CHAMBER STRESS INDICATOR COMMAND : TROSCOM INSTAL'N : NATICK PRESENTER : R. LAMPI COST(\$K) : 250 TESTING TECHNOLOGIES : MECHANICAL NONDESTRUCTIVE	SUPRS UNDERWATER SUPPLY SUBSISTANCE CHAMBER CONDITION DETECTION NONE

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS 127 TITLE : AUTOMATED NONDESTRUCTIVE ON-LINE DETECTION OF DEFECTS IN FOOD RETORT POUCHESPOUCH COMMAND : TROSCOM INSTAL'N : NATICK PRESENTER : R. MANSUR COST(\$K): 200 INSPECTION TESTING TECHNOLOGIES : AUTOMATED PERFORATION MECHANICAL SPECTROMETER NONDESTRUCTIVE SEAL 128 TITLE : NONDESTRUCTIVE VACUUM TESTING OF TRAY TRAY PACKS PACKS IN FIELD AND DEPOT VACUUM : TROSCOM INSTAL'N : NATICK COMMAND NDE PRESENTER : P. BURKE COST(\$K): 155 INSPECTION TESTING TECHNOLOGIES : FIELD CANS MECHANICAL SEAL NONDESTRUCTIVE MEAL 129 TITLE : NON-COMPLEX ITEMS AND MATERIALS STRAPS PARACHUTE COMMAND : TROSCOM INSTAL'N : NATICK TENTAGE PRESENTER : J. HALL COST(\$K):0MATERIALS TESTING TECHNOLOGIES : FATIGUE DYNAMIC MECHANICAL HIGH STRAIN NONDESTRUCTIVE TESTING 130 TITLE : HIGH SPEED AIRDROP CONTAINER (HISAC) HISAC MATERIALS CONTAINER INSTAL'N : NATICK AIR DROP : TROSCOM COMMAND PRESENTER : A. MAWN COST(\$K): 46 MATERIALS TESTING TECHNOLOGIES : DEVELOPMENT MECHANICAL CHEMICAL TESTING NONE NONE 131 TITLE : DETECTION OF THERMAL AGING IN NYLON 6,6 WEEBING CORDAGE : TROSCOM INSTAL'N : NATICK STRAPP ING COMMAND PRESENTER : M. GIONFRIDDO COST(\$k): 190 AGING TESTING TECHNOLOGIES : NYLON MECHANICAL MDE NONDESTRUCTIVE INSPECTION. OPTICAL ABSORPTION 132 TITLE : MONITORING ULTRAVIOLET (UV) DEGRADATION NYLON IN NYLON 5.5 DEGRADATION INSTAL'N : NATICE COMMAND : TROSCOM ULTRAVIOLET PRESENTER : M. GIONFRIDDO COST(\$K): 250 PARACHUTE TESTING TECHNOLOGIES : TEXTILES MECHANICAL NDE NONDESTRUCTIVE INSPECTION

MONE

TNS# TESTING NEEDS SURVEY INFORMATION KEYMORDS 133 TITLE : HAND HELD PORTABLE EMI LEAK DETECTOR ELECTROMAGNETICS LEAKAGE COMMAND : TROSCOM INSTAL'N : NATICK DETECTION PRESENTER : A. MURPHY COST(\$K): 0 PORTABLE SHELTERS TESTING TECHNOLOGIES : EMI ELECT / SOFTWARE RADIATION NONE 134 TITLE : NONDESTRUCTIVE EVALUATION FOR SANDWICH COMPOSITES COMPOSITE MATERIALS NDE INSTAL'N : NATICK DEFECTS COMMAND : TROSCOM PRESENTER : S. STROBEL COST(\$K): 0 PORTABLE TESTING TECHNOLOGIES : ULTRASONICS MECHANICAL INFRARED MONDESTRUCTIVE SHELTERS CONSTRUCTION MATERIA 135 TITLE : AEROSOL PENETRABILITY OF MATERIALS AND CLOTHING CLOSURES MBC INSTAL'N : NATICE : TROSCOM PENETRATION COMMAND PRESENTER : J. MAYER COST(#K) : 200 AEROSOL TESTING TECHNOLOGIES : PROTECTION CHEMICAL PARTICULATE NONE NONE 136 TITLE : MANPRINT TESTING FOR NATICK MATERIALS MANERINT CONFORMANCE TESTING INSTAL'N : NATICK COMMAND : TROSCOM CLOTHING PRESENTER : L. SYMINGTON COST(\$K) : 700 SHELTERS TESTING TECHNOLOGIES : EQUIPMENT MECHANICAL BEHAVIORAL. ANTHROPOLOGICAL ANTHROPLOGIC MATERIALS 137 TITLE : LABORATORY AND FIELD TESTING OF RATIONS RATIONS CONSUMPTION. : TROSCOM INSTAL'N : NATICE COMMAND ACCEPTABILITY. PRESENTER : E. HIRSCH COST(\$k) : 500 SENSORY CHARACTERIST FIELD USE TESTING TECHNOLOGIES : CHEMICAL NUTRITION NONE SMON 138 TITLE : IMPROVED TEST METHODOLOGIES FOR CHEMICAL DECONTAMINATION DEFENSE CLOTHING : TROSCOM INSTAL'N : NATICE COMMAND DETOXIFICATION PRESENTER : J. CARLSON COST(\$K): 1600 BY-PRODUCTS TESTING TECHNOLOGIES : DEFENSE CHEMICAL CHEMICAL EXPOSURE MONE

TNS# TESTING NEEDS SURVEY INFORMATION	KEYWORDS
139 TITLE: AUTOMATED INSPECTION SYSTEM TO ELIMINATE VISUAL CRITICAL INSPECTION COMMAND: AMCCOM INSTAL'N: PICATINNY PRESENTER: A. THIESING COST(\$K): 400 TESTING TECHNOLOGIES: NONDESTRUCTIVE	FUZES INSPECTION
140 TITLE : AGT 1500 ENGINE MODULE TEST COMMAND : DESCOM INSTAL'N : ANNISTON PRESENTER : W. BONDARCHUK COST(*K) : 0 TESTING TECHNOLOGIES : MECHANICAL ELECT / SOFTWARE ENGINEERING	ENGINE MODULE TESTING RECUPERATORS COMPRESSOR TURBINE TANK TEST STAND NONE
141 TITLE : TEST RUBBER COMPOUNDS COMMAND : TACOM INSTAL'N : WARREN PRESENTER : W. KLECKER COST(%K) : O TESTING TECHNOLOGIES : MECHANICAL NONDESTRUCTIVE	ROADWHEELS TRACK PADS RUBBER COMPOUNDS ELASTOMERS DURABILITY TANK M1A1 NONE
142 TITLE : COMPUTED TOMOGRAPHY NDI FOR RECUPERATORS COMMAND : TACOM INSTAL'N : WARREN PRESENTER : J. HERBERT COST(\$K) : 1000 TESTING TECHNOLOGIES : NONDESTRUCTIVE	RECUPERATORS ENGINES TANK NDE TOMOGRAPHY WELDS INSPECTION DAMAGE
143 FITLE : AUTOMATED ROADWHEEL INSPECTIONS COMMAND : TACOM INSTAL'N : WARREN PRESENTER : T. MIESZCZAK COST(*K) : 500 TESTING TECHNOLOGIES : NONDESTRUCTIVE	ROADWHEELS BONDS ELASTOMERS NDE AUTOMATED ADHESIVES ACOUSTO-ULTRASONICS INSPECTION
144 TITLE : FATIGUE GAGES COMMAND : TECOM INSTAL'N : WARREN PRESENTER : H. HOBOLTH COST(\$K) : 0 TESTING TECHNOLOGIES : MECHANICAL CHEMICAL	FATIGUE METALS NON-METALLICS GAGING LIFE MONITORING NONE

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS 145 TITLE : COMPONENT CORROSION TEST CERROSION COMPONENTS COMMAND : TECOM INSTAL'N : WARREN FAILURE PRESENTER : H. HOBOLTH COST(\$K): 0 ENVIRONMENTAL TESTING TECHNOLOGIES : CHAMBER CHEMICAL TESTING MECHANICAL NONE ENVIRONMENT NONE 146 TITLE : THREADED FASTENER PLATING INVESTIGATION PLATING MATERIALS INSTAL'N : WARREN COMMAND : TACOM ALTERNATIVES PRESENTER : J. POLKOWSKI COST(#K): 120 CADMIUM TESTING TECHNOLOGIES : **FASTENERS** CHEMICAL MECHANICAL MECHANICAL CHEMICAL TESTING PROPERTIES 147 TITLE : ELECTROMIGRATION DEGRADATION MECHANISMS MICROELECTRONICS OF MICROCIRCUIT DEVICES FAILURE ELECTROMIGRATION : MICOM INSTAL'N : REDSTONE COMMAND PRESENTER : N. DONLIN COST(\$K): 215 DEGRADATION TESTING TECHNOLOGIES : RELIABILITY ELECTRONICS NONDESTRUCTIVE | ELECT / SOFTWARE DEVICES MATERIALS 148 TITLE : IMPLEMENTATION OF MAGNETO-OPTICAL MAPPER MICROELECTRONICS (MOM) DETECTOR INSTAL'N : REDSTONE COMMAND : MICOM SEMICONDUCTOR PRESENTER : G. TANTON COST(\$K): 400 ARRAYS TESTING TECHNOLOGIES : MAPPER MAGNETO-OFTICAL NONDESTRUCTIVE ELECT / SOFTWARE STINGER DEFECTS 149 TITLE : ADVANCED SOFTWARE VERIFICATION TOOL SOFTWARE VERIFICATION. COMMAND : CECOM INSTAL'N : MONMOUTH DESIGN PRESENTER : P. KOGUT COST(\$K) : 800 ARTIFICIAL INTEL TESTING TECHNOLOGIES : REQUIREMENTS ENGINEER ING ELECT / SOFTWARE CASE CCCI 150 TITLE : IMPLEMENTATION OF SOFTWARE RELIABILITY SOFTWARE PROGRAM RELIABILITY : CECOM COMMAND INSTAL'N : MONMOUTH EVALUATION PRESENTER : P. KOGUT COST(4K) : 400 FAILURE TESTING TECHNOLOGIES : ESTINATION OPERATION. FLECT / SOFTWARE NONE

NONE

	TESTING NEEDS SURVEY INFORMA	· - ·	KEYWORDS
151	TITLE: SOFTWARE PROCESS IMPA ERROR DETECTION AN PA COMMAND: CECOM PRESENTER: P. KOGUT TESTING TECHNOLOGIES:		SOSTWARE ERROR DETECTION MAINTENANCE COCI GUALITY ASSURANCE NONE NONE
152	COMMAND : LABCOM PRESENTER : P. RESTINE TESTING TECHNOLOGIES : MECHANICAL	WAVE INTEGRATED STRESS AND LIFE TEST INSTAL'N: ETDL COST(\$K): 2000 SOFTWARE	MICROELECTRONICS MICROWAVE MILLINETER WAVE RELIABILIT; RF SWITCHING ENVIRONMENTAL STRESS
	TITLE: HIGH SPEED (200MHZ) - PINS) ATE COMMAND: LABCOM PRESENTER: J. ERICKSON TESTING TECHNOLOGIES: NONDESTRUCTIVE ELECT /	INSTAL'N : ETDL COST(\$K) : 400	MICROELECTRONICS DEVICE ATE AUTOMATED TESTING HIGH SPEED HIGH PIN COUNT MICROCIRCUITS
	TITLE: LASER NONDESTRUCTIVE MICROWAVE DEVICES (16 COMMAND: LABCOM PRESENTER: R. SARTORE TESTING TECHNOLOGIES: NONDESTRUCTIVE ELECT /	5HZ AND ABOVE) INSTAL'N : ETDL COST(\$K) : 500	MICROELECTRONICS DEVICE MICROWAVE MILLIMETER NAVE LASER NDE PROCESS CONTROL QUALITY CONTROL
		IST FACILITY INSTAL'N : MONMOUTH COST(#K) : 0	NETWORK LAN PERFORMANCE INTEROFERABILIO
	TESTING TECHNOLOGIES : ELECT /	SOFTWARE	PROTOCOLS CCCI ENGINEERING TESTING
		INSTAL'N : PICATINNY COST(#F) : 100	MORTARS AMMUNITION TESTING MOUNTS RECOIL STANDARD CTATION NONE NONE

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS ~~~~~~~~~~~~~~ 157 TITLE : MECHANICAL TESING OF COMPOSITES COMPOSITES MECHANICAL PROPERTIES COMMAND : ARDEC INSTAL'N : FICATINNY PRESENTER : C. SALLADE COST(\$K) : 0 PROCEDURES TESTING TECHNOLOGIES : STANDARDIZATION MECHANICAL MATERIALS AMMUNITION MONE 158 TITLE : STATIC TESTING FOR SPIN AND SET BACK AMMUNITION SP IN COMMAND : ARDEC INSTAL'N : PICATINNY SET BACK PRESENTER : L. LECONEY COST(#K) : 0 STATIC TESTING TECHNOLOGIES : SIMULATION MECHANICAL FORCES ARTILLERY NONE 159 TITLE : RAPIDLY ANALYZING SINGLE BASE PROPELLANTS PROPELLANTS BY NIRR FOR PROCESS CONTROL CUMPOSITION COMMAND : AMCCOM INSTAL'N : PICATINNY CHEMICAL PRESENTER : H. CHU COST(#K): 400 ANALYSIS TESTING TECHNOLOGIES : INFRARED CHEMICAL PROCESS CONTROL NONDESTRUCTIVE M-S NONE 160 TITLE : STORAGE STABILITY TESTING O PYROTECHNICS EXPLOSIVES AND EXPLOSIVE MATERIALS FYROTECHNICS COMMAND : ARDEC INSTAL'N : FICATINNY STABILITY PRESENTER : F. TAYLOR COST(%K): 150 STORAGE TESTING TECHNOLOGIES : COMPATIBILITY CHEMICAL LONG TERM CALOR INETRY PROPELLANTS 151 TITLE : NDE OF COMPOSITE MATERIALS COMPOSITES NDE COMMAND : ARDEC INSTAL'N : PICATINNY MATERIAL S. . PRESENTER : C. SALLADE COST (#K) : 150 MODITION TESTING TECHNOLOGIES : ACCEPTANCE ULTRASONICS NONDESTRUCTIVE STANDARTS NONE 162 TITLE : RECOVERY OF ARCHIVED DIGITIZED INSPECTION INSPECTION DATA ATAG : AMCCOM COMMAND INSTAL'N : PICATINNY DIGITIZED PRESENTER : P. WILLSON COST(N): 50 ARCHIVED TESTING TECHNOLOGIES : NDE RAD LOGRAPH. MONDESTRUCTIVE FLECT CONTWARE TMAGES. STANDARD CENTRON

SUMMARY LISTING OF INDIVIDUAL SURVEY SUBMISSIONS (CONT'D)

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS: 163 TITLE : CARTRIDGE CASE GLUE JOINT TESTING CARTRIDGE JOINTS COMMAND : AMCCOM INSTAL'N : FICATINNY **ADHESIVES** PRESENTER : R. SCHUBERT COST(\$K): 150 NDE TESTING TECHNOLOGIES : AMMUNITION ULTRASONICS NONDESTRUCTIVE TANK MONE 164 TITLE : BURNING RESIDUE INSTRUMENTATION PROPELLANTS RESIDUE COMMAND : AMCCOM INSTAL'N : PICATINNY BURNING PRESENTER : R. SCHUBERT CDST(#K) : 200 INSPECTION TESTING TECHNOLOGIES : INFRARED AMMUNITION NONDESTRUCTIVE TANK OPTICAL NONE 165 TITLE : APPLICATION OF NDE METHODS TO GRAPHITE PLASTICS REINFORCED PLASTICS (GRP) GRAPHITE REINFORCED : AMCCOM INSTAL'N : PICATINNY COMMAND GRE PRESENTER : G. PACELLA COST(\$K): 150 NDE TESTING TECHNOLOGIES : COMPOSITES CURE MONDESTRUCTIVE PROCESS CONTROL NONE 166 TITLE : PRINTED CIRCUIT BOARD LAMINOGRAPHIC X-RAY CIRCUIT BOARDS INSPECTION MULTI LAYERED COMMAND : AMCCOM INSTAL'N : PICATINNY INSPECTION PRESENTER : E. BARNES COST(\$K): 1200 X-RAY TESTING TECHNOLOGIES : SOLDER JOINTS LAMINOGRAPHY NONDESTRUCTIVE SADARN STAFF 167 TITLE : BACKSCATTER TOMOGRAPHY OF COMPOSITE COMPOSITES STRUCTURES. INSPECTION COMMAND : AMCCOM INSTAL'N : PICATINNY HOWITCER PRESENTER : E. BARNES TOMOGRAPHY COST (%): 1800 TESTING TECHNOLOGIES : BACKSCATTER 7437-X NONDESTRUCTIVE ONE SIDED NDE 168 TITLE : TESTING OF RESTRICTED STOCKPILED RUNITIONS RUNITIONS TESTING COMMAND : MMCCOM INSTAL'N : PICATINNY NDE PRESENTER : E. DARNES COST(40): 1500 STORAGE TESTING TECHNOLOGICS : STOCKE ILE INSPECTION NONDESTRUCTIVE X FAY REAL TIME

SUMMARY LISTING OF INDIVIDUAL SURVEY SUBMISSIONS (CONT'D)

TNS# TESTING NEEDS SURVEY INFORMATION KEYWORDS 149 TITLE : HYDROGEN EMBRITTLEMENT TESTING GRENADES NDE INSTAL'N : PICATINNY : AMCCOM HYDROGEN EMBRITTLE COMMAND COST(\$K): 1500 NEUTRON PRESENTER : E. BARNES TESTING TECHNOLOGIES : SCATTERING M42 NONDESTRUCTIVE MUNITIONS NONE 170 TITLE : VISUAL INSPECTION BY NEURAL NETWORK INSPECTION TECHNIQUES VISUAL INSTAL'N : PICATINNY NEURAL NETWORK COMMAND : AMCCOM PRESENTER : E. BARNES COST(\$K): 2000 AUTOMATED ARTIFICIAL INTEL TESTING TECHNOLOGIES : MUNITIONS NONDESTRUCTIVE | ELECT / SOFTWARE LEARNING NONE 17: TITLE : SMART MUNITION AUTOMATIC INSPECTION BY MUNITIONS RADIOGRAPHY INSPECTION : AMCCOM INSTAL'N : PICATINNY AUTOMATED COMMAND PRESENTER : E. BARNES COST(#K) : 1000 RADIOGRAPHY TESTING TECHNOLOGIES : X-RAY REAL TIME NONDESTRUCTIVE SADARM NONE 172 TITLE : IMPLEMENTATION OF REVISED MIL-STD 2868 PROPELLANTS METHOD 901 CLOSED BOMB TESTING AT RADFORD BURN TESTING COMMAND : AMCCOM INSTAL'N : PICATINNY CLOSED BOMB PRESENTER : J. DOMEN COST(#K) : 42 BURN RATE TESTING TECHNOLOGIES : QUICKNESS CHEMICAL VERIFICATION: ELECT / SOFTWARE SOFTWARE NONE 175 TITLE : WIDE AREA MINE (WAM) MINES WIDE AREA INSTAL'N : PICATINNY COMMAND : ARDEC ANTI TANK PRESENTER : W. SMITH COST(\$K) : 0 TESTING TESTING TECHNOLOGIES : SIMULATOR MAM ELECT / SOFTWARE NONE NONE 174 TITLE : NEW ACCEPTANCE TESTS FOR THE COLOR PYROTECHNICS QUALITY OF PYROTECHNIC SIGNALS SIGNALS : ARDEC INSTAL'N : PICATINNY COMMAND COLOR QUALITY PRESENTER : G. VENABLE COST(#N) : 210 ACCEPTANCE TESTING TECHNOLOGIES : TEST ING PHOTOMETRY. ELECT / SOFTWARE SPECTRAL DATA

NUNE

APPENDIX C.3 SAMPLE OF SURVEY INFORMATION SUMMARY FORM

SAMPLE OF SURVEY INFORMATION SUMMARY FORM

FY1988 AMC HTT PROGRAM TESTING NEEDS SURVEY INFORMATION SUMMARY FORM

INSTALLATION: Watervliet Arsenal, Benet Labs DATE: September 1988 PRESENTER: G.P. Capsimalis/M. Doxbeck ORGANIZATION: Phys. Sci. Branch AUTOVON/PHONE: 974-5615
TESTING NEED TITLE: Residual Stress Inspection of Gun Tubes
END ITEM SUPPORTED: 105-mm, 120-mm, 155-mm, 8-inch diameter Gun Tubes. DESC/PURPOSE:
WHEN IS TESTING NEED REQUIRED7: Now SOLUTION TO NEED EXISTS TODAY7: YES X NO SOLUTION REQUIRES R&D7: YES NO X SOLUTION REQUIRES R&D7: YES NO X SESTIMATED COST OF SOLUTION: \$160K TESTING TECHNOLOGY REQ'D: HECH CHEM NDT X ELECT/SFTWR X OTHER (DESC.)
TESTING NEED DESCRIPTION/PURPOSE:
Autofrettaging significantly extends the service life of gun tubes. To
develop this process to its full potential, the Watervliet Arsenal requires
a method to measure the resulting residual stresses. At present, the only
techniques utilized are destructive, thereby wasting both time and money.
POSSIBLE SOLUTION: We can solve this problem by using x-ray diffraction to measure residual stres With advances made in miniature x-ray tubes and position sensitive detectors,
we are now able to measure residual stress non-destructively inside a gun tube
This unit will be able to measure both hoop and longitudinal residual stress
at the bore.
POTENTIAL BENEFITS: With such a system, the Watervliet Arsenal could: a) detect nonuniform and/or unsafe stress levels
b) detect variations in stress levels caused by changes in the manufacturing
process or materials. c)observe residual stress levels after straightening.
d) obtain data to improve the autofrettage process.
e) obtain data for sue in designing lightweight cannons.
ت ۱۷۳ مارد ۱۳۳ مارد ۱۳۳ مارد ۱۳۳ مارد
RETWORDS : GUN TUBES ; RESIDUAL STREET, NOE NEPERTON,
AUTO, PRETTAGE , KAY DIFFRACTION

PY1988 AMC MIT PROGRAM TESTING NEEDS SURVEY INFORMATION SUMMARY FORM

INSTALLATION: ETGDL, Fort Mormouth, NJ PRESENTER: Richard Sartore AUTOVON/PHONE: 995-2261/(201) 544-2661	DATE: 25 August 1988 ORGANIZATION: LABCOM - ETEDL
resting NEED TITLE: Laser Non-Destructive P	mbing System for Microwave Devices (1GHz and above)
DESC/PURPOSE: Bequired for design verif	e devices ication, failure diagnostics and
WHEN IS TESTING NEED REQUIRED?: 4th quarte SOLUTION TO NEED EXISTS TODAY?: YES X SOLUTION REQUIRES RAD?: YES ESTIMATED COST OF SOLUTION: S500K TESTING TECHNOLOGY REQ'D: MECH CHEMOTHER (DESC.)	NO NOX
TESTING NEED DESCRIPTION/PURPOSE: DOD/Army	are funding multi-million dollar MIMIC
program to develop and fabricate MIMIC	devices. These devices will require
new testing technologies for design ver	
process/quality control. The testing of	apability will directly impact relia-
hility and cost effectiveness of MIMIC	
POSSIBLE SOLUTION: The proposed solution f	e timing and signal amplitude on MIMIC
devices above 1GHZ. Several of these	systems have been demonstrated in labora-
tories and should become commercially	available in the near future.
POTENTIAL BENEFITS: The benefit to the MIN	IC program will be improved reliabilty
by fielding only fully tested and ver	ified MIMIC devices. Further, the
utilization of laser non-invasive pro	bing to process/quality control will
insure continued reliability/quality	in the field.
and the second s	on the second of

and the series of the second

SAMPLE OF SURVEY INFORMATION SUMMARY FORM (CONT'D)

FY1988 AMC MIT PROGRAM TESTING NEEDS SURVEY INFORMATION SUMMARY FORM

	DATE: 15 Sep 88
SENTER: Carol J. Fitzgerald OVON/PHONE: AV 256-5436	ORGANIZATION: LSSD/IPD
	·
TING NEED TITLE: Laboratory test for Field	wear and Durability
ITEM SUPPORTED: All clothing items	
DESC/PURPOSE: To determine the durability (i.e., simulate field wear conditions).	or a clothing item in the laborator
EN IS TESTING NEED REQUIRED?: ASAP LUTION TO NEED EXISTS TODAY?: YES	NO X
LUTION REQUIRES R&D7: YES X	NO
FINATED COST OF SOLUTION: \$500K (+)	NOT PLEAT (COMP
STING TECHNOLOGY REQ'D: MECH X CHEM OTHER (DESC.)	RDI ELECT/SFTER
The same of the sa	esterials are subjected to a number
STING NEED DESCRIPTION/PURPOSE: Currently m of lab tests to determine their physical c	
However, these tests cannot be used to gen	
wear and durability of clothing items. Al	
tional testing in a field environment. De	
a series of tests, which could predict wit	
the durability of clothing items is needed	l.
SSIBLE SOLUTION: Development of a battery	of tests which can predict field
wear, modelled with terrain and environmen very advantageously. Correlation of resul	tal conditions could be used
wear, modelled with terrain and environmen very advantageously. Correlation of resul allow for determination of the accuracy of	tal conditions could be used
wear, modelled with terrain and environmen very advantageously. Correlation of resul	tal conditions could be used
wear, modelled with terrain and environmen very advantageously. Correlation of resul allow for determination of the accuracy of	tal conditions could be used
wear, modelled with terrain and environmen very advantageously. Correlation of resul allow for determination of the accuracy of	tal conditions could be used
wear, modelled with terrain and environmen very advantageously. Correlation of resul allow for determination of the accuracy of	tal conditions could be used
wear, modelled with terrain and environmen very advantageously. Correlation of resul allow for determination of the accuracy of	tal conditions could be used
wear, modelled with terrain and environmen very advantageously. Correlation of resul allow for determination of the accuracy of	tal conditions could be used ts with on-going wear tests could the testing/modelling during the
wear, modelled with terrain and environmen very advantageously. Correlation of resul allow for determination of the accuracy of development of the methodology.	tal conditions could be used ts with on-going wear tests could the testing/modelling during the
wear, modelled with terrain and environmen very advantageously. Correlation of result allow for determination of the accuracy of development of the methodology. TENTIAL BENEFITS: The time and cost saving	ts with on-going wear tests could the testing/modelling during the sof running a wear test in the lab
wear, modelled with terrain and environmen very advantageously. Correlation of resultable allow for determination of the accuracy of development of the methodology. TENTIAL BENEFITS: The time and cost saving would be significant. Although this would	tal conditions could be used ts with on-going wear tests could the testing/modelling during the s of running a wear test in the lab likely not climinate completely eld, it may allow for verification
wear, modelled with terrain and environmen very advantageously. Correlation of result allow for determination of the accuracy of development of the methodology. TENTIAL BENEFITS: The time and cost saving would be significant. Although this would the need for actual wear testing in the fi	its with on-going wear tests could the testing/modelling during the sof running a wear test in the labilikely not eliminate completely eld, it may allow for verification cops, data collectors and test items.
wear, modelled with terrain and environmen very advantageously. Correlation of result allow for determination of the accuracy of development of the methodology. TENTIAL BENEFITS: The time and cost saving would be significant. Although this would the need for actual wear testing in the fit only in the field, requiring far fewer trops.	tal conditions could be used to with on-going wear tests could the testing/modelling during the sof running a wear test in the lab likely not eliminate completely eld, it may allow for verification cops, data collectors and test items.
wear, modelled with terrain and environmen very advantageously. Correlation of result allow for determination of the accuracy of development of the methodology. DIENTIAL BENEFITS: The time and cost saving would be significant. Although this would the need for actual wear testing in the fit only in the field, requiring far fewer troof in addition, the time to complete the test and deviction making processes could be greater.	tal conditions could be used the with on-going wear tests could the testing/modelling during the sof running a wear test in the lab likely not eliminate completely eld, it may allow for verification cops, data collectors and test items, sing, data collection and analysis,
wear, modelled with terrain and environmen very advantageously. Correlation of result allow for determination of the accuracy of development of the methodology. DIENTIAL BENEFITS: The time and cost saving would be significant. Although this would the need for actual wear testing in the fit only in the field, requiring far fewer troops in addition, the time to complete the test and deviction making processes could be great items to be fielded more quickly.	its with on-going wear tests could the testing/modelling during the sof running a wear test in the lab likely not eliminate completely eld, it may allow for verification cops, data collectors and test items, ing, data collection and analysis, eatly reduced, allowing state-of-the-
wear, modelled with terrain and environmen very advantageously. Correlation of result allow for determination of the accuracy of development of the methodology. DIENTIAL BENEFITS: The time and cost saving would be significant. Although this would the need for actual wear testing in the fit only in the field, requiring far fewer trooply in the field, requiring far fewer trooply in the field and devision, the time to complete the test and devision-making processes could be great items to be fielded more quickly.	ital conditions could be used its with on-going wear tests could the testing/modelling during the is of running a wear test in the lab likely not eliminate completely eld, it may allow for verification cops. data collectors and test items. ing. data collection and analysis. eatly reduced. allowing state-of-the-

SAMPLE OF SURVEY INFORMATION SUMMARY FORM (CONT'D)


FY1988 AMC MTT PROGRAM TESTING NEEDS SURVEY INFORMATION SUMMARY FORM

INSTALLATION: CCAD (DESCOM) PRESENTER: George Wilson	DATE: 5/12/88 ORGANIZATION:
AUTOVON/PHONE:	
WHEN IS TESTING NEED REQUIRED?: Now SOLUTION TO NEED EXISTS TODAY?: YES SOLUTION REQUIRES R&D?: YES X ESTIMATED COST OF SOLUTION: CHEM OTHER (DESC.) CHEM	NO
TESTING NEED DESCRIPTION/PURPOSE: Metal pla	
throughout the Army manufacturing and m parts enhances their resistance to corr Plating processes today remain to be un tested by post-plating batch sampling, monitor and ultimately control the plat solution monitoring, trace metal detect measurement.	osion, chemical attack and wear, controlled processes which are A testing method is needed to ing process, including plating
POSSIBLE SOLUTION: Monitoring of chemical so of chemical plating processes. Other matime and actively control plating procesus also be applicable to the plating procesthe thickness and the adhesion of the pathese techniques can form a complete comprocesses (i.e. cadmuim, chromium, etc.	ethods may also be available to sses. Nondestructive methods may sses by providing information on lating on the base metal. Together ntrol methododley to plating
POTENTIAL BENEFITS:	
Keywords: Plating, Process Control, Che Cadmium, Chromium TATING LOCAT	

SAMPLE OF SURVEY INFORMATION SUMMARY FORM (CONT'D)


FY1988 AMG MTT PROGRAM TESTING NEEDS SURVEY INFORMATION SUMMARY FORM

INSTALLATION: <u>Aberdeen Prov. Grnd. (TECOM)</u> PRESENTER: <u>Jim Piro</u>	DATE: 5/3/88
PRESENTER: Jim Piro	ORGANIZATION:
AUTOVON/PHONE:	
TESTING NEED TITLE: <u>Effects of Chemical Agents</u> and Adhesives.	on Materials, Coatings,
END ITEM SUPPORTED: Vehicles, Tracked Combat;	Optics: Composites, Shelters
DESC/PURPOSE:	
WHEN IS TESTING NEED REQUIRED?: Now SOLUTION TO NEED EXISTS TODAY?: YES NO	<u>'</u>
SOLUTION REQUIRES R&D?: YES X NO	·
SOLUTION REQUIRES R&D?: YES X NO ESTIMATED COST OF SOLUTION: TESTING TECHNOLOGY REQ'D: MECH X CHEM X	
OTHER (DESC.)	NDT ELECT/SFTWR
TESTING NEED DESCRIPTION/PURPOSE: The use of c	hemical agents in the modern
hattlefield results in the contamination o	
exists to determine the effects of these a	
used on vehicles, weapons systems, shelter	
of composite materials and adhesive joints	
particular may be adversely affected by co	
agenst. Decontamination fluids are also v	
mechanical integrity of systems using comp	osites and adhesive joints.
POSSIBLE SOLUTION: Laboratory tests can be con	ducted to expose various
composite materials to chemical agents or	
also include adhesively bonded joints. De	
be tested against sensitive materials and	a series of mechnical tests and
chemical tests can be conducted to determi	
properties of the materials,	_
POTENTIAL BENEFITS:	
TNS TEC 5	
Keywords: Chemical Agents, Contamination,	
Composites, Adhesive Bonds, Option	• •



SUBMISSIONS INDEX BY COMMAND AND INSTALLATION

COMMAND	INSTAL'N		TABASE						
AMCCOM	FICATINNY	139 167	156 168	159 169	162 170	153 171	164 172	155	156
AMCCOM	₩VT	69 77 3 5	70 78 86	71 79 87	72 80 98	73 81 89	74 82 90	7 5 87	76 34
ARDEC	FICATINNY	157	158	160	161	173	174		
CECOM	MONMOUTH	149	150	151	155				
CFDEC	EDGEWOOD	46 54	47	48	47	50	51	c	57
DESCOM	ANNISTON	140							
DESCOM	CCAD	1 9	2 10	3 11	4 12	1.7	5 14	7	â
DESCOM	LTRK	55 63	56 64	5 7 65	58 66	5 9 67	50 56	σi	62
DESCOM	READ	15 23	16 24	17	18	19	20	21	22
LADICOM	ETDL	152	157	154					
LABCOM	HDL	25 33	26 34	27 35	23 76	29	7.0	71	7.2
L4 BCOM	MTL	91 99 107	92 100 108	93 101	94 102	75 107	₹5 104	97 105	96) 19a
MICOM	REDSTONE	147	148						
TACOM	WAFFEN	141	142	143	146				
recom	AFG	37 45	#8	<u>7</u> 9	40	41	42	47	43
TECOM	WARREN	144	145						
TROSCOM	NATICH	109 117 125 133	110 118 126 174	111 117 127	112 120 128 135	117 121 129 137	114 122 170 178	115 123 171	116 124 132



SUBMISSIONS INDEX BY PRODUCT CATEGORY

AMMUNITION	AND W	EAPONS	(69	Entrie	s)				
11 31 71 81 91 156 166	157	18 39 73 83 94 158 168	159		86 99 161		28 58 78 88 104 163 173	69 79 89 105 164	30 70 80 90 139 165
VEHICLES,	TRACKE	D COMB	AT AND	TACTI	CAL SU	PPORT	(47 E	NTRIES)
4 24 68 99 141	6 37 78 100 142	12 40 91 102 143	103	14 59 93 104 145	15 61 94 105 146		19 65 96 107		23 67 98 140
AIRCRAFT	(33 En	tries)							
1 12 78 146		3 14 100 169	4 20 101	5 21 102		7 64 105	8 66 106		11 68 108
MISSILES	(9 Ent	ries)							
11	16	20	27	28	36	39	60	104	
PERSONNEL	AND SU	PPORT :	EQUIPMI	ENT (56 Ent:	ries)			
10 51 66 113 123 133	114 124	41 53 69 115 125 135	70 116 126	44 55 91 117 127 137	96 118 128	109 119	48 63 110 120 130		50 65 112 122 132
ELECTRONIC	EQUIP	MENT A	ND SOF	TWARE	(22 Et	ntries)		
27 60 155	28 62 166	32 147	33 148	34 149	35 150	36 151	38 152		57 154

APPENDIX C.6 SUBMISSIONS INDEX BY PROBLEM AREA

SUBMISSIONS INDEX BY PROBLEM AREAS

MATERIALS	CHARAC'	rer i za	ATION	AND P	ROPERTIES	S (8	2 Entr	ies)	
1	2	3	4	6	9	10	13	19	21
22	37	38	40			44			48
49	50	51	52	54		66		68	74
76	77	78		80		82		84	85
89	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110
111	112	113	119	129	130	131	132	134	136
141				146		148	157	161	165
167	169								
AUTOMATED	TESTING	G AND	IN-PF	OCESS	CONTROL	(58	ENTRI	ES)	
4	14	15	16	17	18	23			53
55	56	57	59	60		66			75
77		85	86	87		89			
100	105	106	107	109	113	115	116		
122	125	127	139	140	142			153	154
159	162	164	165	166	168	170	171		
DIAGNOSTI	C TESTI	NG ANI	ASSE	SSMEN	ľ (77 Er	ntrie	s)		
1	2	3	5	6	7	8	9	12	13
16	19	20	22	24	32	34	37	41	44
55	56	57	59	60	61	63	64	66	67
68	71	72	75	76	78	79	81	82	83
84	88	93	96	99	100	101	102	104	105
106	107	120	126	127		132	134	140	142
143	144	147	148	153	158	160	161	162	163
165	166	167	168	169	171	173			
BONDING A	ND ADHES	SIVE 7	rechno	LOGY	(28 Enti	ries)			
2	4	5	7	14	17	20	23	32	33
34	44	59	60	66			81	91	96
101	106	134		146			166		
MATERIALS	DURABII	LITY A	AND ST	RUCTU	RAL INTE	GRITY	(48 H	Intries	s)
3	6	8	9	12	18	19	21	22	24
25	28	30	31	32	44	56	61	64	68
80	85	89	90	94	95	100	107	112	114
117	120	121	123	124		129	130	131	132
141	143	144	145	152	157	167	169		

SUBMISSIONS INDEX BY PROBLEM AREAS (CONT'D)

NUCLEAR,	BIOLOGI	CAL,	CHEMICA	L TES	STING	(19 En	tries)		
10 53			46 116		48 120		50 135	51 138	52
SENSORS,	OPTICS,	AND	MEASURE	MENT	TECHNO	LOGY	(35 En	tries)	
11			15						27
			45						65
69	70	71	72	85	87	88	91	104	113
139	148	154	164	170					
ENERGET	CS AND M	UNIT	ONS TES	TING	(20 Eı	ntries))		
16	29	30	31	42	54	73	103	110	119
139	156	158	159	160	164	168	172	173	174
OTHER AF	MY TESTI	ng pr							
10	11	29	33	35	36	38	39	40	45
			97			108			
	133				150		152		

APPENDIX C.7 SUBMISSIONS INDEX BY TEST TECHNOLOGY CATEGORY

SUBMISSIONS INDEX BY TEST TECHNOLOGY CATEGORY

MECHANIC	AL TEST	TING	(77 Er	ntries)					
3 29 55 73 96 115 127 144	6 30 56 74 97 116 128 145	7 31 58 80 98 117 129 146	11 32 61 89 99 118 130 152	15 39 62 90 102 119 131 156	21 41 64 91 103 120 132 157	25 42 69 92 108 121 134 158	26 44 70 93 111 123 136	27 45 71 94 112 124 140	28 54 72 95 114 126 141
CHEMICAL	TESTIN	IG (4	7 Entr	ies)					
4 42 53 91 138	8 43 54 111 144	9 45 63 115 145	10 46 65 118 146	12 47 66 123 159	13 48 67 124 160	17 49 68 125 172	19 50 /7 130	40 51 79 135	41 52 82 137
NONDESTRU	CTIVE	TESTIN	G (10	02 Enti	ries)				
1 12 23 48 64 78 93 107 132 159 170	2 13 24 53 65 81 94 109 134 161	3 14 25 55 66 83 95 110 139 162	4 16 26 56 67 84 96 113 141 163	5 17 27 57 68 85 99 122 142 164	6 18 31 58 69 86 100 126 143 165	7 19 32 59 70 87 101 127 147 166	8 20 34 60 71 88 104 128 148	9 21 37 61 75 91 105 129 153 168	10 22 44 62 76 92 106 131 154 169
ELECTRONI	CS/SOFT	WARE 1	ESTING	(42	Entri	es)			
11 40 100 149 173	15 57 103 150 174	18 72 104 151	23 84 105 152	29 85 123 153	33 88 124 154	35 90 133 155	36 91 140 162	38 97 147 170	39 98 148 172
OTHER TEST	ING TE	CHNOLO	GIES	(5 En	tries)				
29	136	140	145	164					

APPENDIX C.8

SUMMARY TABLE OF ALL TESTING NEED CATEGORIES AND SUBMISSIONS FORM NUMBERS

SUMMARY TABLE OF ALL TESTING NEED CATEGORIES AND SUBMISSIONS FORM NUMBERS

TEST TECHNOLOGY						PRODUCT CATEGORY						PROBLEM AREAS								
*TNS#	MEC	CHE	HOT	EL)	es oth	AMA	VEH	AIR	Mic	, be	els				BND	DUS	MBC	50M	ENR	O.Z.H
1			 Х		_	-	===	=== X	===	===	-	≠== X	===	===: X	====	====	===	====	===	===
2	~	_	X		_	_	_	x	_	_	_	x	_	X	X	_	_	_	-	-
3	X	-	X	_	_		_	X		_	_	x	_	x	_	,	_	_		-
4	_	X	X	_			Х	X	_	_	_	x	X	_	X	^		_		-
5	_	_	X	_	_	_		X	_		_	_	_	X	x	_	_	_	_	_
5	X	_	X	_	_	_	X	X	_	-	_	X	_	x	^	X	_	_	_	_
7	X	_	X	_	_	_		X	_	-		_	_	x	X	_	_	_		_
8	-	X	X	-	_	_	_	X	_	_	_	_	_	x	_	X				_
9	-	Χ	X	_	_	_	-	X			_	X		x		x	_		_	_
10	-	X	X	-	-	_		_	_	X	_	X	_	_	_	_	X	_	_	Ä
1 1	X	-	_	X	_	X		Χ	X	X	_	_	_	~	_	-		Χ		
12	-	X	X	_		_	Χ	Χ	_	_	_	_		X	_	X	_	_		
13	-	X	X	_		_	X	Χ		_	_	X	_	X	_	_		Х		
14	-		X	-	_	-	X	Χ			_		X	_	Х			X	_	_
15	X		_	Χ	_		X			_	_	_	X	~			_	χ		
15	-		X	-	_	_			X	_	_	_	X	Χ	_	_	_	<u>^</u>		
17	_	X	X	-	-	X	X	_	_			_	X		Χ	_	_	X	<u></u>	_
18	-		X	X	_	X	_	_	-	_		_	X			X		Λ X		-
19		X	X	-	_	_	X	_	_	_	_	Х	_	X		X		^		
20		-	X	-	-	_	_	X	X	_	_	_	_	x	X	_			_	
21	X	_	X	-		X		X	_	_	_	X		^		X		_		
22		-	X	-	-	-	X	X	_	_	_	X	_	X		X	-	_	_	_
23	-	-	X	X	-	_	X	_		_	_		X	_	X	^^ - -	_	ý		_
24	-	-	X		-	X	Χ	_	_	_	_		_	X		X	_	_		
25	X	-	X	-	-	X		_	_	_	_	_	_	-		X		χ -	_	_
26	X	-	Χ		-	Х	~	_	_	_	_	_	_		_	_		^ ` X .	_	_
27	X		X			_	-	_	Χ	_	X	_	_		_			^ '	_	
28	X	_		-	_	X	_	_	Χ	_	X	_	_		_	X,			_	- -
29	X	-	_	X	X	X	~		_	_	_	_	_	_	_	_	<u> </u>	_ `	,	
30	X	-	-	-	-	X		_	_	_	_	_	_		_	X	-		`	^
31	y	_	X	-	-	X		_	-	_	_	_				X,	\	()		
32	X	-	Х	-	-	_	-	_	_	_	X	_	_	X		^ χ .			-	
33	-	_	-	Χ	-		~-	_	_	_	X	_	_	-	χ .		- .		_	 -
74			X	-	-	_		_	_		X	_	X	X	χ.	_				^
35	-	-	-	X		_	~	_	_	-	X	_	_	<u>`</u>					_	
Ĩο		-	-	X	-	X	~	_	X	-	X		X	~		- .	_	-	_	
27	-	-	X		-		X		-	_		Х		X	_	-				_
18			-	Х	-	_	~	_		-	X	X	_	-					_	2
7.3	X		-	X	-	X	-	-	X	_	X,	-					- 5			-
40	-	×,	-	X	-	_	X	-	-	_	-	X	_	~	_				_	1
41	¥	X	-	-	-	-		_		Χ	-	X		X		- :	: -			_
4.2	X	X	-	-	-	X	~	_			-	X	-				· - >	, x		
47	-	X	-	-	-		-		-	X	-		_			- >				
44	X	**	X			_		_		X	-	Х	_	X	x >					-
45	Х	አ	-	-		-	Χ	_	-	-		X	-				ř			·.
45	-	X	-		-	-	~	_	-	X	_	-	_	~ .		- >				
47		X		-	-	-	~	-	-	X	_	X	_	~ .	<u>.</u>					_
48	-	X		-	-	-		-	-	X	_	¥,	_	~ .						_
49	-	χ	-	_	-		~	-		Χ	_	X		_						
50	-	X	-	-	-	-		-		X	-		_							
51	-	λ	_	_		X	-			X	_		_	_						
52 53	-	X	-	_	-	_		_												
53	-	X	X	_	_	_		_		X	_		X							-
													^		_	,		• •	-	-

^{*}See page C.8-4 for legend.

SUMMARY TABLE OF ALL TESTING NEED CATEGORIES AND SUBMISSIONS FORM NUMBERS (CONT'D)

	TEST	r te	CHNO	LOG	Y	PRO	PRODUCT CATEGORY						PROBLEM AREAS MAT AIR DIA BND DUR NBC SOM ENR OTH								
TNS#					SOTH	AMA	VEH	AIR	MIS	PER	ELS	MAT	AIP	DIA	BND	DUR	MBC	SOM	ENR	OTH	
*== =	====	===:	====		===	===:	====	===	====	:=== X	===	===: X	===:	====	_			_	X	- ×	
54	X	X	_	_	_	× -	_	_	_	x	_	_	X	Χ	_		-	-	-	_	
5 5	X	_	X	_	_	×	_	_	_	_	_	_	X	X	-	X	-	-	_		
5 <u>6</u>	X	_	X	X	_	_	_	_	_	_	X	-	X	X	-	-		-	-	-	
57 50	_	_	X	^		X	_	-	_	X	_	_	_		_		-	X	-		
58 50	X _	_	X	_	_	_	X	_	_	_		_	X	X	X		-	-		-	
5 9	_	_	X	_	_	_	_	_	Χ	_	X		X	X	X	-	-	-			
50 51	X	_	x	_	_	_	X	_		X		-	Χ	X		X	-	X		-	
51 52	x		x	_	_	_	_	-	_	_	X		-	-	-	-		Ž,		_	
52 53	-	X	_	_	-		_	_		X	_	-	-	X		-	-			-	
54 54	X		Х	_	_	_	X	Χ	_	X	-	_		Х	-	Х	-	_	-	-	
55 5	_	X	X		-	_	X	_	_	Χ		X	-	-	-	-		Ä.	-		
55 55	_	X	X		_	-	Χ	Χ		Χ	_	X	X	X	X	-	-				
<u> 57</u>	_	Χ	X	_		_	X	X	-	X		X	-	X	X		-		•		
58		X	X	-	-	_	X	X	-	-		X	_	X	-	X	-	_	•		
69 69	Χ		X	_		X	-	_		Χ	-	~			-	_	* -	3	-		
70	X	~	Х	_	_	X	-	-	-	X	-		-		-			X	-	-	
71	X	-	X	_	_	X	_	-		-	-	-		X		_		X	-		
72	X	-		X	_	X	-		-	_	-	_	X	X	-	-	**				
73	×		_		-	X	_	_	-	_	_	-	-	-	-	-	•		χ		
74	X	-			-	X		_	-	_	-	X	X	-	-	_		-	-	-	
75	-	~	X	-	-	X	-	_	-			-	X	Y	-	_		-	7.		
7 to		_	X	_	_	X				-	_	X	٠٠٠.	X	-	***					
77	_	X	_	-		X		-	-	-	_	X	Х		-	-	-	**		-	
78	-		X	-		X	X	X	_	-	_	X	_	X		_	-	-		-	
79		X		_	-	X	-	_		-	_	X	_	X	-	-	-		•		
80	X	-		_		X	-	-		-	-	X	_		×.	X	-		-	-	
81	-		X		-	X		-		-	_	X		X	X	-					
32	-	X	_	_		X	_		_		-	Х	X	X	~			-	2	-	
87		-	X	_	-	X		-	-			X	_	X							
34	-	-	X	X		X	-	-	~	-	-	X	-	×	_		-		•	_	
35	_	-	X	X	-	X	-	-			-	X	X			*	**	Σ.			
86			X	***		X		-	_	-	_	_	X	-		-	_				
37	-		X	-		X	-		-		-	_	X		-	•	_			-	
88	-	-	X	X	****	×	_		_	-	_		X	X		·-		-	•		
35	*	-		-	-	X	_	-		-		X	χ	_	-	٠.	_				
Ŧ.)	X	-	-	Χ	-	X		_				-	~	_	-		_				
***	¥,	X	¥	X	-	£	X	X		X		-	X Y		X	-					
	:		Y				X,	-	-	-	-	×		ž							
:27	X		X.			×	X				_	χ		ŕ	-						
94	*		X	_		X	X			-	_	, X		_		×					
95	X	••	X		-	X	X		_	~		Ŷ		Y	Ϋ́	_		-			
9.5	, Y		X	_	-	_	X	~	_	 X	_	X	_	-		_					
ر. درگ	¥	-	_	X		_	X		_		_	Ŷ	~			_					
-33	X	_		X		X	X	-				X	χ	ž.	_						
77	Х		X		-	X	X	_				Ϋ́	×	χ		Y					
1 (14)	**	- *	ź.	X		-	X	X		_											
101		-	Χ	-	-			X		-		X	****	X	Х		74	•			
102	X	-	-				X	X	_	-	-	X	***	X			-		-	-,	
107	X	-		X	~	X	X	-		-	-	X	-		***	-			4.	K.	
104	-	-	X	X	-	X	X	X	X	-		X	-	X	-	•	-				
105	-	_	X	X	-	X	X	X		_		X	X	X	-		-				
105	-		X	-		-	X	X			-	X	X	X	ž		-	~			
107	-	-	Х		_	-	X	X	-		-	X	X	X	-	X	alife.				
108	X	-	-	-	-	_	X	X	_	-	-	X	_	_	-		_				
109		_	X	***	-		-	_		X	***	X	χ		-	**		-	_	-	

SUMMARY TABLE OF ALL TESTING NEED CATEGORIES AND SUBMISSIONS FORM NUMBERS (CONT'D)

			TECH				PF	UQOJ	CT (CATE	GOR	Y		P	ROBI	EM .	AREA	S				
TNS#	4E	:H :===	EM _{NC}	=== V &	LES OF	H	P.W.	=== 4	H A	R 4	15 (PER 53	رج =	4.5	T A	18 D	LA B	NO S	UR N	هن ج	ON ;	MR OTH
110	-	-	X	_			_	_	_	_	X	_		X	_	_	_					
111	X	Χ	_		-		_	_	_	_	X			X	_		_	_	X		X	X
112	X							_	_	_	X	_		X	_	_	_	Х	_		_	
113		-	X		-		-		_	_	X	_		X	Х		_	_	_	Х	_	
114	X		_	_	_			-	_		X			~		_		X		^	_	χ.
115	X	X	_	_	_		_	~	_	_	X	_			Х	_	_	_	X			λ,
116	X	-	_	-	-		-	_	_	_	X	_			X		_		χ	_	_	
117	X	-		_	-		_	_	_	_	X	_		_	X	_		X				
118	$^{\prime}$ X	Χ	_		_		_	_	_	_	X			_	X	_		_	*			
119	X		-	-	_			_	-		X	_		X	_			_	_		X	***
120	X,	-	_	_	-			_	_	_	X	_		~		X		X	×		^.	=:
121	X	-	_	_			_	_	_	_	X	_				_	_	Ŷ	_			_
122	_	-	X		_		_	_	_		X	_		_	Χ			_	_			
123	X	Χ	_	X	-		_	_		_	X	_		_	_	_	_	X				Х
124	X	X		Χ				_	_		X	-		_	_	_	_	Ŷ	_			
125	_	X		_	_			_			X	_			X	-	***	_	v		•	
126	Х	-	Х	_	_		_	_	_	_	X	_			_	X	_	X	X	-	-	_
127	Х		Χ	-	_			_	_		X	_			X	Ŷ				_		
128	X		X	_				_	_		X	_		~~	^	x	_				_	
129	X	-	X		-		_		_	_	X			Χ		_		X				
130	Χ	Χ	-		-		~	_	_	_	X	_		X	_	_	_				-	
131	X	_	X	_			_	_	_	_	X	_		X				X	_	-		-
132	Χ	_	X	-	_		_		_	_	X	_		X	_	X	_			_		
155	_	-		Χ	_			_	~	_	X	_		~		^	~	X	•			
154	X	_	X	_	-		_	_	_	_	X	-		χ		X	X	_	_		-	ž.
175	-	X			_		_		_		X	_		^	_	_	^	_	_			***
156	X	_	-		X		_	_	_	_	X	_		Χ	_	_			Х		-	
177	-	X		_			~-		_		X			^	_		_		_	-	-	Ä
138		X		_			_	_	_		X					-		_				7
1.39	_	-	X	-	-		X			_		_			X		-	_	X,		_	-
140	Χ	-	-	X	X		_	Х						. Nor	X	X	-	-		×	*	-
141	Χ	_	X	-	_			X	_		_			X	^	^	~			-	-	
142	_	_	X	-			_	X		-				^	X,	X		۸	_	~~		
145	_	_	¥.	-	-		•	X		_	_	_		X	X		~	-		-	-	
144	X	X	-	-	_		~	X		_		_		X	^	X	X	- K	**		•	
145	X	X			X			X	_					X		^		7		-	-	
145	X	X		~			~	X	X		_	_		X	_	_	v	Ä	•	-	-	-
147	_	-	X	Χ	-		-	_	~	_	_	X		X		χ	Α.		_	-	-	
148	-	_	Χ	X	_			_	_	_	_	X		λ	X	X	_		_			-
149	-	-	_	Х			-	_	_	_		X			_		_	-	_	4	-	
150	-		_	X	_			_		~	_	X				_		-	-	-		λ
151	_		_	X	_													_	-			
152	X	_	_	X				_	_	_		X		~	-	_	~	-	-		-	X
153	_	_	X	X			_		_	_	_	X		-	~~			X	-	-	-	X
154	_	_	x	X	_		_	_	_	_	_	X			X	X	~	_	-		_	
155	_	_	_	x	~_		-	_	_			X		~	X	_	-	-		X	-	-
156	X	_	-	_			X	_		_	_	X				-	~	_	-		-	X
157	X	_	_	_	_		X	_	_	_	_			~	_	~	-				X	
158	X	_		_			X	_	_	_	_	***		Χ	-	-	~-	X			~	
159	_	Χ	X	_	_		X	_	_		_	_		~	-	X	-		-	-	X	-
160	-	x	^_	_	_		X	-	_					~	X		-	-	-	-	×	-
161	_	_	X	_	_		X		_		_			~	-	X	~		-	-	X	-
162	_		Ŷ	X	_		X	_	_		-	-		Χ		X	~-			-		
163	_		x	_			X	_	_	_	_	_		~	X	X	_	-	-			-
154		_	Ŷ	_	X		X	_		_		_		~	_	X	X	-			-	
			• •		^		^	_	_	_				-	X	-	~	-		ī	፞፞፞፞፞	

SUMMARY TABLE OF ALL TESTING NEED CATEGORIES AND SUBMISSIONS FORM NUMBERS (CONT'D)

	TES	ST T	ECHN	IOLO	GY	PRO	DUC	T CA	ATEG	ORY		PR	OBL	EM A	REAS	;				
TNS#	, <u>,</u> ,c	y CHE	WAY	<u>.</u>	ES OTH	ALTIA	VER	AIR	47	÷ 59	& ELS	MA	ڊ. د	6 071	A BN	o ou	R HBC	5 50H	-==	- OZH
165	-	_	X			×						X	X	X	X	_				-
166	_	-	X	-		X		-	-		X	-	X	X	X	-		-		
167	_	-	X	-		X	-	X	-	-	-	X		X	_	X		-		-
168	-	_	X	_	-	X	-		-	_	-		X	X	-	_	-	-	*	-
169	-	_	X	-	-	X	Х	X	-	-	_	X	-	X		X	-			
170	-	-	X	Х	-	X	-	-	-	_		_	X		-	-		4,	-	et a co
171		-	Χ	_	-	X	_		_	-		_	Χ	X		-	-	-	_	
172	-	X	-	X	+	X	-	-	-	-	-			-	_	-	++	***	.4	Х
173		-	_	X	-	X		-	-	-	-	-	-	X	-	-	-		X	
174		_	-	X	-	Χ	-		-	-	-	~	-	-	-		_		¥	-
	TEST		HNO	LOGY	?	PROD	UCT	CAT	EGOE	Υ		PROI	BLEM	ARE	AS					
TOTALS	MECH	HEM,	ADI	ELES	OTH	AMIN V	eh	AIR .	478 ===	PER ===	ELS ===	4A ^T	AIR	DIA	BND	OUR	MBC	SOM.	ENR	07H
174	77	47	102	 42	_ 5	69	47	33	9	56	22	82	58	77	28	48	19	J5 :	20 7	J.O
%	44	27	59	24	3	40	27	19	6	32	13	47	33	44	16	28	11	20 .	1 1	17

APPENDIX C.8 LEGEND

TNS# - Survey Submission Form Number


1N3# - Survey Submission i	Olm Nambel	
Test Technology:	Product Category:	<u>Problem_Areas</u> :
MECH - Mechanical Testing Technology CHEM - Chemical Testing Technology	AMW - Ammunition and Weapons VEH - Vehicles, Tracked Combat and Tactical	MAT - Materials Charac- terization and Properties AIP - Automated Testing and
NDT - Nondestructive Testing Technology ELES - Electronic and Software Testing Technology	Support AIR - Aircraft, Compo- nents and Related Equipment MIS - Missiles, Compo-	In-Process Control DIA - Diagnostic Testing and Assessment BND - Bonding and Adhesive Joining Technology
OTH - Other Identified Testing Technology	nents and Related Equipment PER - Personnel Items and Support Equipment ELS - Electronic Equipment ment and Software Support	DUR - Materials Durability and Structural Integrity NBC - Nuclear, Biological, and Chemical Testing SOM - Sensors, Optics, and Measurement Technology ENR - Energetics and Munitions
		Testing OTH - Other Army Testing Prob-

lem Areas

APPENDIX D TESTING NEEDS KEYWORD INDEX

APPENDIX D - TABLE OF CONTENTS

		<u>Page</u>
D.1	Alphabetic Keywords Listing with TNS Form Numbers	D.1-1
D.2	Keyword Listing in Order of Most Frequently Occurring	D.2-1



* KWD#	OCR#				UMBERS	======	7 2 2 2 2 <u>2 2 </u>		======
1 2 3 4	1 5 1 1	ABSORPTION ACCELERATED	51 52 112	54	99	117	122		
5	2	ACCEPTANCE ACOUSTIC EMISSION	137 161 55	174				•	
6 7 8 9	2 2 1	ACOUSTO-ULTRASONICS ACQUISITION ACRYLICS	76 36 44	143 39					
10 11 12	3 3 8	ADHESION ADHESIVE BONDS ADHESIVES	46 5 2	80 20 63	81 41 67	96	101	106	143
13 14	1 2	ADSORPTION AEROSOL	163 111 53	135				100	170
15 16 17 18	2 1 1 1	AGING AIR AIR DROP AIR GUNS	44 125 130	131					
17	21	AIRCRAFT	30 1 9	2 12	3 13	4 14	5 17	7 20	G 52
20 21 22	2 3 1	AIRFOILS AIRFRAME ALTERNATIVES	54 100 8	64 107 12	68 21	100	101	107	114
23 24 25	1 1 5	ALTITUDE TESTING AMBIENT AMMUNITION	146 114 124						
26 27 28	1 1 1	ANALYSIS ANTHROPOLOGICAL ANTI TANK	156 159 136 173	157	158	161	163	164	
29 30 31	1 7	APACHE ARCHIVED ARMOR	1 162 29	3.1	5 8	92	75	·7·7	7.5
72 77	1 5	ARRAYS ARTIFICIAL INTEL	103 148 35	110 36	109	147		·	
34 75 36	1 1 2	ARTILLERY ASSESSMENT ATE	158 33 1 5	153					
37 38	18	AUTOFRETTAGE AUTOMATED	04 18 50	34 61	53 . 74	55 77	5.5 86	gger out	57
37 40	1 5	BACKSCATTER BALLISTICS	143 167 29	1 5 3	170	171		127	137
41 42 43		BALLOTING EFFECT BASE PLATES BEARINGS	25 70		31	28	100	410	
44		BEHAVIOFAL	54 155	42	45				

^{*}See page D.1-12 for legend.

KWD#	OCR#	KEYWORD.		ORM NUM		======	=====	=====	====
45	1	BILLETS	83						
46	1	BIODEGRADATION	123				•		
47	1	BLACKHAWK	1						
48	1	BLADDER TANKS	フ						
49	1	BLADES	107						
SÓ	<u> </u>	BLISTERING	7						
51	1	BODY ARMOR	119						
52	1	BOLTS	22						
53	Š	BONDS	2	57	101	106	140		
54	2	BORE	69	88					
55	1	BREACH SEAL	72						
56	1	BREECHES	90						
57	1	BURN RATE	172						
58	1	BURN TESTING	172						
59	1	BURNING	164						
50	1	BUTYL COAT	47						
ئ د	L	BY-PRODUCTS	138						
62	2	CADMIUM	4	146					
43	2	CALORIMETRY	79	160					
54	1	CAMOUFLAGE	109						
55	1	CANNONS	69 100						
55	. 1	CANS	128						
5 7	1	CARTRIDGE	163 149						
68	1 1	CASE	147	151	155				
ن 9	3	CCCI	2	37	92	93	97	90	99
70	10	CERAMICS	102	104	105	7 'os*			•
		milai i mhimm	115	7.7.4	J. 1				
71	1	CHALLENGE	126	145					
72	2	CHAMBER CHARACTERIZATION	88	99					
73 73	2	CHARCOAL	48						
74 75	i	CHARPY	74						
75 75	4	CHEMICAL	13	40	138	159			
73 77	7	CHEMICAL AGENTS	41	43	46	47	48	49	50
11	,	CHEMICAL AGENTS	52	111					
78	 	CHEMICAL MONITOR	4	77					
70. 79	12	CHEMICAL TESTING	8	æ	10	12	17	17	÷'7
, ,			51	53	6 5	77	146		
80	1	CHEMISTRY	82						
31	1	CHILLED	124						
32	1	CHROMATOGRAPHY	111						
83	4	CHROMIUM	4	చర	80	31			
84	3	CIRCUIT BOARDS	. 34	62	166.				
85	1	CLOSED BOMB	172						
85	15	CLOTHING	47	109	111	112	113	115	110
			117	118	120	121	122	135	106
			138						
97	5	COATINGS	5 2	62	63	90	31		
99	1	COLOR	46						
87	1.	COLOR GUALITY	174				•		

KWD#	OCR#	KEYWORD		ORM NUI					
				=====	M		=====:	9 423 35	*****
90	1	COMBAT	59						
71	1	COMBUSTION PRODUCTS	125						
72	1	COMPATIBILITY	140						
93	4	COMPONENTS	3	13	57	145			
94	21	COMPOSITES	1	2	20	37	41	67	75
			78	79	37	75	102	104	105
		·	106	108	134	157	151	tó5	¦ుౌ
95	1_	COMPOSITION	159						
76	2	COMPRESSOR	120	140					
97	4	COMPUTER	27	33	35	36			
98 77	2 3	COMPUTER MODELING	97	98					
100	 1	COMPUTERIZED	75	89	139				
101	1	CONDITION CONFORMAL	126						
102	1	CONFORMANCE TESTING	62						
102		CONSTRUCTION MATERIA	136						
104	1	CONSUMPTION	134 137						
105	ż	CONTAINER:	123	130					
106	5	CONTAMINATION	41	43	116				
107	1	CONTINUOUS MEASUREME	31	-7°-1	110				
108	-	CONTROL	23	61	82	95	95	37	
109	1.	COOLING	120	_` 1.	U.	(3,3	00	ω,	
110	1	COORDINATE MEASURING	70						
111	1	CORDAGE	131						
112	40	CORROSION	9	12	19	24	58	68	94
			100	107	145				• •
113	1	COUNTERMEASURES	113						
114	1	COVERAGE	42						
115	1	CRACKING	22						
115	1	CURE	165						
117	1	CURING	79						
118	L	CUTTING TOOL	35						
119	1_	CVC	113						
120	5	DAMAGE	16	48	97	98	142		
121 122	1	DATA	162		•				
123	1	DATABASE	108						
123	1	DAYLIGHT DEBONDING	112						
125	÷.	DECONTAMINATION	5	4.7	1.70				
125	- 5	DEFECTS	41 76	43 78	138	4 77 0	1.45		
127	1	DEFENSE	138	/ 0	88	134	148		
120	ż	DEFORMATION	72	110					
129	4	DEGRADATION	85	110 123	132	147			
130	1	DELAMINATION	16	بنده	A SUPER	144			
171	1	DENSITY	42						
132		DESIGN	33	109	149				
103	1	DESTRUCTIVE	80						
154	12	DETECTION	13	21	24	26	45	58	1000
		:	107	122	126	133	151		- •
135	2	DETECTOR	45	148					

KWD#	OCR#	MEYWORD		ORM NUM				منعور جوار بالمدارية	
136	1	DETERIORATION	44						
137	1	DETONATOR:	139						
138	1	DETOXIFICATION	138						
139	3	DEVELOFMENT	94	96	130				
140	2	DEVICE	153	154					
141	1	DEVICES	147						
142	1	DIAGNOSTICS	57						
143	1	DIAMETER	49						
144	1	DIFFUSION	116						
145	1	DIGITIZED	162						
146	1	DIMENSIONAL MEASUREM	15						
147	1	DISPOSAL	10						
148	1	DROPLET SIZE	46						
149	1	DUAL HARDNESS	94						
150	2	DURABILITY	117	141					
151	1	DYNAMIC	129						
152	1	DYNAMIC TESTING	89						
153	1	EFFECTIVENESS TEST	48						
154	, 4	ELASTOMERS	7	94	141	140			
155	4	ELECTROMAGNETICS	3 8	40	45	153			
156	1	ELECTROMIGRATION	147	44 ()	₩	(
	÷	ELECTRONICS	27	32	77.77	7 1	** ,=,		
157	7	FEFFIKONICS			33	34	្ន	27	
		200 A 400 00 00 00 L 1.00	62	147					
158	1	EMERGING	104						
159	1	EMI	133						
1 ± 0	1	ENGINE	140						
161	2.	ENGINEERING	149	155					
152	1.7	ENGINES	3	7	1.3	1.5	17	1.7	40
			64	65	သက်	යපි	142		
165	1	ENHANCEMENTS	104				*		
154	n n	ENSEMBLE	115	113					
165		ENVIRONMENTAL	44	145	152				
155	5	EQUIPMENT	38	39	52	74	1.7.5		
167	1	EDUIVALENCY	117						
to⊖	1	EQUIVALENT MATERIAL	51						
169	1	ERROR	151						
170	1	ESTIMATION	150						
171		EVACUATOR	76	78	83				
172	14	EVALUATION	35	90	92	100	111	115	11
	-		113	119	120	121	122	123	
173	1	EVENTS	100						• • •
174	-	EXPERT SYSTEMS	35	76					
175	1	EXPLOSIVES	150		•				
176	ż	EXPOSURE	112	138					
177	1	FABRICS	117	■ 'eg' 5nd					
173	ن	FAILURE	28	33	67	145	1.47	1550	
179	Ĺ	FASTENERS	146	"ad" Alia	ر و.,	("TW	7	3 11,1	
180	4	FATIGUE	21	102	129	144			
181	1	FEEDING	125	A. N. P. San	1 iii 7	7 7			
132	2	FIELD	125	128					
► Saf tin		The State See See See See See See See See See S	ada abina haad	· - ()					

KWD#	OCR#	KEYWORD		ORM NU	MBERS	======		annace	
183 184 185 186 187 188 189	2 1 1 1 1 1 1 1 1	FIELD SAMPLING FIELD TESTING FIELD USE FILTERS FLOOR PANELS FLOURESCENCE FORCES	43 117 137 48 6 113	46					
190	3	FORGING	74	75	86				
191	2	FRAGMENTATION	98	110					
192	1	FUEL	7						
193	1 1	FUEL LEAKS	3 3						
194 195	2	FUEL STORAGE FUEL TANKS	7	55					
196	1	FULLERS EARTH	51	J					
197	3	FUZES	25	26	137				
198	1	GAGING	144						
199	1	GARMENTS	111						
200	1	GAS MASKS	53						
201	1	GAS_PHASE	53						•
202 203	2	GEARS GLASS	51	95					
204	1	GRAPHITE REINFORCED	ა 1.45						
205	î	GRENADES	157						
206	ī	GRINDING BURN	13						
207	1	GROOVES	59						
208	1	GRE	165						
209	22	GUN TUBES	17	18	21	25	265	56	·2.3
			70	71	74	75	77	<u>ଓଡ଼</u>	≎ ;
			83 75	84	85	35	88	3 7	97
210	1	HAWK MISSILE	60 60						
211	Ŝ	HAZARDOUS WASTES	10	49	50				
212	1	HEADFORM	53						
213	2	HEAT ENGINES	93	120					
214	2	HELMETS	110	119					
215 216	i D	HIGH ENERGY WEAPONS HIGH G EVENTS	30 27	77.75					
217	1	HIGH HARDNESS	27 94	30					
219	1	HIGH PIN COUNT	153						
217	1	HIGH SPEED	153						
220	1	HIGH STRAIN	129						
221	1	HIGH STRESS	39						
222	1	HIGH TOUGHNESS	94		•				
223	1	HISAC	130	~~					
224 225	<u>.</u> 3	HIGTORY HOWITZER	26 71	27 72	167				
226	1	HYDROGEN DAMAGE	3	1 44	101				
227	ī	HYDROGEN EMBRITTLE	169						
228	1	IDENTIFICATION	36.						
229	1	IMAGES	162						

KWD#	OCR#	KEYWORD		ORM NUM					:==34
230	4	IMAGING	14	34	60	100			
231	1	IMBEDDED	11						
232	1	IMCS	120						
233	ອ	IMPACT	29	73	97	103	119		
234	1	INCLUSIONS	83		, ,				
235	1	INDUSTRIAL	75						
236	1	INERTNESS	123						
237	9	INFRARED	23	39	45	54	35	115	174
	·		159	164		٠,		6.6.3	4 27
238	1	INJECTION MOLDING	79						
237	1	INDRGANICS	101						
240	33	INSFECTION	18	34	55	56	57	50	o i
4. 1 '4'	,en, .en,	1101 201 2011	54	70	71	72	73	75	7.5
			78	94	105	106	107	127	120
			131	132	139	142	143	162	
	•		166	167	168	170	171	10.	ta⊣
241	1	INSTRUMENT	48	101	100	170	17.1		
242	i	INTEGRITY	106						
243	1	INTEROPERABILITY	155						
244	1	ION IMPLANTATION	91						
245	ŝ	JOINTS.	2.	67	163				
246	1	KEYWAYS	71	ψ,	10.5				
247	1	KIT	43						
248	1	LAMINATES	44						
249	1	LAMINOGRAPHY	155				•		
250 250	1	LAN	155						,
251	1	LARGE CALIBER	90						
252	4	LASER	42	71	98	154			
250	2	LASER INTERFEROMETRY	31	58	90	1 27			•
254	1	LASER MARKING	11	-					
255 255	1	LAUNCHER	76						
256	1	LEAK DETECTION	55						
257	1	LEAKAGE	133						
256 256	1	LEARNING	170						
259	2	LIFE	144	152					
260 ·	ī	LIFE-CYCLE	90	102					
261	÷	LIGHT SCATTERING	42	53					
262	1	LIQUID AGENTS	46	J.J.					
263	ž	LOADING	87	90					
264	ī	LONG TERM	140	74					
265	1	LOW OBSERVABLES	45						
266	i	LOW TEMPERATURE	114						
267	4	LUBRICANTS		19	40	65			
260	i	M-6	159	* /	** ** *	94			
269	1	N14 MASK	53						
270	i	MIAI	141						
271	1	M42	169						
-	i	MACHINE	70						
273	1	MACHINE TOOL	87						
274	ì	MACHINING	85						
_ ,	•	Control of the Contro	tur tur						
			344						

NWD#	OCR#	KEYWORD		ORM NU		4655 22	======	aadeen:	======
275 276 277 278 279 280	1 2 1 1 1	MAGNETO-OPTICAL MAINTENANCE MANPRINT MAPPER MARKINGS MASKING MATERIALS	148 14 136 148 11	151					
281 282	1 22	MASKS MATERIALS	48 3 75 110 161	22 73 129	38 96 130	41 102 136	47 103 146	46 194 147	73 (40 (57
203 284 265	2 7 9	MEAL MEASUREMENT MECHANICAL	127 17 3 146	128 18 6 157	24 15	42 32	58 44	102	: 3
284 287 288 289	1 7 2 1	MECHANISMS METALS METHODS MICROCIRCUITS	61 2 71 153	13 104	21	75	77	73	i
290 291 292 293	7 3 4 1	MICROELECTRONICS MICROWAVE MILLIMETER WAVE MINES	45 45 45 173	32 152 54	147 154 152	148 154	152	:53	154
294 295 296 297	1 2 1	MISSILE CARRIERS MISSILES MITIGATORS MM WAVE	23 20 30 54	27					
298 299 300 301	1 5 1	MODAL TESTING MODELING MODULE TESTING MOISTURE	97 29 140 101	33	35	1079	117		
302 303 304 305 306 307	12 3 2 1 1	MONITORING MORTARS MOTION MOUNTS MULTI LAYERED MULTI-AXIS	17 85 70 31 156 166	19 86 73 58	23 105 156	64 125	65 144	79	3 2
308 309 310 311	1 6 5 70	MULTIPLE THREAT MUNITIONS NBC NDE	119 24 115 1 18 18 26 56 64	54 116 2 9 19 27 57	168 118 10 20 31 58	169 120 4 22 24 57	170 135 5 13 23 27	171 00 40 24 44 81	400000
			91 92 128	65 83 73 131	66 84 104 132	67 85 105 134	63 97 106 142	76 00 107 143	78 91 127 184

KWD#	OCR#	KEYWORD		ORM NU		======	=====		issu:
311 312 313 314	70 1 1 2	NDE NETWORK NEURAL NETWORK NEUTRALIZATION	161 155 170 49	162 50	163	165	107	160	169
315 316	4	NEUTRON NEUTRON ANALYSIS	99 99	100	101	169			
317 318	2 119	NON-METALLICS NONE	37 5	144 5	6	8	10	11	12
			12 24	12 25	15 28	15 28	21 32	22 37	22 47
			46 50	47 50	47 51	48 51	49 51	49 51	50 55
			5 5	59	62	63	67	57	ن. ن
			70 83	71 84	74 34	76 8 6	77 36	77 87	73 37
			88 93	୨୦ ୨୫	90 97	72 103	92 104	105 92	77 135
			107	108 121	108 122	109 123	109	112	12.
			130 137	130 138	132 140	133 141	135	:35	: 77
			145	150	150	151	144 151	144 150	145 150
			157 169	153 170	159 171	161 172	163 173	154	155 174
317 320	1 2	NUTRITION NYLON	137 131	132					
321 322	2	OBSCURANTS OBTURATOR	42 72	54					
323 324	4	OILS ON-LINE ANALYSIS	9 82	19	40	6 5			
325	1	ONE SIDED	167						
326 327	1 5	OPERATION OPTICAL	150 14	25	26	27	t o		
328 329	1	OFTICAL ABSORPTION OFTICAL COATINGS	131 41						
330 331	1 1	OFTICAL TESTING ORGANIC	ა 79						
	1 2	OVERHAUL PACKAGING	15 114	123					
334 335	1 2	PADS PAINTS	72						
226	3	PARACHUTE	52 121	63 129	132				
337 338	1	PART IDENTIFICAT PARTICULATE	11 135						
339 340	1 1	PARTS CONTROL PATRIOT	11 20					•	
341 342	1 5	PATTERNS PENETRATION	109 97	98	110	116	135		
343 344	2	PENETRATORS PERFORATION	31 127	58	6 6 M	110	k -u-w		

KWD#	0CR#	KEYWORD	TNS FORM NUMBERS						
345	1	PERFORMANCE	155						
346	2	FERMEATION	47	111					
347	1	PHOSPHATE	66						
348	1	PHOTOMETRY	174						
349	3	PLASTICS	6	44	165				
350	10	PLATING	4	17	56	66	7.7	30	3:
	• •	, tarri arras	82	91	146		•		
351	1	PLATING SOLUTION	4						
352	i	PLUNGER	139						
353	4	POLYMERS	79	96	102	119			
354	1	POROSITY	31	, .	• • • •	/			
355	2	FORTABLE	133	134					
356	1	POUCH	127	A 14 1					
357	1	POWDERED	95						
358 358	1	PRESSURE	. 73 . 73						
	-		157						
359	1	PROCEDURES	23						
360	1	PROCESS		4.7	7		-,-		
351	12	PROCESS CONTROL	4	14	17	<u>පර</u> - 55	77	35	7:
	_		92	105	154	159	165		
362	2	PROCESS MONITOR	14	77					
ె6ౌ	1	PRODUCTION SCREENING	28						
364	2	PROGRAMMING	35	36					
J65		PROJECTILES	25	26					
766	1	PROOF FIRING	73						
367	5	PROPELLANTS	16	159	160	164	172		
ೌರಡ	3	PROPERTIES	108	146	157				
369	3	PROTECTION	47	46	110	111	115	lio	• ; "
			122	135					
370	1	PROTECTIVE	118						
371	1	PROTOCOLS	155						
372	1	PUNCTURE	121						
	2	PYROTECHNICS	150	174					
374	4	OUALITY	64	త ఏ	67	1 25			
375	i	QUALITY ASSURANCE	151						
77.5	5	QUALITY CONTROL	9	19	22	79	154		
377	1	QUICKNESS	172						
778	1	RADAR	122						
فيشق	5	RADIATION	7.0	70	40	90	1.35		
700	8	RADIOGRAPHY	1	ĺΰ	3-	75	100	104	1.27
	•		171		- '		•••	• •	* * *
301	1	RAIL GUNS	30						
782	i	MAPID SOLIDIFICATION	75						
232		RATIONS	123	124	137				
384	•	REAL TIME	95	1.68	171				
7.05	<u></u>	RECOIL	71	156	474				
786	ندن بحر بدن	RECUPERATORS	140	142					
363 367	1	REDUCTION	50	4. Toka					
288 288	ż	REFLECTANCE	113	122					
200	4 7	RELIABILITY	147	150	152				
220	-	RECIRCICITY	21	57	4 Wa				
2.77.7	ri.	CALIFERNATION & AFE	in it	٠. ل					

NWD#	0CR#	KEYWORD	TNS FORM NUMBERS						
									27 2112
391	1	REPAIRS	59						
372	1	REQUIREMENTS	149		•				
393	1	RESEARCH	74						
394	1	RESIDUAL STRESS	84						
395	1_	RESIDUE	164						
396	3	RESISTANCE	52	74	121				
397	1	RF SWITCHING	152						
398	2	ROADWHEELS	141	1.43					
377 400	1	ROCKET MOTORS	16 5						
400 401	1 1	ROTOR BLADES ROUGH TERRAIN	121						
401 402	i i	RUBBER COMPOUNDS	141						
403	2	SADARM	155	171					
404	i	SAMPLING	115	1/1					
405	i.	SCATTERING	167						
40a		SEAL	127	128					
407	1	SEALANTS	35	(20					
408	1	SELF-TESTING	57						
409	1	SEMICONDUCTOR	140						
410	1	SENSORS	71						
411	1	SENSORY CHARACTERIST	137						
412	1	SET BACK	158						
413	2	SHAKERS	23	72					
414	2 2	SHELF LIFE	63	124					
415	4	SHELTERS	125	133	104	175			
416	-,	SHIELDING	73	99					
417	7	SHOCK	28	27	23				
410	2	SHOCK EVENTS	27	30					
419	1	SHOCK TESTING	30						
420	1	SIGNALS	1.74						
42 L	1	SIGNATURE	45						
422	. 1	SIGNATURES	24						
423	2 7	SIMULANTS	45	115					
424	7	SIMULATION	33	75	29	77	98		
425	_ 1	SIMULATOR	38	73	173				
428	1	SLEEPING BAG	114						
427	1	SMALL CALIBER	70						
400	1	CHOPE	42						
417	5,	SOFTWARE	29	7.7	22	200	1500	1.3%	1.00
			151	172					
420	į.	SOIL	43	~~ ~~	***				
451	5	SOLDER JOINTS	32	ing e ^{ra} g ing mak	34.	తల	toó		
432	1	SOLUTIONS	82						
433 433	1	SPECTRAL DATA SPECTROMETER	174						
434 435	1	SPECTROPHOTONETER	127						
450 450	l	SPIN	115 158						
450	1	SEINDLE	72						
카교8 파고기	1. 	STABILLITY	124	160				•	
437	1	STAFF	Las	i ww					
7 4 7		nd rest f	1.523.3						

KWD#	OCR#	KEYWORD ==================		ORM NUM						
	_		108	119	156	157	162			
440	5	STANDARDIZATION	161	117	100	197	***			
441	1	STANDARDS								
442	1	STAR GAGES	69 150							
443	1	STATIC	158							
444	1	STATION	70		04					
445	3	STEEL.	3	89	74					
446	1	STINGER	148							
447	1	STOCKPILE	148			4 1 6				
448	4	STORAGE	7	124	160	168				
449	1	STRAIGHTNESS	71							
450	1	STRAPPING	131							
451	1	STRAPS	129							
452	3	STRESS	22	102	152					
453	1	STRUCTURAL	75							
454	2	STRUCTURES	96	101						
455	1	SUBASSEMBLIES	57							
456	. 1	SUBSISTANCE	126							
457	1	SUIT	121							
458	ĩ	SUPPLY	126							
459	ī	SUPRS	126							
460		SURFACE PROCESSING	91							
461	1	SURVIVAL KIT	114							
462	2	SUSCEPTIBILITY	40	41						
463	1	SYSTEM	118							
464	1	TAGGING	1.1							
465	Ŝ	TANK	140	141	142	165	1:07			
466	ž	TARGETS	36	39	45					
4.57	1		27							
468	i	TEMPERATURE	112							
469	1	TENSILE	74							
470	1	TENTAGE	129							
471	 1	TEST CHAMBER	90							
472	i	TEST STAND	140							
473	14	TESTING	33	42	53	73	102	1.255		
49.7	7 -4	12371110	145	153	155	156	1.58	175	1-4	
474	2	TEXTILES	112	132						
	1		90							
475		THERMOGRAPHY	1	37	81		• •			
476		THICKNESS	త్	<u> </u>						
477	2 1	TITRATION	32							
478	4	TOMOGRAPHY	75	106	142	167				
479	2	TRACK PADS	20	141						
480 481	1	TRACKED COMBAT	37	- '-	•					
492	2	TRACKED COMBAT	23	24						
483	1	TRAILERS	125	- '						
484 484	4		15	19	40	4خ				
465	1	TRAY FACES	158	- ,	• •	- '				
		TURBINE	140							
485 487			1	1 &	37	70	83	100	1.74	
407	• •	Sign Book 18, 18, Sign Blood State 19, 44, Short Basel	161	163		_		-	•	

ALPHABETIC KEYWORDS LISTING WITH TNS FORM NUMBERS (CONT'D)


KWD#	OCR#	KEYWORD		ORM NUM		1 24522	Saunu:	1245 35.	.ges s
488	1	ULTRAVIOLET	132						
489	1	UNDERWATER	126						
490	2	VACUUM	114	123			•		
491	1	VAPOR	116						
492	1	VEGITATION	43						
493	7	VEHICLES	20	21	37	52	54	59	3نٽ
494	2 2	VELOCITY	31	58					
495		VERIFICATION	149	172					
496	6	VIBRATION	26	27	28	32	37	114	
497	1	VISIBLE	113						
4.38	4	VISION SYSTEM	13	56	72	139			
155	2	VISUAL	139	170					
5 00	2	VOIDS	16	83					
501	1	WAM	173						
502	2	WASTE MANAGEMENT	10	50					
500	ł	WASTE MONITORING	10						
504	1	WASTE STORAGE	10						
505	1	WATER INTRUSION	5						
505	2	WEAPONS	24	30					
207	3	WEAR	9	18	25	55		ంప్	::
			120						
500	1	WEATHERING	112						
509	1	WEBBING	131						
510	3	WELDING	1.4	23	71				
511	2	WELDS	59	142					
512	1	WIDE AREA	173						
513	1	WINDOW FANELS	ప						
5:4	7	X-RAY	34	<u>60</u>	78	155	1.57	1.55	- •
515	1	X-RAY DIFFRACTION	84						
క్1న	1	X-RAY FLOURESCENCE	82						

LEGEND:

- Keyword number KWD#

- Number of occurrences of keyword in survey submissions OCR#

Keyword - Testing need keyword descriptor
TNS Form Numbers - Survey submission form numbers in which keyword occurs



* KWD#	KEYWORD	OCR#	KWD#	KEYWORD	OCR#
710	NONE	119	299	MODELING	5
31 8	NONE	70	310	NBC	Š
311	NDE	70 33	310 327	OPTICAL	5 5
240	INSPECTION				
209	GUN TUBES	22	342	PENETRATION	ت ح
282	MATERIALS	22	367	PROPELLANTS	3
19	AIRCRAFT	21	376	QUALITY CONTROL	- -
94	COMPOSITES	21	379	RADIATION	2
38	AUTOMATED	18	431	SOLDER JOINTS	5
. 86	CLOTHING	15	440	STANDARDIZATION	ទ សសសសសស
172	EVALUATION	14	465	TANK	
473	TESTING	14	76	CHEMICAL	4
79	CHEMICAL TESTING	12	83	CHROMIUM	4
134	DETECTION	12	93	COMPONENTS	4
162	ENGINES	12	97	COMPUTER	4
302	MONITORING	12	129	DEGRADATION	4
361	PROCESS CONTROL	12	154	ELASTOMERS	4
70	CERAMICS	10	155	ELECTROMAGNETICS	4
112	CORROSION	10	180	FATIGUE	4
350	PLATING	10	230	IMAGING	4
31	ARMOR	9.	252	LASER	. 4
77	CHEMICAL AGENTS	9	267	LUBRICANTS	4
157	ELECTRONICS	9	292	MILLIMETER WAVE	4
237	INFRARED	9	315	NEUTRON	4
285	MECHANICAL	9	323	OILS	4
369	PROTECTION	9	35 3	POLYMERS	4
429	SOFTWARE	9	374	QUALITY	4
487	ULTRASONICS	9	415	SHELTERS	4
12	ADHESIVES	8	448	STORAGE	4
380	RADIOGRAPHY	8	479	TOMOGRAPHY	4
507	WEAR	8	484	TRANSMISSIONS	4
284	MEASUREMENT	7	498	VISION SYSTEM	4
287	METALS	7	10	ADHESION	3
290	MICROELECTRONICS	7	11	ADHESIVE BONDS	3
424	SIMULATION	7	21	AIRFRAME	3
493	VEHICLES	7	43	BEARINGS	2
514	X-RAY	- 7	59	CCCI	22222
25	AMMUNITION	6	34	CIRCUIT BOARDS	3
40	BALLISTICS	6	99	COMPUTERIZED	3
108	CONTROL	6	106	CONTAMINATION	3
178	FAILURE	. 6	125	DECONTAMINATION	3
309	MUNITIONS	6	132	DESIGN	3
496	VIBRATION	6	139	DEVELOPMENT	. 2
2	ABSORFTION	5	165	ENVIRONMENTAL	2
33	ARTIFICIAL INTEL	5	171	EVACUATOR	2
53	BONDS	5	190	FORGING	3
87	COATINGS	5	197	FUZES	2
120	DAMAGE	5	211	HAZARDOUS WASTES	3
126	DEFECTS	5	225	HOWITZER	3
166	EQUIPMENT	5	245	JOINTS	<u>aaaaaaaaaaaa</u>
233	IMPACT	5	291	MICROWAVE	2

^{*}See page D.2-6 for legend.

KWD#	KEYWORD	OCR#	KWD#	KEYWORD	OCR#
303	MORTARS	3	261	LIGHT SCATTERING	2
336	PARACHUTE	3	263	LOADING	2
349	PLASTICS	3 3	276	MAINTENANCE	2
369	PROPERTIES	3	283	MEAL	2
383	RATIONS	Ī	288	METHODS	
384	REAL TIME	3	295	MISSILES	5
389	RELIABILITY	3	304	MOTION	5
396	RESISTANCE	3	314	NEUTRALIZATION	5
417	SHOCK	3	317	NON-METALLICS	5
425	SIMULATOR	асасасасас	320	NYLON	- 5
445	STEEL	3	321	DESCURANTS	5
452	STRESS	3	333	FACKAGING	5
466	TARGETS	3	335	FAINTS	5
476	THERMOGRAPHY	3	343	PENETRATORS	5
510	WELDING	₹	346	PERMEATION	7
5.0	ACCEPTANCE	2	355	PORTABLE	-
7	ACOUSTO-ULTRASONICS	5	362	PROCESS MONITOR	=
8	ACQUISITION	2	364	PROGRAMMING	Ť
14	AEROSOL	2	365	PROJECTILES	<u> </u>
15	AGING	5	373	PYROTECHNICS	~
20	AIRFOILS	5	385	RECOIL	÷
20 36	ATE	2	386	RECUPERATORS	Ť
54	BORE	÷	3 88	REFLECTANCE	÷
62	CADMIUM	÷	390	REMAINING LIFE	ŕ
52 53	CALORIMETRY		378	ROADWHEELS	~
72	CHAMBER	2	403	SADARM	
73 73	CHARACTERIZATION		406	SEAL	H N N N N N N N N N N N N N N N N N N N
78	CHEMICAL MONITOR		413	SHAKERS	5
76 76	COMPRESSOR	5	414	SHELF LIFE	.~
98	COMPUTER MODELING	5	416	SHIELDING	-
105	CONTAINER	5	418	SHOCK EVENTS	5
128	DEFORMATION	5	423	SIMULANTS	5
135	DETECTOR	2	438	STABILITY	2
140	DEVICE	2	454	STRUCTURES	5
150	DURABILITY	2	462	SUSCEPTIBILITY	
161	ENGINEERING	2	474	TEXTILES	5
164	ENSEMBLE	2	477	THICKNESS	2
174	EXPERT SYSTEMS		480	TRACK PADS	* *1
176	EXPOSURE	2	482	TRACKED VEHICLES	5
182	FIELD	2	490	VACUUM	- 5
183	FIELD SAMPLING	2	494	VELOCITY	5
191	FRAGMENTATION	2	495	VERIFICATION	
195	FUEL TANKS	2	499	VISUAL	2
202	GEARS	2	500	VOIDS	2
213	HEAT ENGINES	2	502	WASTE MANAGEMENT	ипроврания
214	HELMETS	2	5 08	WEAPONS	ā
216	HIGH G EVENTS	2	511	WELDS	3
224	HISTORY	2	1	ABSORBANT	1
252	LASER INTERFEROMETRY		3	ACCELERATED	i
259	LIFE	. 2	4	ACCEPTABILITY	ì

KWD#		OCR#	KWD#	
====		2 2 2 2	5555	
6	ACQUSTIC EMISSION	1	89	COLOR QUALITY 1
9	ACRYLICS	ī	90	COMBAT 1
13	ADSORPTION	ī	91	COMBUSTION PRODUCTS 1
16	AIR	1	92	COMPATIBILITY 1
17	AIR DROP	- 1	95	COMPOSITION 1
18	AIR GUNS	ī	100	CONDITION 1
22	ALTERNATIVES	i	101	CONFORMAL 1
23	ALTITUDE TESTING	1	102	CONFORMANCE TESTING 1
24	AMBIENT	1	103	CONSTRUCTION MATERIA (
26	ANALYSIS	1	104	
27	ANTHROPOLOGICAL	ī	107	CONTINUOUS MEASUREME :
28	ANTI TANK	1	109	COOLING :
29	APACHE	1	110	COORDINATE MEASURING 1
30	ARCHIVED	1	111	CORDAGE
32	ARRAYS	.1	113	COUNTERMEAGURES 1
34	ARTILLERY	1	114	
35	ASSESSMENT	ī	115	CRACKING t
33 37	AUTOFRETTAGE	ī	116	
39	BACKSCATTER	ī	117	CURING :
41	BALLOTING EFFECT	_	118	CUTTING TOOL :
	BASE PLATES	1	119	CVC
44	BEHAVIORAL	ī	121	DATA 1
45	BILLETS	ī	122	DATABASE 1
46	BIODEGRADATION	1	123	
47	BLACKHAWK	ī	124	
48	BLADDER TANKS	ī	127	DEFENSE
49	BLADES	ī	130	DELAMINATION
50	BLISTERING	ī	131	
51	BODY ARMOR	1	133	DESTRUCTIVE
22	BOLTS	ī	136	DETERIORATION 1
55	BREACH SEAL	1	137	DETONATOR 1
56	BREECHES	ī	138	DETOXIFICATION 1
57	BURN RATE	1	141	DEVICES :
58 58	BURN TESTING	1	142	DIAGNOSTICS ;
59	BURNING	ī	143	DIAMETER 1
୍ଦେ	BUTYL COAT	1	144	DIFFUSION
61	BY-PRODUCTS	ī	145	DIGITIZED
64	CAMOUFLAGE	ī	146	DIMENSIONAL MEASUREM 1
65	CANNONS	ī	147	DISPOSAL
55	CANS	ī	148	DROPLET SIZE 1
67	CARTRIDGE	ĩ	149	DUAL HARDNESS
68	CASE	ĩ	151	DYNAMIC
71	CHALLENGE	<u></u>	152	DYNAMIC TESTING :
74	CHARCOAL	ī	153	EFFECTIVENESS TEST
75	CHARPY	i	156	ELECTROMIGRATION
90	CHEMISTRY	i	158	EMERGING :
31	CHILLED	1	159	EMI
82	CHROMATOGRAPHY	ī	160	ENGINE
95	CLOSED BOME	1	163	ENHANCEMENTS
88	COLOR	1	167	EQUIVALENCY
		-	·	• • • • • • • • • • • • • • • • • • • •

KWD#	KEYWORD	OCR#		<wd#< th=""><th>KEYWORD</th><th>OCR#</th></wd#<>	KEYWORD	OCR#
			•			
168	EQUIVALENT MATERIAL	1		242	INTEGRITY	1
169	ERROR	1		243	INTEROPERABILITY	1
170	ESTIMATION	1		244		1
173	EVENTS	1		246	KEYWAYS	1
175	EXPLOSIVES	1		247		1
	FABRICS	1		248	LAMINATES	1
179	FASTENERS	1		249	LAMINOGRAPHY	1
	FEEDING	1		250	LAN	1
184	FIELD TESTING	1			LARGE CALIBER	ı
	FIELD USE	1 1		254	LASER MARKING	1
	FILTERS	1			LAUNCHER	1
	FLOOR PANELS	ī		256		. 1
188	FLOURESCENCE	1		257	LEAKAGE	1
	FORCES	1		258	LEARNING	1
192	FUEL	, i		260	LIFE-CYCLE	1
	FUEL LEAKS	1		262	LIQUID AGENTS	1
	FUEL STORAGE	1		264	LONG TERM	:
	FULLERS EARTH	1		265	LOW OBSERVABLES	1
178	GAGING	1		266		1
199	GARMENTS	1		268	M6	1
200	GAS MASKS	1		269	M14 MASK	1
201	GAS PHASE	1		270	MIAI	1
203	GLASS	1		271	M42 MACHINE MACHINE TOOL	i
204	GRAPHITE REINFORCED	1		272	MACHINE	1
205	GRENADES	1		273	MACHINE TOOL	1
206	GRINDING BURN	1		274	MACHINING	1
207	GROOVES	1		275	MAGNETO-OFTICAL	1
208	GRP	1		277	MANPRINT	1
210	HAWK MISSILE	1		278	MAPPER	1 .
	HEADFORM	1		279	MARKINGS	-t
215	HIGH ENERGY WEAPONS	1		230	MASKING MATERIALS	1
217	HIGH HARDNESS	1		281	MASKS	i
218	HIGH PIN COUNT	1		286	MECHANISMS	1
219	HIGH SPEED	1		289		1
220	HIGH STRAIN	1		273		1
221	HIGH STRESS	1		274	MISSILE CARRIERS	t
222	HIGH TOUGHNESS	1		276	MITIGATORS	:
	HISAC	1		297	MM WAVE	1
226	HYDROGEN DAMAGE	1		298	MODAL TESTING	1
227	HYDROGEN EMBRITTLE	1		700	MODULE TESTING	t
	IDENTIFICATION	1		201		· ·
229	IMAGES	1		705		l
	IMBEDDED	1			MULTI LAYERED	ı
232	IMCS	1		307	MULTI-AXIS	t
234		1		208		1
235	INDUSTRIAL	1		512	NETWORK	l.
276	INERTNESS	1		-513		l
278	INJECTION MOLDING	1		316		l
239		1		319		1
241	INSTRUMENT	1		222	ORTURATOR	1

KWD#		OCR#	KWD#	
====		====	32 32 32 32 32 <u>32 32 32 32 32 32 32 32 32 32 32 32 32 3</u>	
324	ON-LINE ANALYSIS	1	408	SELF-TESTING 1
325	ONE SIDED	i	409	SEMICONDUCTOR 1
326	OPERATION	1	410	SENSORS 1
328	OPTICAL ABSORPTION	1	411	SENSORY CHARACTERIST 1
329	OPTICAL COATINGS	1	412	SET BACK 1
	OFTICAL TESTING	1	419	SHOCK TESTING 1
331	ORGANIC	1	420	SIGNALS 1
332	OVERHAUL	1	421	SIGNATURE 1
334	PADS	1	422	SIGNATURES 1
337	OPTICAL TESTING ORGANIC OVERHAUL PADS PART IDENTIFICAT	1	426	SLEEPING BAG 1
338	PARTICULATE	i	427	SLEEPING BAG 1 SMALL CALIBER 1
339	DARTE CONTROL	1	428	SMOKE 1
340	PATRIOT PATTERNS PERFORATION PERFORMANCE PHOSPHATE PHOTOMETRY	1	430	
341	PATTERNS	1	432	SOLUTIONS 1
344	PERFORATION	1	433	
345	PERFORMANCE	1	434	
347	PHOSPHATE	1	435	SPECTROPHOTOMETER L
348	FHOTOMETRY	1	436	
351	PLATING SOLUTION	ī	437	
352	# 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		470	
354	FOROSITY	- 1	441	
356	POUCH	1	442	
3 5 7	FOWDERED	1	443	
358	PRESSURE	1	444	
3 5 9	PLUNGER POROSITY POUCH POWDERED PRESSURE PROCEDURES	1	446	•
360	PROCESS	i	447	
363	PRODUCTION SCREENING	î	449	STRAIGHTNESS :
- 366	PROOF FIRING	î	45ó	STOCKFILE : STRAIGHTNESS : STRAPPING :
370	PROTECTIVE	î	451	STRAPS 1
371	PROTOCOLS	ī	453	STRAPS 1 STRUCTURAL 1
372	PUNCTURE	î	455	SUBASSEMBLIES
375	QUALITY ASSURANCE	1	456	SUBSISTANCE t
377	QUICKNESS	•	457	SUIT
37 9	RADAR	i	458	SUPPLY
381	RAIL GUNS	1	459	SUFRS
382	RAPID SOLIDIFICATION	i	460	
337	REDUCTION	i	461	SURVIVAL KIT
201	REPAIRS	i	463	SYSTEM
392	REQUIREMENTS	1	464	
797	RESEARCH	. 1	467	TELEMETRY 1
394	RESIDUAL STRESS	i	468	TEMPERATURE
395	RESIDUE	i	460 460	TO 201 100 21 PM
397 397	RF SWITCHING	î	470	•
399 399	ROCKET MOTORS	1	471	TENTAGE 1 TEST CHAMBER 1
400	ROTOR BLADES	7	472	TEST CHAMBER 1
400 401	ROUGH TERRAIN	1	47 <u>2</u> 47 5	THERMAL SHOCK
401 402	RUBBER COMPOUNDS	t	473 478	TITRATION 1
404	SAMPLING	1	481	TRACKED COMBAT
405	SCATTERING	1	463	TRAILERS
407	SEALANTS	i	485	WORK 5.1
™ 1.31 3	JUNETURE DE LA CONTRACTION DEL CONTRACTION DE LA	J,	,	TRAY PACKS (

KWD#	KEYWORD	OCR# ====	KWD# ====	KEYWORD	OCR# ====
486	TURBINE	1			
488	ULTRAVIOLET	1			
489	UNDERWATER	1			
491	VAPOR	1			
492	VEGITATION	1			
497	VISIBLE	1			
501	WAM	1			
503	WASTE MONITORING	1			
504	WASTE STORAGE	1			
505	WATER INTRUSION	1			
508	WEATHERING	1			
509	WEBBING	1			
512	WIDE AREA	1			
513	WINDOW FANELS	1			
51 5	X-RAY DIFFRACTION	1			
516	X-RAY FLOURESCENCE	1 .			
Q		Ō			
Q		0			
Q.		Q			

LEGEND:

KWD# - Keyword number

Keyword - Testing need keyword descriptor

OCR# - Number of occurrences of keyword in survey submissions

APPENDIX E SURVEY DATABASE INFORMATION


SURVEY DATABASE INFORMATION

The Testing Needs Survey information collected from individual responses on the Information Summary Forms was condensed and entered into a computer database to assist in analyzing the data. The dBase III Plus program, a product of Ashton-Tate Software, was used to perform the database operations. This software was operated on an IBM-PC compatible computer under the MS-DOS operating system. The program and data were placed on a hard disk drive to allow quick retrieval, sorting, and manipulation of the information.

The survey information was organized into individual RECORDS in the database, each consisting of the following information FIELDS:

Field Name	<u>Type</u>	Width	Description
RECNO	Numeric	4	Record Number in Database
TNSFORM	Numeric	4	Testing Needs Survey Form Number
			, , , , , , , , , , , , , , , , , , ,
TITLE	Character	80	Testing Need Title as Presented
PRESENTER	Character	20	Author/Representative of Submission
COMMAND	Character	10	Army Major Subordinate Command
INSTALLAT	Character	12	Installation Submitting Testing Need
COST	Numeric	8	Estimated Cost for Solution in \$K
MECH_TECH	Logical	1	Mechanical Test Technology (True/False)
CHEM_TECH	Logical	1	Chemical Test Technology (True/False)
NDT_TECH	Logical	1	Nondestructive Test Technology (True/False)
ELE_SFTWR	Logical	1	Electronic/Software Test Technology (True/False)
OTHER_TECH	Character	12	Specify Other Test Technology (1 word)
KEYWORD1	Character	20	Single word describing a distinct aspect of the subject
•••	Character	20	testing need. Up to 8 keywords were allowed for
	Character	20	each record. Unused keyword fields assigned
KEYWORD8	Character	20	"NONE."
AMW	Logical	1	Ammunition/Weapon Product Category (T/F)
VEH	Logical	1	Vehicles, Combat/Tactical Product Category (T/F)
AIR	Logical	1	Aircraft/Equipment Product Category (T/F)
MIS	Logical	1	Missiles/Equipment Product Category (T/F)
PER	Logical	1	Personnel/Support Product Category (T/F)
ELS	Logical	1	Electronics/Software Product Category (T/F)
MAT	Logical	1	Materials/Properties Problem Area (T/F)
AIP	Logical	1	Automated Testing/In-Process Control (T/F)
DIA	Logical	1	Diagnostic Testing and Assessment (T/F)
BND	Logical	1	Bonding/Adhesive Technology (T/F)
DUR	Logical	1	Durability/Structural Integrity (T/F)
NBC	Logical	1	Nuclear, Biological, Chemical Testing (T/F)
SOM	Logical	l	Sensors, Optics, Measurement Technology (T/F)
ENR	Logical	1	Energetics and Munitions Testing (T/F)
OTH	Logical	1	Other Army Problem Areas

A series of programs were written using the dBASE III Plus commands to manipulate the data, generate database statistics, and print the results.



DISTRIBUTION LIST

No. of Copies	То
1	Office of the Under Secretary of Defense for Research and Engineering, The Pentagon, Washington, DC 20301
1	Commander, U.S. Army Laboratory Command, 2800 Powder Mill Road, Adelphi, MD 20783-1145 ATTN: AMSLC-IM-TL AMSLC-CT AMSLC-CT, Mr. S. Doherty
2	Commander, Defense Technical Information Center, Cameron Station, Building 5, 5010 Duke Street, Alexandria, VA 22304-6145 ATTN: DTIC-FDAC
1	Metals and Ceramics Information Center, Battelle Columbus Laboratories, 505 King Avenue, Columbus, OH 43201
1	Commander, Army Research Office, P.O. Box 12211, Research Triangle Park, NC 27709-2211
1	ATTN: Information Processing Office
1 1 2 1 2	Commander, U.S. Army Materiel Command, 5001 Eisenhower Avenue, Alexandria, VA 22333 ATTN: AMCLD AMCPD, Mr. D. Griffin AMCPD-P, Mr. S. Balint AMCQA, Mr. S. Lorber AMCQA-E, Mr. J. Byers
1	Commander, U.S. Army Materiel Systems Analysis Activity, Aberdeen Proving Ground, MD 21005 ATTN: AMXSY-MP, H. Cohen
1 1 1	Commander, U.S. Army Missile Command, Redstone Scientific Information Center, Redstone Arsenal, AL 35898-5241 ATTN: AMSMI-RD-CS-R/Doc AMSMI-RLM AMSMI-RD-SE-MT, Mr. B. Park
2 1 4	Commander, U.S. Army Armament, Munitions and Chemical Command, Dover, NJ 07801 ATTN: Technical Library AMDAR-LCA, Mr. Harry E. Pebly, Jr., PLASTEC, Director AMSMC-QAH-T, Mr. J. Sewell
1	Commander, U.S. Army Natick Research, Development and Engineering Center, Natick, MA 01760 ATTN: Technical Library STRNC-EML, Mr. D. MacLeod

No. of	
Copies	То
1	Commander, U.S. Army Satellite Communications Agency, Fort Monmouth, NJ 07703 ATTN: Technical Document Center
1	
1	Commander, U.S. Army Tank-Automotive Command, Warren, MI 48397-5000 ATTN: AMSTA-ZSK AMSTA-TSL, Technical Library AMSTA-QAT, Mr. K. Ehley
1	Commander, White Sands Missile Range, NM 88002 ATTN: STEWS-WS-VT
1	President, Airborne, Electronics and Special Warfare Board, Fort Bragg, NC 28307 ATTN: Library
1	Director, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD 21005 ATTN: SLCBR-TSB-S (STINFO)
1	Commander, Dugway Proving Ground, Dugway, UT 84022 ATTN: Technical Library, Technical Information Division
	Commander, Harry Diamond Laboratories, 2800 Powder Mill Road, Adelphi, MD 20783
1	ATTN: Technical Information Office
1 1 1 1	Director, Benet Weapons Laboratory, LCWSL, USA AMCCOM, Watervliet, NY 12189 ATTN: AMSMC-LCB-TL AMSMC-LCB-R AMSMC-LCB-RM AMSMC-LCB-RP
1	Commander, U.S. Army Foreign Science and Technology Center, 220 7th Street, N.E., Charlottesville, VA 22901 ATTN: Military Tech
1	Commander, U.S. Army Aeromedical Research Unit, P.O. Box 577, Fort Rucker, AL 36360 ATTN: Technical Library
I	Commander, U.S. Army Aviation. Systems Command, Aviation Research and Technology Activity, Aviation Applied Technology Directorate, Fort Eustis, VA 23604-5577 ATTN: SAVDL-E-MOS

U.S. Army Aviation Training Library, Fort Rucker, AL 36360 ATTN: Building 5906-5907

1

No. of Copies	То
1	Commander, U.S. Army Agency for Aviation Safety, Fort Rucker, AL 36362 ATTN: Technical Library
1	Commander, USACDC Air Defense Agency, Fort Bliss, TX 79916 ATTN: Technical Library
1	Commander, U.S. Army Engineer School, Fort Belvoir, VA 22060 ATTN: Library
1	Commander, U.S. Army Engineer Waterways Experiment Station, P.O. Box 631, Vicksburg, MS 39180 ATTN: Research Center Library
1	Commandant, U.S. Army Quartermaster School, Fort Lee, VA 23801 ATTN: Quartermaster School Library
1 2	Naval Research Laboratory, Washington, DC 20375 ATTN: Code 5830 Dr. G. R. Yoder - Code 6384
1	Chief of Naval Research, Arlington, VA 22217 ATTN: Code 471
1	Edward J. Morrissey, AFWAL/MLTE, Wright-Patterson Air Force Base, OH 45433
1 ! 1	Commander, U.S. Air Force Wright Aeronautical Laboratories, Wright-Patterson Air Force Base, OH 45433 ATTN: AFWAL/MLC AFWAL/MLLP, M. Forney, Jr. AFWAL/MLBC, Mr. Stanley Schulman
1	National Aeronautics and Space Administration, Marshall Space Flight Center, Huntsville, AL 35812 ATTN: R. J. Schwinghammer, EH01, Dir, M&P Lab Mr. W. A. Wilson, EH41, Bldg. 4612
1	 U.S. Department of Commerce, National Institute of Standards and Technology, Gaithersburg, MD 20899 ATTN: Stephen M. Hsu, Chief, Ceramics Division, Institute for Materials Science and Engineering
2 4 1	Director, U.S. Army Materials Technology Laboratory, Watertown, MA 02172-0001 ATTN: SLCMT-TML Authors SLCMT-IMA-V
ī	Commander, U.S. Army Aviation Systems Command, 4300 Goodfellow Blvd., St. Louis, MO 63120 ATTN: AMSAV-QE, Mr. G. Krener

No. of Copies	То
	Commander, U.S. Army Communications-Electronics Command, Fort Monmouth,
1	NJ 07703-5000 ATTN: AMSEL-ED-PI-1, Mr. J. Kelly
2	Commander, U.S. Army Depot Systems Command, Chambersburg, PA 17201-417 ATTN: AMSDS-QA-M, Mr. B. Newman
1	Commander, U.S. Army Test and Evaluation Command, Aberdeen Proving Ground, MD 21005-5055 ATTN: AMSTE-TC-M, Mr. J. Piro
1	Commander, U.S. Army Troop Support Command, 4300 Goodfellow Blvd, St. Louis, MO 63120-1798 ATTN: AMSTR-PP, Ms. D. McReynolds

COMMAND TESTING NEEDS FOR MATE. Fred Stenton, Walter Roy, Roger Lamothe, A SURVEY OF U.S. ARMY MATERIEI RIALS AND IN-PROCESS TESTING -Richard Cervantes (Southwest Research U.S. Army Materials Technology Laboratory Watertown, Massachusetts 02172-0001 and Paul Kenny (MTL) ATTN: SLCMT-TM 405 Arsenal Street Institute, NTIAC)

L NLIMITED DISTRIBUTION

Key Words

Testing Needs Test Methods In-Process Testing

Materials

UNCLASSIFIED

8

Technical Report: MTL TR 89-91, October 1989, 160 pp 3 illus - 5 tables, Contract DLA 900-84-C-0910BQ Final Report This document describes an in-depth survey of the United States Army Commodity Commands materials and in-process testing needs conducted as part of the Materials Testing Technology (MTT) Program. The purpose of the survey was to provide a planning matrix for the scheduling, prioritizing, and funding of projects to accommodate those needs. The results of the survey are Army Major Subordinate Commands representing the various Army materiel categories. The survey has identified several testing situations and product categories which have common needs requiring presented in three different configurations: (1) Summary by Project Category, (2) Summary by Problem Area, and (3) Summary by Testing Technology. The survey received responses from all solutions through test methodology.

COMMAND TESTING NEEDS FOR MATE. Fred Stenton, Walter Roy, Roger Lamothe, A SURVEY OF U.S. ARMY MATERIEI RIALS AND IN-PROCESS TESTING -Richard Cervantes (Southwest Research U.S. Army Materials Technology Laboratory Watertown, Massachusetts 02172-0001 and Paul Kenny (MTL) ATTIN: SLCMT-TIM 405 Arsenal Street Institute, NTIAC)

Technical Report: MTL TR 89-91, October 1989, 160 pp 3 illus - 5 tables, Contract DLA 900-84-C-0910BO Final Report

materials and in-process testing needs conducted as part of the Materials Testing Technology (MTT) This document describes an in-depth survey of the United States Army Commodity Commands Program. The purpose of the survey was to provide a planning matrix for the scheduling, prioritizing, and funding of projects to accommodate those needs. The results of the survey are presented in three different configurations: (1) Summary by Project Category, (2) Summary by Army Major Subordinate Commands representing the various Army material categories. The survey has identified several testing situations and product categories which have common needs requining Problem Area, and (3) Summary by Testing Technology. The survey received responses from all solutions through test methodology.

UNLIMITED DISTRIBUTION In-Process Testing **Testing Needs** Fest Methods Materials Survey COMMAND TESTING NEEDS FOR MATE-Fred Stenton, Walter Roy, Roger Lamothe, Watertown, Massachusetts 02172-0001 A SURVEY OF U.S. ARMY MATERIEL Richard Cervantes (Southwest Research U.S. Army Materials Technology Laboratory RIALS AND IN-PROCESS TESTING and Paul Kenny (MTL) ATTN: SLCMT-TM 405 Arsenal Street institute, l'ITIAC)

UNCLASSIFIED

Key Words

Technical Report: MTL TR 89-91, October 1989, 160 pp 3 illus - 5 tables, Contract DLA 900-84-C-0910BO Final Report This document describes an in-depth survey of the United States Army Commodity Commands materials and in-process testing needs conducted as part of the Materials Testing Technology (MTT) Program. The purpose of the survey was to provide a planning matrix for the scheduling, prioritizing, and funding of projects to accommodate those needs. The results of the survey are presented in three different configurations: (1) Summary by Project Category, (2) Summary by Problem Area, and (3) Summary by Testing Technology. The survey received responses from all Army Major Sut ordinate Commands representing the various Army materiel categories. The survey has identified several testing situations and product categories which have common needs requiring solutions through test methodology.

COMMAND TESTING NEEDS FOR MATE-RIALS AND IN-PROCESS TESTING -A SURVEY OF U.S. ARMY MATERIEI U.S. Army Materials Technology Laboratory Watertown, Massachusetts 02172-0001 ATTN: SLCMT-TM 405 Arsenal Street

UNLIMITED DISTRIBUTION

Key Words

Testing Needs Test Methods

Survey

UNCLASSIFIED

UNLIMITED DISTRIBUTION

UNCLASSIFIED

PΩ

Key Words **Testing Needs** Test Methods Materials Survey

In-Process Testing

Program. The purpose of the survey was to provide a planning matrix for the scheduling, prioritizing, and funding of projects to accommodate those needs. The results of the survey are presented in three different configurations: (1) Summary by Project Category, (2) Summary by Problem Area, and (3) Summary by Testing Technology. The survey received responses from all Army Major Subordinate Commands representing the various Army materiel categories. The survey has identified several testing situations and product categories which have common needs requiring This document describes an in-depth survey of the United States Army Commodity Commands

Fred Stenton, Walter Roy, Roger Lamothe, Richard Cervantes (Southwest Research and Paul Kenny (MTL)

Technical Report: MTL TR 89-91, October 1989, 160 pp 3 illus - 5 tables, Contract DLA 900-84-C-0910BO Final Report

Institute, NTIAC)

In-Process Testing

Materials

solutions through test methodology.